



Bainbridge

BG1

AQUAMARINE

• DECK HARDWARE • TENDERS • HATCHES
• OFFSHORE CLOTHING • COOKERS • ANCHORS • CHAIN



 **AQUAMARINE**



For over 50 years we have designed and developed a range of leading marine products specially designed to maximise a boat owners time and pleasure on the water.

Right from the outset, boat builders have depended on AquaMarine products to enable them to offer their clients the latest in comfort and convenience.

This has only been possible through a dedicated team of sailors and engineers who have developed products with built in user appeal – constantly improving, constantly delivering.

During this time our range has evolved and expanded – to include an impressive range of chandlery products covering essentials in deck hardware, sail and cover, water systems and popular upgrade items.

This is now complimented by a range of attractively packed and priced deck hatches, a fully comprehensive selection of European designed RIB's and tenders, robust and easy to set anchors, and high performance marine clothing.

All of these have built in design features to ensure the boat owner makes the most of their boating - with the added reassurance of the AquaMarine brand by their side.




WE CONSIDER DESIGN TO BE OF UTMOST IMPORTANCE...

But we pride ourselves on our quality. Our products are varied and range from simple to complicated showing gear for large motor yachts. Be sure to visit the Aqua-Marine stand—we have products of interest for every boat owner.

We are located at STAND UFS

Trade and Export enquiries welcome. For catalogues write to:
Aqua-Marine Mfg. (UK) Ltd.,
High Street, Eastleigh, Hampshire, England.
Tel: Eastleigh 26119/6 or 04-2526-26119/8

AQUA-MARINE
TORONTO • LONDON • NEW YORK



Contents



Carded Hardware - 2



Anchoring - 15



Canopy & Webbing - 19



Sail & Cover - 25



Deck Hardware - 34



Dinghy & RIB - 46



Tenders - 52




Electrical - 60



Water Systems - 64



Rowlocks & Oars - 75



Clothing - 80



Clocks & Barometers - 83



Marine Cookers - 86

Part Number Index - 91 / Index by Product - 94



AQM053960



AQM053295

Bow Shackle - Bar Type

Bar Diameter mm	Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
4	16	8-14	4	320	700	AISI 316 Stainless	Euroslot Carded	5056228202820	AQM053960
5	19	10-16	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228202837	AQM053961
6	25	13-26	6	600	1500	AISI 316 Stainless	Euroslot Carded	5056228202288	AQM053535
8	32	16-24	8	1000	2700	AISI 316 Stainless	Euroslot Carded	5056228202844	AQM053963
10	38	19-32	10	1520	4300	AISI 316 Stainless	Euroslot Carded	5056228202851	AQM053964
12	51	25-38	12	2080	6000	AISI 316 Stainless	Euroslot Carded	5056228202868	AQM053965
16	64	32-56	16	3400	10000	AISI 316 Stainless	Euroslot Carded	5056228201526	AQM023966
5	20	10-14	5	250	1500	Hot Dipped Galvanised	Euroslot Carded	5056228201977	AQM053295
6	24	12-17	6	330	1980	Hot Dipped Galvanised	Euroslot Carded	5056228201984	AQM053296
8	32	16-22	8	500	3000	Hot Dipped Galvanised	Euroslot Carded	5056228201991	AQM053297
10	40	20-29	10	750	4500	Hot Dipped Galvanised	Euroslot Carded	5056228202004	AQM053298
11	45	22-32	11	1000	6000	Hot Dipped Galvanised	Euroslot Carded	5056228202011	AQM053299
12	49	25-34	12	1400	840	Hot Dipped Galvanised	Euroslot Carded	5056228202028	AQM053300
14	59	28-41	14	1700	10200	Hot Dipped Galvanised	Euroslot Carded	5056228202035	AQM053301
16	64	32-46	16	2000	12000	Hot Dipped Galvanised	Euroslot Carded	5056228202042	AQM053302
20	80	38-59	20	3250	19500	Hot Dipped Galvanised	Euroslot Carded	5056228202059	AQM053303
22	85	44-63	22	4750	28500	Hot Dipped Galvanised	Euroslot Carded	5056228202066	AQM053304



Twisted Shackle - Bar Type

Bar Diameter mm	Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
5	30	10	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228202295	AQM053576
6	36	12	6	600	1500	AISI 316 Stainless	Euroslot Carded	5056228202301	AQM053577
8	48	16	8	1300	2700	AISI 316 Stainless	Euroslot Carded	5056228202318	AQM053578
10	60	20	10	2100	4300	AISI 316 Stainless	Euroslot Carded	5056228202325	AQM053579



Long D Shackle - Bar Type

Bar Diameter mm	Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
4	32	8	4	320	700	AISI 316 Stainless	Euroslot Carded	5056228202240	AQM053510
5	40	10	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228202257	AQM053511
6	48	12	6	600	1600	AISI 316 Stainless	Euroslot Carded	5056228202264	AQM053512
8	64	16	8	1000	2700	AISI 316 Stainless	Euroslot Carded	5056228202271	AQM053513
10	80	20	10	1520	4300	AISI 316 Stainless	Euroslot Carded	5056228202875	AQM053975
12	96	24	12	3000	6000	AISI 316 Stainless	Euroslot Carded	5056228202882	AQM053976



AQM053862



AQM053280

D Shackle - Bar Type

Bar Diameter mm	Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
4	16	8	4	320	700	AISI 316 Stainless	Euroslot Carded	5056228202400	AQM053862
5	19	10	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228202417	AQM053863
6	25	13	6	600	1600	AISI 316 Stainless	Euroslot Carded	5056228202424	AQM053864
8	32	16	8	1000	2500	AISI 316 Stainless	Euroslot Carded	5056228202431	AQM053865
10	38	19	10	1520	4300	AISI 316 Stainless	Euroslot Carded	5056228202448	AQM053866
12	51	25	12	3000	6000	AISI 316 Stainless	Euroslot Carded	5056228202455	AQM053867
16	64	32	16	3400	10000	AISI 316 Stainless	Euroslot Carded	5056228201281	AQM023499
5	19	10	5	250	1500	Hot Dipped Galvanised	Euroslot Carded	5056228201878	AQM053280
6	24	12	6	330	1980	Hot Dipped Galvanised	Euroslot Carded	5056228201885	AQM053281
8	25	13	8	500	3000	Hot Dipped Galvanised	Euroslot Carded	5056228201892	AQM053282
10	40	20	10	750	4500	Hot Dipped Galvanised	Euroslot Carded	5056228201908	AQM053283
11	44	22	11	1000	6000	Hot Dipped Galvanised	Euroslot Carded	5056228201915	AQM053284
12	48	25	12	1400	840	Hot Dipped Galvanised	Euroslot Carded	5056228201922	AQM053285
14	56	28	14	1700	10200	Hot Dipped Galvanised	Euroslot Carded	5056228201939	AQM053286
16	64	32	16	2000	12000	Hot Dipped Galvanised	Euroslot Carded	5056228201946	AQM053287
20	76	38	20	3250	19500	Hot Dipped Galvanised	Euroslot Carded	5056228201953	AQM053288
22	85	44	22	4750	28500	Hot Dipped Galvanised	Euroslot Carded	5056228201960	AQM053289

Shackle with Bar and Double Captive Pin



Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
39	12.5	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228203704	AQM054798
45	14.5	6	600	1500	AISI 316 Stainless	Euroslot Carded	5056228203711	AQM054799
64	19	8	1300	2700	AISI 316 Stainless	Euroslot Carded	5056228203728	AQM054800

Shackles with Sink Pin



Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
24	12	6	600	1600	AISI 316 Stainless	Euroslot Carded	5056228203667	AQM054794
32	16	8	1300	2700	AISI 316 Stainless	Euroslot Carded	5056228203674	AQM054795
40	20	10	2100	4300	AISI 316 Stainless	Euroslot Carded	5056228203681	AQM054796
48	24	12	3000	6000	AISI 316 Stainless	Euroslot Carded	5056228203698	AQM054797



Shackle Key

Type	For Shackles mm	Length mm	Width mm	Barcode	Part Number
Tear Drop	8 , 10 & 13	100	32	5056228203216	AQM054749



Fixed Snap Shackle

Length mm	Gap mm	Eye mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
52	12	9	160	400	AISI 316 Stainless	Euroslot Carded	5056228201434	AQM023873
66	16	12	960	2000	AISI 316 Stainless	Euroslot Carded	5056228201441	AQM023874



Eye Swivel Snap Shackle

Length mm	Gap mm	Eye mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
70	12	12	160	400	AISI 316 Stainless	Euroslot Carded	5056228201458	AQM023877
87	16	16	960	2000	AISI 316 Stainless	Euroslot Carded	5056228201465	AQM023878
128	22	22	1280	3000	AISI 316 Stainless	Euroslot Carded	5056228201472	AQM023879



**AQM054722/
AQM054723**



B610/B611



B610S /B611N

Fast Rigid Snap Hook

Length mm	Eye mm	Break Load kg	Material	Format	Barcode	Part Number
55	10	130	AISI 316 Stainless	Euroslot Carded	5056228203117	AQM054722
73	16	160	AISI 316 Stainless	Euroslot Carded	5056228203124	AQM054723
53	10	-	Brass	Euroslot Carded	5056228213611	B610
72	15	-	Brass	Euroslot Carded	5056228213628	B611
53	10	-	AISI 304 Stainless Steel	Euroslot Carded	5056228213598	B610S
72	15	-	Nickel plated brass	Euroslot Carded	5056228213581	B611N

Fast Rigid Snap Hook for Webbing



Length mm	Eye mm	For webbing diameter mm	Material	Format	Barcode	Part Number
50	25	Up to 25.4	AISI 304 Stainless Steel	Euroslot Carded	5056228213635	B617S



AQM054726/ AQM054727



B632



B611SW

Fast Swivel Snap Hook

Length mm	Eye mm	Break Load kg	Material	Format	Barcode	Part Number
86	6	150	AISI 316 Stainless	Euroslot Carded	5056228203131	AQM054726
100	20	250	AISI 316 Stainless	Euroslot Carded	5056228203148	AQM054727
64	10	-	Bronze	Euroslot Carded	5056228213550	B632
81	15	-	Bronze	Euroslot Carded	5056228213574	B611SW



AQM053854



B615

Swivel Snap Eye Bolt

Length mm	Gap mm	Eye mm	Material	Format	Barcode	Part Number
62	7	9	AISI 316 Stainless	Euroslot Carded	5056228202363	AQM053854
75	8	12	AISI 316 Stainless	Euroslot Carded	5056228202370	AQM053855
87	9	16	AISI 316 Stainless	Euroslot Carded	5056228202387	AQM053856
90	9	19	AISI 316 Stainless	Euroslot Carded	5056228202394	AQM053857
75	8	10	Bronze	Euroslot Carded	5056228213567	B615

Swivel Snap Eye Bolt for Webbing



Length mm	Gap mm	Eye mm	Material	Format	Barcode	Part Number
75	8	25	Bronze	Euroslot Carded	5056228213543	B637

Asymetric Snap Carabiner / Carbine Hook with Eye - Sprung Wire Close



Bar Diameter mm	Length mm	Width mm	Eye mm	Material	Format	Barcode	Part Number
6	60	35	9	AISI 316 Stainless	Euroslot Carded	5056228203049	AQM054715
8	80	46	11	AISI 316 Stainless	Euroslot Carded	5056228203056	AQM054716
10	100	58	15	AISI 316 Stainless	Euroslot Carded	5056228203063	AQM054717
12	120	70	18	AISI 316 Stainless	Euroslot Carded	5056228203070	AQM054718

Snap Carabiner / Carbine Hook with Eye - Sprung Wire Close



Length mm	Width mm	Eye mm	Break Load kg	Material	Format	Barcode	Part Number
50	25	6	200	AISI 316 Stainless	Euroslot Carded	5056228203087	AQM054719
70	31	9	450	AISI 316 Stainless	Euroslot Carded	5056228203094	AQM054720
100	50	12	800	AISI 316 Stainless	Euroslot Carded	5056228203100	AQM054721

Snap Carabiner / Carbine Hook - Sprung Bar Close



Bar mm	Length mm	Width mm	Gap mm	Break Load kg	DIN Standard	Material	Format	Barcode	Part Number
5	50	25	7	280	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201755	AQM053130
6	60	30	8	370	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201762	AQM053131
7	70	35	8	460	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201779	AQM053132
8	80	40	9	580	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201786	AQM053133
10	100	50	10	880	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201793	AQM053135
11	120	57	11	1000	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201809	AQM053136

Snap Carabiner / Carbine Hook with Eye - Sprung Bar Close



Bar mm	Length mm	Width mm	Gap mm	Break Load kg	DIN Standard	Material	Format	Barcode	Part Number
5	50	25	7	280	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201816	AQM053139
6	60	30	8	370	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201823	AQM053140
7	70	35	8	460	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201830	AQM053141
8	80	40	9	580	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201847	AQM053142
10	100	50	10	880	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201854	AQM053144
11	120	57	11	1000	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201861	AQM053145

Senhouse Hook



Type	Length mm	Secures by	Material	Format	Barcode	Part Number
Slip Hook	50	Sliding flat ring	AISI316 Stainless Steel	Euroslot Carded	5056228213086	P38865



Snap Carabiner / Carbine Hook with Screw Lock - Sprung Bar Close

Bar mm	Length mm	Width mm	Gap mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
5	50	25	7	140	280	AISI 316 Stainless	Euroslot Carded	5056228203759	AQM054803
6	60	30	8	185	370	AISI 316 Stainless	Euroslot Carded	5056228203766	AQM054804
7	70	35	8	230	460	AISI 316 Stainless	Euroslot Carded	5056228203773	AQM054805
8	80	40	9	250	500	AISI 316 Stainless	Euroslot Carded	5056228203780	AQM054806
9	90	45	9	290	580	AISI 316 Stainless	Euroslot Carded	5056228203797	AQM054807
10	100	50	10	440	880	AISI 316 Stainless	Euroslot Carded	5056228203803	AQM054808
11	120	57	11	500	1000	AISI 316 Stainless	Euroslot Carded	5056228203810	AQM054809
12	140	67	14	600	1200	AISI 316 Stainless	Euroslot Carded	5056228203827	AQM054810
13	160	74	20	700	1400	AISI 316 Stainless	Euroslot Carded	5056228203834	AQM054811



S Hooks

Bar mm	Material	Format	Barcode	Part Number
3	AISI 316 Stainless	Euroslot Carded	5056228203841	AQM054812
3.5	AISI 316 Stainless	Euroslot Carded	5056228203858	AQM054813
4	AISI 316 Stainless	Euroslot Carded	5056228203865	AQM054814
5	AISI 316 Stainless	Euroslot Carded	5056228203872	AQM054815
6	AISI 316 Stainless	Euroslot Carded	5056228203889	AQM054816
7	AISI 316 Stainless	Euroslot Carded	5056228203896	AQM054817
8	AISI 316 Stainless	Euroslot Carded	5056228203902	AQM054818
9	AISI 316 Stainless	Euroslot Carded	5056228203919	AQM054819
10	AISI 316 Stainless	Euroslot Carded	5056228203926	AQM054820



Snap Hook - Sprung Plate Close

Length mm	Width mm	Gap mm	Break Load kg	Material	Format	Barcode	Part Number
95	45	15	3500	Hot Dipped Galvanised	Euroslot Carded	5056228201090	AQM023128



Pelican Hook

Length mm	Width mm	Eye mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
73	6	12	520	1000	AISI 316 Stainless	Euroslot Carded	5056228203735	AQM054801
98	8	15	640	1200	AISI 316 Stainless	Euroslot Carded	5056228203742	AQM054802



Rigging Screws - Fork to Fork

Thread	Length mm	Jaw mm	Pin mm	Break Load kg	Material	Format	Barcode	Part Number
M5	130-190	6	5.2	800	AISI 316 Stainless	Euroslot Carded	5056228201380	AQM023821
M6	150-220	7.5	6.2	1000	AISI 316 Stainless	Euroslot Carded	5056228201397	AQM023822
M8	180-225	10	8.4	2200	AISI 316 Stainless	Euroslot Carded	5056228201403	AQM023823
M10	220-300	12	9.4	3500	AISI 316 Stainless	Euroslot Carded	5056228201410	AQM023824
M12	270-385	14	12.3	5100	AISI 316 Stainless	Euroslot Carded	5056228201427	AQM023825



Fork to Swage

For wire mm	Jaw mm	Pin mm	Break Load kg	Material	Format	Barcode	Part Number
2.5	7	5	900	AISI 316 Stainless	Euroslot Carded	5056228203506	AQM054778
3	7	5	900	AISI 316 Stainless	Euroslot Carded	5056228203513	AQM054779
4	9	6	1000	AISI 316 Stainless	Euroslot Carded	5056228203520	AQM054780
5	11	8	2200	AISI 316 Stainless	Euroslot Carded	5056228203537	AQM054781
6	12	9.5	3500	AISI 316 Stainless	Euroslot Carded	5056228203544	AQM054782
7	14	12	5100	AISI 316 Stainless	Euroslot Carded	5056228203551	AQM054783
8	14	12	5100	AISI 316 Stainless	Euroslot Carded	5056228203568	AQM054784
10	22	16	9400	AISI 316 Stainless	Euroslot Carded	5056228203575	AQM054785
12	22	19	12000	AISI 316 Stainless	Euroslot Carded	5056228203582	AQM054786



Toggle Eye to Pin

Length mm (centre pin to centre eye)	Jaw mm	Pin mm	Break Load kg	Material	Format	Barcode	Part Number
25	7	5	800	AISI 316 Stainless	Euroslot Carded	5056228203599	AQM054787
27	7	6.5	1000	AISI 316 Stainless	Euroslot Carded	5056228203605	AQM054788
31	8	8	1600	AISI 316 Stainless	Euroslot Carded	5056228203612	AQM054789
36	10	9.5	3500	AISI 316 Stainless	Euroslot Carded	5056228203629	AQM054790
37	12	11	5100	AISI 316 Stainless	Euroslot Carded	5056228203636	AQM054791
50	14	12.7	6900	AISI 316 Stainless	Euroslot Carded	5056228203643	AQM054792
60	16	12.7	6900	AISI 316 Stainless	Euroslot Carded	5056228203650	AQM054793



Turnbuckle Eye to Eye

Thread	Length mm	Break Load kg	Material	Format	Barcode	Part Number
M5	120-160	900	AISI 316 Stainless	Euroslot Carded	5056228202332	AQM053828
M6	150-220	1000	AISI 316 Stainless	Euroslot Carded	5056228202349	AQM053829
M8	200-290	2200	AISI 316 Stainless	Euroslot Carded	5056228202356	AQM053830



Wire Rope Grips

Thread	For wire mm	Length mm	Width mm	DIN Standard	Material	Format	Barcode	Part Number
M3	2	15	6.6	741	AISI 316 Stainless	Euroslot Carded	5056228202165	AQM053400
M4	3	16	9	741	AISI 316 Stainless	Euroslot Carded	5056228202172	AQM053401
M4	4	18.5	9	741	AISI 316 Stainless	Euroslot Carded	5056228202189	AQM053402
M5	5	19	11	741	AISI 316 Stainless	Euroslot Carded	5056228202196	AQM053403
M5	6	23	13	741	AISI 316 Stainless	Euroslot Carded	5056228202202	AQM053404
M6	8	28	16	741	AISI 316 Stainless	Euroslot Carded	5056228202219	AQM053405
M8	10	34	19	741	AISI 316 Stainless	Euroslot Carded	5056228202226	AQM053406
M12	16	51	29	741	AISI 316 Stainless	Euroslot Carded	5056228202233	AQM053408



Thimbles for Wire Rope

For wire mm	Length mm	Eye Length mm	Eye Width mm	Material	Format	Barcode	Part Number
3	25	18	10	AISI 304 Stainless Steel	Euroslot Carded	5056228202653	AQM053928
4	28	20	11	AISI 304 Stainless Steel	Euroslot Carded	5056228202660	AQM053929
5	32	21	13	AISI 304 Stainless Steel	Euroslot Carded	5056228202677	AQM053930
6	39	27	15	AISI 304 Stainless Steel	Euroslot Carded	5056228202684	AQM053931
8	51	38	22	AISI 304 Stainless Steel	Euroslot Carded	5056228202691	AQM053932
10	65	48	27	AISI 304 Stainless Steel	Euroslot Carded	5056228202707	AQM053933
12	70	53	29	AISI 304 Stainless Steel	Euroslot Carded	5056228202714	AQM053934
14	79	57	32	AISI 304 Stainless Steel	Euroslot Carded	5056228202721	AQM053935
16	90	67	40	AISI 304 Stainless Steel	Euroslot Carded	5056228202738	AQM053936
18	102	75	45	AISI 304 Stainless Steel	Euroslot Carded	5056228202745	AQM053937
20	115	84	52	AISI 304 Stainless Steel	Euroslot Carded	5056228202752	AQM053938
4	-	16	11	Hot Dipped Galvanised	Euroslot Carded	5056228202073	AQM053311
6	-	26	19	Hot Dipped Galvanised	Euroslot Carded	5056228202080	AQM053313
8	-	34	24	Hot Dipped Galvanised	Euroslot Carded	5056228202097	AQM053315
10	-	42	32	Hot Dipped Galvanised	Euroslot Carded	5056228202103	AQM053316
12	-	51	38	Hot Dipped Galvanised	Euroslot Carded	5056228202110	AQM053317
14	-	57	40	Hot Dipped Galvanised	Euroslot Carded	5056228202127	AQM053318
16	-	60	42	Hot Dipped Galvanised	Euroslot Carded	5056228202134	AQM053319
18	-	67	45	Hot Dipped Galvanised	Euroslot Carded	5056228202141	AQM053320
20	-	76	51	Hot Dipped Galvanised	Euroslot Carded	5056228202158	AQM053321



Swivel Fork to Fork

Bar mm	Length mm	Break Load kg	Material	Format	Barcode	Part Number
6	66	1000	AISI 316 Stainless	Euroslot Carded	5056228201311	AQM023806
8	90	1700	AISI 316 Stainless	Euroslot Carded	5056228201328	AQM023807



Swivel Eye to Eye

Bar mm	Length mm	Break Load kg	Material	Format	Barcode	Part Number
6	65	1080	AISI 316 Stainless	Euroslot Carded	5056228201335	AQM023813
8	90	1700	AISI 316 Stainless	Euroslot Carded	5056228201342	AQM023814
10	115	3000	AISI 316 Stainless	Euroslot Carded	5056228201359	AQM023816
13	154	4500	AISI 316 Stainless	Euroslot Carded	5056228201366	AQM023817
16	188	7700	AISI 316 Stainless	Euroslot Carded	5056228201373	AQM023818



Round Ring - Welded

Bar mm	Diameter mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
3	20	100	500	AISI 316 Stainless	Euroslot Carded	5056228202547	AQM053900
4	25	200	800	AISI 316 Stainless	Euroslot Carded	5056228202554	AQM053901
5	25	300	1600	AISI 316 Stainless	Euroslot Carded	5056228202561	AQM053903
4	40	500	1600	AISI 316 Stainless	Euroslot Carded	5056228202578	AQM053906
4	45	300	1300	AISI 316 Stainless	Euroslot Carded	5056228202585	AQM053907
6	50	900	2100	AISI 316 Stainless	Euroslot Carded	5056228202592	AQM053910
8	65	700	2700	AISI 316 Stainless	Euroslot Carded	5056228202608	AQM053913



D Ring - Welded

Bar mm	Diameter mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
3	20	100	500	AISI 316 Stainless	Euroslot Carded	5056228202615	AQM053916
4	25	200	800	AISI 316 Stainless	Euroslot Carded	5056228202622	AQM053918
5	25	300	1600	AISI 316 Stainless	Euroslot Carded	5056228202639	AQM053919
6	50	900	2100	AISI 316 Stainless	Euroslot Carded	5056228202646	AQM053925



Ring, Bolt, Nut & Washer

Thread	Length mm	Thread Length mm	Ring Bar mm	Ring Diameter mm	Material	Format	Barcode	Part Number
M6	75	50	6	35	AISI 316 Stainless	Euroslot Carded	5056228202516	AQM053895
M8	75	50	8	45	AISI 316 Stainless	Euroslot Carded	5056228202523	AQM053896
M10	100	75	10	50	AISI 316 Stainless	Euroslot Carded	5056228202530	AQM053897



Lifting Eye Bolt, Nut & Washer

Thread	Length mm	Thread Length mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part Number
M6	60	54	5	16	1200	AISI 316 Stainless	Euroslot Carded	5056228203155	AQM054738
M6	80	70	5	16	1200	AISI 316 Stainless	Euroslot Carded	5056228203162	AQM054739
M8	80	70	6	19	2200	AISI 316 Stainless	Euroslot Carded	5056228203179	AQM054740
M8	100	90	6	19	2200	AISI 316 Stainless	Euroslot Carded	5056228203186	AQM054741
M10	100	88	7	25	3500	AISI 316 Stainless	Euroslot Carded	5056228203193	AQM054742
M12	120	105	8	25	4500	AISI 316 Stainless	Euroslot Carded	5056228203209	AQM054743



Lifting Eye Bolt

Thread	Length mm	Thread Length mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part Number
M8	49	13	6	20	1800	AISI 316 Stainless	Euroslot Carded	5056228201533	AQM024729
M10	62	17	7	25	2300	AISI 316 Stainless	Euroslot Carded	5056228201540	AQM024730
M10	65	20	7	25	2300	AISI 316 Stainless	Euroslot Carded	5056228201083	AQM020500
M12	74	21	8	30	3000	AISI 316 Stainless	Euroslot Carded	5056228201557	AQM024731



Lifting Eye Nut

Thread	Length mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part Number
M6	30	6	16	1100	AISI 316 Stainless	Euroslot Carded	5056228201564	AQM024732
M8	36	8	20	1800	AISI 316 Stainless	Euroslot Carded	5056228201571	AQM024733
M10	45	10	25	2300	AISI 316 Stainless	Euroslot Carded	5056228201588	AQM024734
M12	53	12	30	3000	AISI 316 Stainless	Euroslot Carded	5056228201595	AQM024735



Square Eye Plate with Ring

Type mm	Shape	Plate Dimensions mm	Ring Bar mm	Ring Diameter mm	Break Load kg	Material	Format	Barcode	Part Number
5	Square	30 x 35	5	30	600	AISI 316 Stainless	Euroslot Carded	5056228202899	AQM054700
6	Square	35 x 40	6	40	850	AISI 316 Stainless	Euroslot Carded	5056228202905	AQM054701
8	Square	40 x 50	8	50	1400	AISI 316 Stainless	Euroslot Carded	5056228202912	AQM054702

Square Eye Plate



Type mm	Shape	Plate Dimensions mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part Number
5	Square	30 x 35	5	14	600	AISI 316 Stainless	Euroslot Carded	5056228202929	AQM054703
6	Square	35 x 40	6	18	850	AISI 316 Stainless	Euroslot Carded	5056228202936	AQM054704
8	Square	40 x 50	8	20	1400	AISI 316 Stainless	Euroslot Carded	5056228202943	AQM054705

Lozenge Eye Plate



Type mm	Shape	Plate Dimensions mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part Number
5	Lozenge	45 x 15	5	14	600	AISI 304 Stainless Steel	Euroslot Carded	5056228202950	AQM054706
6	Lozenge	60 x 20	6	18	850	AISI 304 Stainless Steel	Euroslot Carded	5056228202967	AQM054707
8	Lozenge	80 x 26	8	20	1400	AISI 304 Stainless Steel	Euroslot Carded	5056228202974	AQM054708
9	Lozenge	100 x 32	9	22	1800	AISI 304 Stainless Steel	Euroslot Carded	5056228202981	AQM054709

Eye Strap Stirrup



Type mm	Length mm	Width mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part Number
5	50	18	5	20	1800	AISI 316 Stainless	Euroslot Carded	5056228202998	AQM054710
6	60	22	6	26	2400	AISI 316 Stainless	Euroslot Carded	5056228203001	AQM054711
8	38	13	8	15	3500	AISI 316 Stainless	Euroslot Carded	5056228203025	AQM054713
8	63	24	8	27	3500	AISI 316 Stainless	Euroslot Carded	5056228203018	AQM054712
10	75	28	10	28	7000	AISI 316 Stainless	Euroslot Carded	5056228203032	AQM054714

U Bolt



AQM053941 - 51



G0292

Thread	Length mm	Gap mm	SWL kg	Break Load kg	Material	Format	Barcode	Part Number
M4	64	30	350	750	AISI 316 Stainless	Euroslot Carded	5056228202769	AQM053941
M5	60	30	400	900	AISI 316 Stainless	Euroslot Carded	5056228202776	AQM053942
M6	90	30	650	1250	AISI 316 Stainless	Euroslot Carded	5056228202783	AQM053943
M8	64	30	900	1750	AISI 316 Stainless	Euroslot Carded	5056228202790	AQM053944
M8	80	35	900	1750	AISI 316 Stainless	Euroslot Carded	5056228202806	AQM053946
M8	100	35	900	1750	AISI 316 Stainless	Euroslot Carded	5056228202813	AQM053948
M8	112	35	900	1750	AISI 316 Stainless	Euroslot Carded	5056228206156	G0292
M10	90	50	1700	3500	AISI 316 Stainless	Euroslot Carded	5056228201496	AQM023949
M10	130	50	1700	3500	AISI 316 Stainless	Euroslot Carded	5056228201502	AQM023950
M12	150	60	2500	5100	AISI 316 Stainless	Euroslot Carded	5056228201519	AQM023951



Folding Pad Eye

Type	Length mm	Width mm	Eye Diameter mm	Material	Format	Barcode	Part Number
Small	50	45	28	AISI 316 Stainless	Euroslot Carded	5056228207740	Q054744
Large	65	59	40	AISI 316 Stainless	Euroslot Carded	5056228213147	Q054745



Blocks

Type	Length mm	Size mm	Material	Format	Barcode	Part Number
Swivel	60	19	Nickel Plated Zinc Alloy	Euroslot Carded	5056228201601	AQM024736



AQM054920



AQM054919



AQM054918

Mini Pulley

Type	Rope Diameter mm	Length mm	Sheave Diameter mm	SWL kg	Material	Format	Barcode	Part Number
Solid Shaft	8	45	25	350	AISI316 Stainless Steel	Euroslot Carded	5056228204787	AQM054920
Without Shackle	8	45	25	350	AISI316 Stainless Steel	Euroslot Carded	5056228204770	AQM054919
With Shackle & Removable Pin	8	60	25	350	AISI316 Stainless Steel	Euroslot Carded	5056228204763	AQM054918

Titanium Low Friction Ring



Bore Diameter mm	Overall Diameter mm	Overall Width mm	SWL kg	Material	Format	Barcode	Part Number
7	16	6	740	Titanium	Euroslot Carded	5056228205081	AQM5107
10	22	8	4300	Titanium	Euroslot Carded	5056228205098	AQM5110
15	35	11	4800	Titanium	Euroslot Carded	5056228205104	AQM5115
20	44	17	5700	Titanium	Euroslot Carded	5056228205111	AQM5120

Quick Links

Type mm	Length mm	Width mm	Opening mm	Break Load kg	Material	Format	Barcode	Part Number
3.5	36.5	17	5	990	AISI316 Stainless Steel	Euroslot Carded	5056228202462	AQM053881
4	40	19.5	5.5	1250	AISI316 Stainless Steel	Euroslot Carded	5056228202479	AQM053882
5	49	23	6.5	2000	AISI316 Stainless Steel	Euroslot Carded	5056228202486	AQM053883
6	58	26.5	7.5	2900	AISI316 Stainless Steel	Euroslot Carded	5056228202493	AQM053884
8	75	33.5	10.5	4900	AISI316 Stainless Steel	Euroslot Carded	5056228202509	AQM053886
12	105	52	13	11000	AISI316 Stainless Steel	Euroslot Carded	5056228201298	AQM023527



Anchor Swivel

For chain mm	Length mm	Gap mm	SWL kg	Material	Format	Barcode	Part Number
6-10	90	8 / 15	1250	AISI316 Stainless Steel	Euroslot Carded	5056228201731	AQM042405
10-12	110	12 / 20	2500	AISI316 Stainless Steel	Euroslot Carded	5056228201748	AQM042406
8-12	120	18 / 21	-	AISI316 Stainless Steel	Euroslot Carded	5056228204336	AQM054865



Anchor Shackle

Bar Diameter mm	Length mm	Gap mm	Pin mm	Material	Format	Barcode	Part Number
20	85	42 - 60	20	AISI316 Stainless Steel	Euroslot Carded	5056228201304	AQM023540



Chain Pipe

Type	Length mm	Width mm	Chain opening mm	Material	Format	Barcode	Part Number
Flush Mount	140	78	34	AISI316 Stainless Steel	Header & Bag	5056228204329	AQM054862
Flanged	125	60	30	AISI316 Stainless Steel	Header & Bag	5056228204312	AQM054861



AQM054862



AQM054861



Calibrated Chain for European Windlasses

Type mm	Length m	DIN Standard	ISO Standard	Grade	Material	Format	Barcode	Part Number
7	30	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210641	AQM07030G
7	60	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210658	AQM07060G
8	30	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210665	AQM08030G
8	60	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210689	AQM08060G
10	30	-	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210702	AQM10030G
10	60	-	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210726	AQM10060G
12	30	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210740	AQM12030G
12	60	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210757	AQM12060G
8	30	766	4565	High Strength 4	AISI316 Stainless Steel	Drum	5056228210672	AQM08030S
8	60	766	4565	High Strength 4	AISI316 Stainless Steel	Drum	5056228210696	AQM08060S
10	30	-	4565	High Strength 4	AISI316 Stainless Steel	Drum	5056228210719	AQM10030S
10	60	-	4565	High Strength 4	AISI316 Stainless Steel	Drum	5056228210733	AQM10060S



Uncalibrated Short Link Chain

Type mm	Length m	Material	Format	Barcode	Part Number
6	50	AISI316 Stainless Steel	Drum	5056228213604	AQM06050SU
6	50	Hot Dipped Galvanised	Drum	5056228201243	AQM023265
8	50	Hot Dipped Galvanised	Drum	5056228201250	AQM023266
10	50	Hot Dipped Galvanised	Drum	5056228201267	AQM023267
13	50	Hot Dipped Galvanised	Drum	5056228201274	AQM023268



Anchor Rope with Calibrated Chain for Windlasses

Rope mm	Chain mm	Rope Length m	Chain Length m	DIN Standard	ISO Standard	Material	Format	Barcode	Part Number
12	6	50	5	766	4565	Hot Dipped Galvanised	Drum	5056228204299	AQM054859
14	8	50	10	766	4565	Hot Dipped Galvanised	Drum	5056228204305	AQM054860

D - Type Anchor

- ◆ High holding power anchor
- ◆ Has a unique shank profile and ballasted tip to make it self-launching
- ◆ Low centre of gravity provides a self-righting ability which helps it set in most types of bottom
- ◆ Eye for trip line
- ◆ Stows easily on a bow roller



Weight kg	Material	Format	Barcode	Part Number
5	AISI316 Stainless Steel	With Plasticard ID Tag	5056228207917	Q133818
7.5	AISI316 Stainless Steel	With Plasticard ID Tag	5056228207924	Q133819
10	AISI316 Stainless Steel	With Plasticard ID Tag	5056228207931	Q133820
5	Hot Dipped Galvanised	With Plasticard ID Tag	5056228207948	Q133824
7.5	Hot Dipped Galvanised	With Plasticard ID Tag	5056228207955	Q133825
10	Hot Dipped Galvanised	With Plasticard ID Tag	5056228207962	Q133826
16	Hot Dipped Galvanised	With Plasticard ID Tag	5056228207979	Q133827
20	Hot Dipped Galvanised	With Plasticard ID Tag	5056228207986	Q133828
30	Hot Dipped Galvanised	With Plasticard ID Tag	5056228207993	Q133829

Grip High-tensile Anchor

- ◆ Fast setting in the hardest of sea beds thanks to sharp flukes
- ◆ High-tensile shank cast in one piece for strong lateral pull performance
- ◆ Right angle shank pivot angles flukes downward to dig in on sea bed
- ◆ One of the most popular designs of anchor in France and the UK
- ◆ Flat design makes for easy stowing when not in use



Weight kg	Material	Format	Barcode	Part Number
2.5	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204152	AQM054845
4	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204169	AQM054846
5	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204176	AQM054847
7	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204183	AQM054848
9	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204190	AQM054849
10	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204206	AQM054850
12	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204213	AQM054851
15	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204220	AQM054852
20	High-tensile Hot Dipped Galvanised	With Plasticard ID Tag	5056228204237	AQM054853

Claw Anchor

- ◆ Very effective for a variety of sea beds - ideal for mud, sand and rocky bottoms
- ◆ Remains stable under a wide range of tide and wind conditions
- ◆ Stows easily on a bow roller
- ◆ Quick set and reset
- ◆ Eye for trip line



Weight kg	Material	Format	Barcode	Part Number
1	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201106	AQM023228
2	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201113	AQM023229
5	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201120	AQM023230
7.5	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201137	AQM023231
10	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201144	AQM023232
15	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201151	AQM023233
20	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201168	AQM023234
30	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201175	AQM023235

Plough Anchor

- ◆ Good holding power in all bottom types
- ◆ Easily stowed over a bow roller
- ◆ Hinged shank allows the anchor to turn in the tide as opposed to dislodging



Weight kg	Material	Format	Barcode	Part Number
15kg	Hot Dipped Galvanised	With Plasticard ID Tag	5056228204138	AQM054843
22kg	Hot Dipped Galvanised	With Plasticard ID Tag	5056228204145	AQM054844

Weighted End Grapnel Anchor

- ◆ Weighted end improves holding power
- ◆ Compact stowage thanks to fold down flukes when not in use
- ◆ Flukes lock open by engaging bayonet collar at base of shaft
- ◆ Eye for trip line
- ◆ Popular for small day boats, tenders, sailing dinghies and fishing kayaks



Weight kg	Material	Format	Barcode	Part Number
0.7	Hot Dipped Galvanised	With Plasticard ID Tag	5056228207405	Q023244
1.5	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201182	AQM023245
2.5	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201199	AQM023246
3.2	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201205	AQM023247
4	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201212	AQM023248
6	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201229	AQM023249
8	Hot Dipped Galvanised	With Plasticard ID Tag	5056228201236	AQM023250

Mooring Spike with Ring

- ◆ Ideal for creating temporary mooring at suitable riverside locations
- ◆ Perfect for small craft, river cruisers etc.
- ◆ Strong stake with heavy duty ring
- ◆ Sharpened end for easier driving into soft river banks



Weight kg	Material	Format	Barcode	Part Number
300	Hot Dipped Galvanised	With Plasticard ID Tag	5056228204244	AQM054854
350	Hot Dipped Galvanised	With Plasticard ID Tag	5056228204251	AQM054855
425	Hot Dipped Galvanised	With Plasticard ID Tag	5056228204268	AQM054856
500	Hot Dipped Galvanised	With Plasticard ID Tag	5056228204275	AQM054857
550	Hot Dipped Galvanised	With Plasticard ID Tag	5056228204282	AQM054858



AQM054832 - 90°



AQM054834 - 45°



AQM054836 - 60°



AQM054838 - 30°

Rail fittings

Type	Base diameter mm	Angle	For Tube mm / in	Secures by	Material	Format	Barcode	Part Number
Round straight	67	90°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204053	AQM054832
Rectangular angled	78	90°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228206866	Q004802
Round straight	70	90°	25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204060	AQM054833
Round angled	67	45°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204077	AQM054834
Round angled	70	45°	25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204084	AQM054835
Round angled	67	60°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204091	AQM054836
Round angled long socket type	67	60°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228206842	Q004702
Round angled	70	60°	25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204107	AQM054837
Rectangular angled	78	60°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228206859	Q004801
Round angled	67	30°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204114	AQM054838
Round angled	70	30°	25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204121	AQM054839

Bainbridge Separating Jaw Slide

- ◆ Mounts without needing to disassemble the rail
- ◆ Ideal for welded rails where taking apart is not possible
- ◆ Fastens by single nut and bolt
- ◆ Eye for taking AQMG25PIN or AQMG627PIN to connect eye end



For Tube mm / in	Secures by	Material	Format	Barcode	Part Number
22, 7/8	1 x allen bolt and nut	AISI316 Stainless Steel	Header & Bag	5056228212539	AQMG820S
25, 1	1 x allen bolt and nut	AISI316 Stainless Steel	Header & Bag	5056228212546	AQMG830S
31, 1 1/4	1 x allen bolt and nut	AISI316 Stainless Steel	Header & Bag	5056228212553	AQMG840S

Bainbridge Jaw Slide

- ◆ Slides onto tubing
- ◆ Holds in place by grub screws
- ◆ Supplied with pin with tapped thread in body



For Tube mm / in	Secures by	Material	Format	Barcode	Part Number
19, 3/4	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228212355	AQMG610S
22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228212393	AQMG620S
25, 1	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228212461	AQMG630SHD



Bainbridge Socket Jaw Slide

For Tube mm / in	Secures by	Material	Format	Barcode	Part Number
22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228212492	AQMG672S
25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228213253	G682S
31, 1 1/4	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228213475	G640SHD



Double Jaw with Swivel Hinge

For Tube mm / in	Secures by	Material	Format	Barcode	Part Number
25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228213239	G697S

Bainbridge Nylon Jaw Slide

- ◆ Slides onto tubing
- ◆ Holds in place by grub screw
- ◆ Excellent resistance to UV
- ◆ Works with either stainless steel or aluminium tubing
- ◆ Supplied with pin with tapped thread in body



For Tube mm / in	Secures by	Material	Format	Barcode	Part Number
22, 7/8	2 x allen grub screws	Black Nylon	Header & Bag	5056228213512	G620BK

Bainbridge Eye Ends

- ◆ Slides onto end of tubing
- ◆ Holds in place by grub screw
- ◆ Eye to fit in with Bainbridge Jaw Slides



For Tube mm / in	Secures by	Material	Format	Barcode	Part Number
19, 3/4	1 x allen grub screw	AISI316 Stainless Steel	Header & Bag	5056228212362	AQMG611S
22, 7/8	1 x allen grub screw	AISI316 Stainless Steel	Header & Bag	5056228212409	AQMG621S
25, 1	1 x allen grub screw	AISI316 Stainless Steel	Header & Bag	5056228212478	AQMG631SHD
31, 1 1/4	2 x allen grub screw	AISI316 Stainless Steel	Header & Bag	5056228213468	G641SHD

Bainbridge End Plugs

- ◆ White nylon injection molding around 3mm stainless steel bar
- ◆ Plug can be secured in the tube by gluing, self tapping screw or by a dowel pin



For Tube mm / in	Fits Tube Gauge mm	Material	Secures by	Format	Barcode	Part Number
19, 3/4	1.2	AISI316 Stainless Steel	Glue / Self Tapping Screw / Dowel Pin	Euroslot Carded	5056228213307	G676
22, 7/8	1.5	AISI316 Stainless Steel	Glue / Self Tapping Screw / Dowel Pin	Header & Bag	5056228212508	AQMG675
25, 1	1.2	AISI316 Stainless Steel	Glue / Self Tapping Screw / Dowel Pin	Euroslot Carded	5056228213277	G679

Bainbridge Tube Clamp

- ◆ Slides onto end of tubing



For Tube mm / in	Material	Format	Barcode	Part Number
19, 3/4	AISI316 Stainless Steel	Header & Bag	5056228212485	AQMG655

Bainbridge Side Mounts 4-Hole Fixing

- ◆ Designed to accept all sizes of eye end
- ◆ Supplied with hex bolt for fixing eye to plate



Type	Secures by	Material	Format	Barcode	Part Number
Mounting plate with eye bolt	Screw or bolt through 4 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212430	AQMG624S

Bainbridge Universal Deck Hinges

- ◆ Deck hinges compensate for different angles of decks and coam
- ◆ Concave base versions for firm mounting to tube profile



AQM615SQP



AQM615S



G692S



AQM607S



AQM626S




AQM625SQP




AQM623S



AQM622S



G625S



G622BK

Type	Secures by	Material	Format	Barcode	Part Number
Raised body with Quick Release Pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212386	AQM615SQP
Raised body with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212379	AQM615S
Flat plate with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228213246	G692S
Circular folding with screw pin	Screw or bolt through 3 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212348	AQM607S
Concave Base with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212454	AQM626S
Flat plate with quick release pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212447	AQM625SQP
Flat plate angled base with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212423	AQM623S
Flat plate with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212416	AQM622S
Flat plate with removable drop nose pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228213499	G625S
Flat plate with screw pin	Screw or bolt through 2 countersunk holes	Black Nylon	Header & Bag	5056228213505	G622BK

Bainbridge Deck Hinge Ball & Socket System

- ◆ Neater system than traditional arrangements
- ◆ Compact and streamline



Type	For Tube mm / in	Material	Format	Barcode	Part Number
Socket	22, 7/8	AISI316 Stainless Steel	Header & Bag	5056228212515	AQM6675S
Ball Eye End	25, 1	AISI316 Stainless Steel	Header & Bag	5056228213260	G681S
Ball & Socket 90° Eye End	22, 7/8	AISI316 Stainless Steel	Header & Bag	5056228213284	G678S

Bainbridge Streamlined Quick Release Deck Mount

- ◆ Spring-loaded release button ejects eye for almost instant frame removal
- ◆ Stylish and unique design
- ◆ For use with Bainbridge eye ends



Type	Secures by	Material	Format	Barcode	Part Number
Streamlined body	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212331	AQM6605S

Bainbridge Quick Release Deck Mount

- ◆ Spring-loaded release button ejects eye for almost instant frame removal
- ◆ Round smooth design
- ◆ For use with Bainbridge eye ends



Type	Secures by	Material	Format	Barcode	Part Number
Round domed base	Screw or bolt through 3 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228213529	G604S

Bainbridge Tube Hinge

- ◆ Heavy duty design and construction
- ◆ Allows for folding the frame
- ◆ With quick release pin



Type	For Tube mm / in	Material	Format	Barcode	Part Number
Quick Release	22, 7/8	AISI316 Stainless Steel	Header & Bag	5056228212522	AQM6747S
Quick Release	25, 1	AISI316 Stainless Steel	Header & Bag	5056228213208	G744S

Bainbridge Canopy Hand Clamp

- ◆ Large nylon tensioning knob allows a firm grip for quick and simple adjustment
- ◆ Clamp comes with spacer and screw to use with end plugs
- ◆ Clamp fits over tube and allows movement of the plug space end fitting



For Tube mm / in	Material	Format	Barcode	Part Number
19, 3/4	Stainless Steel & Nylon	Euroslot Carded	5056228213451	G650WT
20, 25/32	Stainless Steel & Nylon	Euroslot Carded	5056228213444	G651WT
22, 7/8	Stainless Steel & Nylon	Euroslot Carded	5056228213437	G652WT
25, 1	Stainless Steel & Nylon	Euroslot Carded	5056228213420	G653WT

Bainbridge Grab Rail Stand Off



Supply quantity	For Tube mm / in	Material	Format	Barcode	Part Number
Pair	19, 3/4	Stainless Steel & Nylon	Euroslot Carded	5056228213376	G665
Pair	19-22, 3/4 - 7/8	Stainless Steel & Nylon	Euroslot Carded	5056228213369	G666
Pair	19-25, 3/4 - 1	Stainless Steel & Nylon	Euroslot Carded	5056228213352	G667
Pair	22-25, 7/8 - 1	Stainless Steel & Nylon	Euroslot Carded	5056228213345	G668
Pair	25, 1	Stainless Steel & Nylon	Euroslot Carded	5056228213338	G669

Bainbridge Grab Rail Terminal



Supply quantity	For Tube mm / in	Material	Format	Barcode	Part Number
Pair	19, 3/4	Stainless Steel & Nylon	Euroslot Carded	5056228213413	G660
Pair	22, 7/8	Stainless Steel & Nylon	Euroslot Carded	5056228213406	G661
Pair	25, 1	Stainless Steel & Nylon	Euroslot Carded	5056228213390	G662

Bainbridge Sunblocker Clips


- ◆ Self insulated protective clip which eliminates contact between metal tubular top frame and the clear plastic window
- ◆ 2 or 3 Sunblocker clips on metal frame tubing can give maximum protection
- ◆ Reduces singeing, scorching and heat cracking



Type	For Tube mm / in	Material	Format	Barcode	Part Number
Single	25, 1	White Nylon	Header & Bag	5056228213482	G639
Twin Clip	22, 7/8	White Nylon	Header & Bag	5056228213222	G738

Bainbridge Stayput Fasteners

- ◆ Vertical single stud with two screw base
- ◆ Works with No.1 spur or No.2 grommet



Type	Secures by	Material	Format	Barcode	Part Number
Flat Base	Screw or bolt through 2 countersunk holes	Nylon & Stainless Steel	Header & Bag	5056228213178	G854

YKK® SNAD® Stud & Sockets

- ◆ Will not snag clothing or deteriorate from exposure to sunlight, sand or dirt
- ◆ Can be walked on pain free thanks to its domed shape
- ◆ Simple self adhesive installation
- ◆ No tool, no waiting, no splits, no holes!



Type	Colour	Secures by	Material	Format	Barcode	Part Number
25mm Flexible Stud	White	Self Adhesive backing	Nylon	Header & Bag	5056228212263	AQMG192WT
25mm Flexible Stud	Black	Self Adhesive backing	Nylon	Header & Bag	5056228212256	AQMG192BK
25mm Flexible Stud	Clear	Self Adhesive backing	Nylon	Header & Bag	5056228212294	AQMG196CL
25mm Dome Stud	White	Self Adhesive backing	Nylon	Header & Bag	5056228212287	AQMG194WT
25mm Dome Stud	Black	Self Adhesive backing	Nylon	Header & Bag	5056228212270	AQMG194BK
40mm Dome Socket	White	Self Adhesive backing	Nylon	Header & Bag	5056228212249	AQMG191WT
40mm Dome Stud	White	Self Adhesive backing	Nylon	Header & Bag	5056228212232	AQMG190WT
40mm Dome Stud	Black	Self Adhesive backing	Nylon	Header & Bag	5056228212225	AQMG190BK



Bainbridge Webbing Bridges

Type	Colour	Secures by	Material	Format	Barcode	Part Number
For 25/30mm webbing	White	Screw or bolt through 2 countersunk holes	Nylon	Header & Bag	5056228211907	AQMA095WT
For 25/30mm webbing	Black	Screw or bolt through 2 countersunk holes	Nylon	Header & Bag	5056228211891	AQMA095BK
For 50mm webbing	White	Screw or bolt through 2 countersunk holes	Nylon	Header & Bag	5056228211921	AQMA097WT
For 50mm webbing	Black	Screw or bolt through 2 countersunk holes	Nylon	Header & Bag	5056228211914	AQMA097BK



Bainbridge Webbing Adjuster Buckles

Type	Material	Format	Barcode	Part Number
For 25mm webbing	Stainless Steel	Header & Bag	5056228212300	AQMG210S
For 25mm webbing	Stainless Steel	Header & Bag	5056228212317	AQMG211S


Bainbridge Sliding Bar Buckle



Type	Material	Format	Barcode	Part Number
For 25mm webbing	Stainless Steel with Nylon Slide	Header & Bag	5056228212324	AQMG221

Bainbridge Swivel Webbing Buckle

- ◆ Swivel pin allows installer to compensate for angles
- ◆ Turn buckle 180° for easy removal from socket



Type	Material	Format	Barcode	Part Number
For 25mm webbing	AISI316 Stainless Steel	Header & Bag	5056228213215	G7425

Bainbridge Snap Buckles

- ◆ Two part male and female buckles in flexible nylon



Type	Material	Format	Barcode	Part Number
White for 25mm webbing	Nylon	Header & Bag	5056228211884	AQMA089WT
Black for 25mm webbing	Nylon	Header & Bag	5056228211877	AQMA089
Black for 50mm webbing	Nylon	Header & Bag	5056228211860	AQMA085

Bainbridge Heavy Duty Ladderlock Buckle

- ◆ Heavy duty version
- ◆ Has over 3 times the strength of a standard ladderlock buckle



Type	Material	Format	Barcode	Part Number
Black for 25mm webbing	Heavy Duty Nylon	Header & Bag	5056228211853	AQMA076HD

Bainbridge H+B Dabond 2000 UVR Thread

- ◆ High strength and controlled stretch
- ◆ Resistant to abrasion and salt water
- ◆ Stability in sunlight and resistance to mildew
- ◆ Bonding and resistance to needle heat
- ◆ Continuous thread with no knots or breaks



Colour	Spool Length	Dabond Size	Nearest Metric Size	Format	Barcode	Part Number
White	1lb / 450g	V69	NM40	Spool	5056228212195	AQMET069WT1



Bainbridge Sailmakers Needles

Type	Format	Barcode	Part Number
Assorted Needles # 13-19	Header & Bag	5056228212133	AQMC005
7 Assorted All purpose Needles	Header & Bag	5056228212140	AQMC007
10 Assorted Sail-makers Needles	Header & Bag	5056228212157	AQMC021
20 Assorted Sail-makers Needles	Header & Bag	5056228212164	AQMC022

Bainbridge Sailmakers Palms



Type	Format	Barcode	Part Number
No.3 Seaming	Header & Bag	5056228212171	AQMC024
No.3 Seaming Left Hand	Header & Bag	5056228212188	AQMC025

Swedish Fid



Type	Format	Barcode	Part Number
Small	Header & Bag	5056228213062	AQMSSWEDF
Large	Header & Bag	5056228213079	AQMLSWEDF

Bainbridge Sail Repair Patches



- ◆ Heavy duty PSA self-adhesive sail repair patches
- ◆ A selection of sizes suit most small to medium repairs
- ◆ Radius edge helps reduce peel
- ◆ 10 patches per pack
- ◆ Suitable for all types of sailcloth including laminate, polyester and nylon
- ◆ Great for emergency repairs for sails, foul weather gear, seat cushions and boat covers
- ◆ Ideal for repairing batten pockets and also for use as a chafing patch

Type	Format	Barcode	Part Number
White	Header & Bag	5056228204909	AQM514WT
Red	Header & Bag	5056228204893	AQM514RD
Black	Header & Bag	5056228211471	AQM514BK
Blue	Header & Bag	5056228204886	AQM514BU

Bainbridge Double Sided Tape



- ◆ Acrylic adhesive double sided tape
- ◆ Tissue carrier
- ◆ Good initial tack
- ◆ High long-term adhesion
- ◆ Low shrink
- ◆ For use with all types of cloth

Width mm	Length mm	Format	Barcode	Part Number
9	50	Header & Bag	5056228212560	AQMJ422
12	50	Header & Bag	5056228212577	AQMJ423
25	50	Header & Bag	5056228212584	AQMJ426




Sail Tie with Speedclip



Width mm	Length mm	Format	Barcode	Part Number
5	550	Header & Bag	5056228204831	AQM054925
6	750	Header & Bag	5056228204848	AQM054926
8	800	Header & Bag	5056228204855	AQM054927

Sail Tie with 2 Balls



Width mm	Length mm	Format	Barcode	Part Number
4	300	Header & Bag	5056228204794	AQM054921
4	400	Header & Bag	5056228204800	AQM054922
4	500	Header & Bag	5056228204817	AQM054923
4	600	Header & Bag	5056228204824	AQM054924

Cover Tie with 1 Ball



Colour	Format	Barcode	Part Number
White	Header & Bag	5056228212218	AQM040WT
Black	Header & Bag	5056228212201	AQM040BK

Bainbridge Shock Cord Hooks



Type	Length mm	Material	Format	Barcode	Part Number
White for cord 3-6mm	36	Nylon	Header & Bag	5056228211938	AQMA101
White for cord 8-10mm	63	Nylon	Header & Bag	5056228211945	AQMA102

Bainbridge Swedish Brass Piston Jib Hanks

- ◆ Renowned world-wide for quality, reliability and ease of fitting
- ◆ Forged from marine quality brass and fitted with internal stainless steel spring



Type	Number	Length mm	Material	Format	Barcode	Part Number
Knock-on	#0	44	Brass	Header & Bag	5056228212096	AQMB510
Knock-on	#1	52	Brass	Header & Bag	5056228212102	AQMB511
Knock-on	#2	65	Brass	Header & Bag	5056228212119	AQMB512
Knock-on	#3	74	Brass	Header & Bag	5056228212126	AQMB513

Bainbridge Plastic Jib Hanks

- ◆ Ideal for dinghies, dayboats and sportsboats up to 25ft



Type	Application	Length mm	Material	Format	Barcode	Part Number
Small Twist-on	For 3.5mm wire	30	Nylon	Header & Bag	5056228211792	AQMA038
Twist-on	For 5mm wire	30	Nylon	Header & Bag	5056228211808	AQMA039

Bainbridge Batten Box for Round Battens

- ◆ Manufactured in reinforced nylon
- ◆ AISI316 stainless steel screws
- ◆ Backplate, attaching screw/nuts and compression screw included



AQMA305WT



AQMA305BK

Type	Colour	Application	Length mm	Width mm	Material	Format	Barcode	Part Number
Up to 12mm	White	For Bainbridge battens 06R - 12R	97	44	Reinforced Nylon	Header & Bag	5056228212089	AQMA305WT
Up to 12mm	Black	For Bainbridge battens 06R - 12R	97	44	Reinforced Nylon	Header & Bag	5056228212072	AQMA305BK

Bainbridge Batten Box for Flat Battens

- ◆ Manufactured in reinforced nylon
- ◆ AISI316 stainless steel screws
- ◆ Can be used as a leech fitting or luffbox with Allslip slides
- ◆ Attaches to slide with webbing
- ◆ Sold complete as two halves with screws and nuts



AQMA300WT



AQMA300BK



AQMA303WT



AQMA303BK

Type	Colour	Max Cavity Depth mm	Material	Format	Barcode	Part Number
For max batten width 30 x 6.5mm	White	40	Reinforced Nylon	Header & Bag	5056228212034	AQMA300WT
For max batten width 30 x 6.5mm	Black	40	Reinforced Nylon	Header & Bag	5056228212027	AQMA300BK
For max batten width 45 x 7mm	White	47	Reinforced Nylon	Header & Bag	5056228212065	AQMA303WT
For max batten width 45 x 7mm	Black	47	Reinforced Nylon	Header & Bag	5056228212058	AQMA303BK

Bainbridge Pocket Protectors for battens

- ◆ Semi-circular seat permits wide range of batten angles
- ◆ Includes screws



For Batten	Attachment type	Max Batten Width mm	Max Cavity Depth mm	Format	Barcode	Part Number
Up to 15mm	Screws	15	14	Header & Bag	5056228211488	AQMA001
Up to 30mm	Screws	30	25	Header & Bag	5056228211495	AQMA002
Up to 30mm	Hi Lo Screws	30	20	Header & Bag	5056228212041	AQMA302
Up to 40mm	Nuts & Bolts	40	25	Header & Bag	5056228211518	AQMA006
Up to 60mm	Screws	60	30	Header & Bag	5056228211501	AQMA005

Bainbridge Round Batten Endcaps

- ◆ To suit Bainbridge Pultruded Round Battens
- ◆ Can also fit other round battens of same diameter
- ◆ Manufactured in Nylon 66
- ◆ Fish tail shape allows the load to be spread evenly to webbings reducing wear and chafe



For Batten	For Batten Diameter mm	Colour	Width mm	Format	Barcode	Part Number
06R	6	Black	20	Header & Bag	5056228211372	AQM06REC
08R	8	Black	20	Header & Bag	5056228211389	AQM08REC
10R	10	Black	32.5	Header & Bag	5056228211396	AQM10REC
12R	12	Black	32.5	Header & Bag	5056228211402	AQM12REC
14R	14	Black	50	Header & Bag	5056228211419	AQM14REC
16R	16	Black	50	Header & Bag	5056228211426	AQM16REC
20R	20	Black	50	Header & Bag	5056228211433	AQM20REC

Bainbridge Batten Endcaps


- ◆ Spreads the load at the end of sail pocket
- ◆ Use these endcaps for untapered batten styles
- ◆ Manufactured in soft thermoplastic



For Batten	For Batten Diameter mm	Colour	Width mm	Format	Barcode	Part Number
30CT0xx	30	Blue	30	Header & Bag	5056228211457	AQM30CTEC

Bainbridge Aquabatten Endcaps

- ◆ Spreads the load at the end of sail pocket
- ◆ Use these endcaps for untapered batten styles
- ◆ Manufactured in soft thermoplastic



For Batten	For Batten Diameter mm	Colour	Width mm	Format	Barcode	Part Number
Aquabatten 30mm	30	Black	30	Header & Bag	5056228211440	AQM30CEC
Aquabatten 40mm	40	Black	40	Header & Bag	5056228211464	AQM40CEC

Internal Flat Slides - Plastic

- ◆ Injection moulded from nylon 66



Width (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part Number
15.8	6.8	30	10	5056228211525	AQMA007
19	9	33	10	5056228211532	AQMA008
22	11	35	10	5056228211549	AQMA009

Selden Mast Slides - Plastic



A011 / A012

A013 / A014 / A015

Width (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part Number
20	8.5	30	10	5056228211556	AQMA011
20	8.5	40	10	5056228211563	AQMA012
11	3	22	10	5056228211570	AQMA013
14	4	30	10	5056228211587	AQMA014
15	4	40	10	5056228211594	AQMA015

Internal Slug Slides - Plastic

- ◆ Injection moulded from nylon 66



Dia (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part Number
7.5	3	27	10	5056228211600	AQMA016
9	3	27	10	5056228211624	AQMA017
12	3	27	10	5056228211648	AQMA018

Slug Slides with Welded Stainless Steel Bail

- ◆ Moulded-in welded bail gives maximum strength



Dia (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part Number
6.9	2.5	27	10	5056228211617	AQMA016S
8	2.5	27	10	5056228211631	AQMA017S
10	3.2	30	10	5056228211679	AQMA019S
11	3.4	30	10	5056228211655	AQMA018S



Heavy Duty Slug Slides with Moulded in Bail

- ◆ Injection moulded in low-friction nylon, with captive stainless steel bail
- ◆ A031C is designed for modern dinghy booms with very narrow groove openings
- ◆ Also used as a floating tack to give close-in attachment of sail to mast



Width (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part Number
8	3	50	10	5056228211754	AQMA031
9	3	50	10	5056228211761	AQMA032
12	4	73	10	5056228211778	AQMA033

Allslip Low Friction Slide

- ◆ Seven profiles to fit most modern spars
- ◆ Precision moulded from glass fibre reinforced plastic with a PTFE impregnation
- ◆ Integral compression pad transfers loads on to aft face of spar
- ◆ A114 is designed for use in Selden sections fitted with flush gates



AQMA107 AQMA108 AQMA109 AQMA114 AQMA116 AQMA117 AQMA118

Width (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part Number
15.8	7	45	10	5056228211952	AQMA107
19	9	45	10	5056228211969	AQMA108
22	11	45	10	5056228211976	AQMA109
15.5	4.4	45	10	5056228211983	AQMA114
7.5	4	45	10	5056228211990	AQMA116
8.5	4	45	10	5056228212003	AQMA117
11.5	4	45	10	5056228212010	AQMA118


Bainbridge Sail Shackles

- ◆ To be used with Bainbridge sail slides
- ◆ In anti-jamming plastic
- ◆ Designed for ease of use, high strength and able to absorb shock loads
- ◆ Screw attachment is the strongest and allows for easy detachment and re-attachment
- ◆ AQMA035BK specifically designed for connecting regular and allslip slides to full batten sails including Sailman 3000 systems



AQMA023 / 24

AQMA027 / 26 / 28



AQMA035BK

Use with Bainbridge Sail Slide	Attachment	Colour	Length mm	Width mm	Format	Barcode	Part Number
AMA007/008/013/016/017	Push together/Snap In	White	39	10	Header & Bag	5056228211709	AQMA023
AMA009/014/018	Push together/Snap In	White	45	11	Header & Bag	5056228211716	AQMA024
AMA007/008/013/016/017/018/019/006M	Screw	White	45	10	Header & Bag	5056228211730	AQMA027
AMA009/014/018	Screw	White	47	11	Header & Bag	5056228211723	AQMA026
AMA009/014/018	Screw	White	47	11	Header & Bag	5056228211747	AQMA028
AMA007/008/009/017/018	Screw	Black	61	11	Header & Bag	5056228211785	AQMA035BK

Bainbridge Cover Eyelets

- ◆ Injection moulded-in nylon sew through plastic with a straight stitch sewing machine
- ◆ Can be used as an eyelet or with lacing and shockcord



AQMA068WT



AQMA068BK

Type	Colour	Material	Format	Barcode	Part Number
Flat tab with eyelet	White	Sew through nylon	Header & Bag	5056228211822	AQMA068WT
Flat tab with eyelet	Black	Sew through nylon	Header & Bag	5056228211815	AQMA068BK

Bainbridge Cover Hooks

- ◆ Injection moulded in nylon sew through plastic with a straight stitch sewing machine
- ◆ Can be used as a hook or with lacing and shockcord



AQMA069WT



AQMA069BK

Type	Colour	Material	Format	Barcode	Part Number
Flat tab with hook	White	Sew through nylon	Header & Bag	5056228211846	AQMA069WT
Flat tab with hook	Black	Sew through nylon	Header & Bag	5056228211839	AQMA069BK

Soft Shackles

- ◆ Made out of HMPE
- ◆ Will not rust or corrode
- ◆ Light and easy to handle
- ◆ Will not damage soft surfaces around it
- ◆ No tools needed to use it



Description	Dimensions mm	Pack qty	Format	Barcode	Part Number
Grey Soft Shackle HMPE	3 x 40	2	Euroslot Carded	-	SRSSH03G
Grey Soft Shackle HMPE	4 x 55	2	Euroslot Carded	-	SRSSH04G
Grey Soft Shackle HMPE	5 x 75	2	Euroslot Carded	-	SRSSH05G
Grey Soft Shackle HMPE	6 x 90	2	Euroslot Carded	-	SRSSH06G

Track

- ◆ Stainless steel
- ◆ Supplied in 300mm lengths



Type	Material	Format	Barcode	Part Number
16mm x 300mm	Stainless Steel	With ID Sticker	5056228208044	RF00365
End	Nylon	Header & Bag	5056228208051	RF00366

Open Base Herreshoff Cleat



Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
125	40	28	AISI316 Stainless Steel	Euroslot Carded	5056228201656	AQM042390
150	44	30	AISI316 Stainless Steel	Euroslot Carded	5056228201663	AQM042391
200	54	42	AISI316 Stainless Steel	Euroslot Carded	5056228201670	AQM042392
300	65	50	AISI316 Stainless Steel	Euroslot Carded	5056228204404	AQM054880



Heavy Duty Herreshoff Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
200	52	39	AISI316 Stainless Steel	Euroslot Carded	5056228201694	AQM042396
305	71	50	AISI316 Stainless Steel	Euroslot Carded	5056228201687	AQM042394



Open Base Low Profile Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
125	71	50	AISI316 Stainless Steel	Euroslot Carded	5056228204398	AQM054873
150	56	28	AISI316 Stainless Steel	Euroslot Carded	5056228201700	AQM042400
200	62	32	AISI316 Stainless Steel	Euroslot Carded	5056228201717	AQM042401
250	64	40	AISI316 Stainless Steel	Euroslot Carded	5056228201724	AQM042402



Handed Cast Fairleads

Length mm	Width mm	Height mm	Secures by	Material	Format	Barcode	Part Number
150	26	24	2 x screws/bolts	AISI316 Stainless Steel	Euroslot Carded	5056228201649	AQM042389
150	34	32	2 x screws/bolts	AISI316 Stainless Steel	Euroslot Carded	5056228201625	AQM042386
200	38	38	2 x screws/bolts	AISI316 Stainless Steel	Euroslot Carded	5056228201632	AQM042387



Open Base Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
64	10	12	Black Nylon	Bulk pack of 100	5056228205890	AQM523



Horn Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
144	35	4 x 5mm screws	Black Nylon	Euroslot Carded	5056228210955	AQM30250
170	30	2 x 6mm screws	Black Reinforced Nylon	Euroslot Carded	5056228210962	AQM30251
211	48	2 x 8mm screws	Black Reinforced Nylon	Euroslot Carded	5056228211013	AQM34200



Jam Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
120	20	2 x 6mm screws	Black Nylon	Euroslot Carded	5056228210924	AQM30120
150	25	2 x 6mm screws	Black Nylon	Euroslot Carded	5056228212997	AQM30121



Solid Base Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
75	12	15	Black Nylon	Euroslot Carded	5056228204411	AQM054881
100	13	19	Black Nylon	Euroslot Carded	5056228204428	AQM054882
125	17	25	Black Nylon	Euroslot Carded	5056228204435	AQM054883



Cross Bollard

Width mm	Depth mm	Secures by	Material	Format	Barcode	Part Number
80	80	4 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204367	AQM054870
120	95	4 x screws/bolts	AISI316 Stainless Steel	Bagged with ID Sticker	5056228204374	AQM054871
135	135	4 x screws/bolts	AISI316 Stainless Steel	Bagged with ID Sticker	5056228204381	AQM054872

Stanchions

Type	Fits	Pipe Diameter mm	Height mm	Material	Format	Barcode	Part Number
PVC Top	AQM054898	25	500	AISI316 Stainless Steel	Header & Bag	5056228204534	AQM054892
Straight Top	AQM054898	25	500	AISI316 Stainless Steel	Header & Bag	5056228204572	AQM054896
Round Top	AQM054898	25	500	AISI316 Stainless Steel	Header & Bag	5056228204558	AQM054894
PVC Top	AQM054898	25	610	AISI316 Stainless Steel	Header & Bag	5056228204541	AQM054893
Straight Top	AQM054898	25	610	AISI316 Stainless Steel	Header & Bag	5056228204589	AQM054897
Round Top	AQM054898	25	610	AISI316 Stainless Steel	Header & Bag	5056228204565	AQM054895



Stanchion Socket

Length mm	Width mm	Height mm	Secures by	Material	Format	Barcode	Part Number
85	85	75	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204596	AQM054898



Oval Handrail

Length mm	Height mm	Fixing Plate Diameter mm	Secures by	Material	Format	Barcode	Part Number
200	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204602	AQM054900
300	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204619	AQM054901
400	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204626	AQM054902
500	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204633	AQM054903
600	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204640	AQM054904
800	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204657	AQM054905





Streamline Grab Handle

Colour	Length mm	Width mm	Secures by	Material	Format	Barcode	Part Number
Grey	283	50	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228211044	AQM35220
White	283	50	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228211037	AQM35210
Black	283	50	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228211020	AQM35200

Grab Handle



AQM32180



AQM31180



AQM30180

Colour	Length mm	Width mm	Secures by	Material	Format	Barcode	Part Number
Small Grey	215	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210993	AQM32180
Small White	215	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210979	AQM31180
Small Black	215	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210931	AQM30180
Small Grey	260	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228211006	AQM32183
Small White	260	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210986	AQM31183
Small Black	260	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210948	AQM30183

Folding Boarding Step



Length mm	Width mm	Height mm	Secures by	Material	Format	Barcode	Part Number
210	87	146	2 x screws/bolts	Chrome plated brass	Boxed with ID Sticker	5056228207368	Q008377

Bow Roller



Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
167	50	60	AISI304 Stainless Steel	Header & Bag	5056228204343	AQM054866

Bow Roller with Pivot Roller



Length mm	Width mm	Height mm	Material	Format	Barcode	Part Number
575	80	160	AISI316 Stainless Steel	Boxed with ID Sticker	5056228204350	AQM054867

Deck Fillers



Type	Head diameter mm	For Hose Diameter mm - inch	Secures by	Material	Format	Barcode	Part Number
Fuel	60	38, 1 1/2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204718	AQM054913
Waste	60	38, 1 1/2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204701	AQM054912
Water	60	38, 1 1/2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204695	AQM054911
Diesel	60	38, 1 1/2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204688	AQM054910
Fuel	70	50, 2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204756	AQM054917
Waste	70	50, 2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204749	AQM054916
Water	70	50, 2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204732	AQM054915
Diesel	70	50, 2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204725	AQM054914
Fuel - no key required	-	38, 1 1/2	3 x screws/bolts	Black Nylon with captive cap	Boxed with ID Sticker	5056228207047	Q006535
Water - no key required	-	38, 1 1/2	3 x screws/bolts	Black Nylon with captive cap	Boxed with ID Sticker	5056228207054	Q006536
Water- no key required	-	50, 2	3 x screws/bolts	Black Nylon with captive cap	Boxed with ID Sticker	5056228207108	Q006741

Angled Fuel Filler



Q001001



Q001002



Q001003



Q001004

Type	For Hose Diameter mm - inch	Secures by	Material	Format	Barcode	Part Number
Filler body only	50, 2	3 x screws/bolts	Black Nylon	Header & Bag	5056228206583	Q001001
Locking Cap with barrel and keys			Black Nylon	Header & Bag	5056228206590	Q001002
Cap only without barrel and keys			Black Nylon	Header & Bag	5056228206606	Q001003
Barrel for Q001002			Stainless	Header & Bag	5056228206613	Q001004
Keys for Q001002			Stainless	Header & Bag	5056228206620	Q001005

Lifebuoy Holder



Type	Length mm	Width mm	Secures by	Material	Format	Barcode	Part Number
Wire Hook design with shock-cord keeper	165	140	Rail clip supplied	AISI316 Stainless Steel	Header & Bag	5056228204664	AQM054908



Lifebuoy Holder with Light Bracket

Type	Length mm	Width mm	Secures by	Material	Format	Barcode	Part Number
Wire Hook design with nylon spring clips	290	140	Rail clip supplied	AISI316 Stainless Steel	Header & Bag	5056228204671	AQM054909



AQM000101



AQM054822

Rod Holder

Type	Length mm	Width mm	Depth mm	Tube Diameter mm	Material	Format	Barcode	Part Number
Adjustable surface mount	340	220	55	51	AISI316 Stainless Steel	Header & Bag	5056228203957	AQM000101
45° angle recessed with cover	270	85	110	51	AISI316 Stainless Steel	Header & Bag	5056228203940	AQM054822



Winch Handle Pocket

Length mm	Width mm	Depth mm	Secures by	Material	Format	Barcode	Part Number
298	88	54	4 x Phillips screws and washer (included)	Soft PVC	Bagged with ID sticker	5056228206729	Q002267

Drink Holder

- ◆ With raised outer lip
- ◆ Integrated drain hole with spigot for connecting to drain hose



AQM40202



AQM40201



AQM40200

Type	Outer Diameter mm	Inner Diameter mm	Depth mm	Secures by	Material	Format	Barcode	Part Number
Grey	95	67	65	Adhesive sealant	UV resistant ABS plastic	Header & Bag	5056228211075	AQM40202
White	95	67	65	Adhesive sealant	UV resistant ABS plastic	Header & Bag	5056228211068	AQM40201
Black	95	67	65	Adhesive sealant	UV resistant ABS plastic	Header & Bag	5056228211051	AQM40200

Hinges



Type	Length mm	Width mm	Secures by	Material	Format	Barcode	Part Number
Small Grey	50	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211259	AQM75222
Small White	50	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211235	AQM75212
Small Black	50	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211211	AQM75202
Large Grey	57	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211266	AQM75223
Large White	57	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211242	AQM75213
Large Black	57	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211228	AQM75203

Round Inspection Hatches

- ◆ Screw down type
- ◆ Grip bowls recessed into the deck plate
- ◆ Simple design
- ◆ Quick and easy to fit



Colour	With seal	Cut out mm	Diameter mm	Opening mm	Material	Format	Barcode	Part Number
White	-	114	145	103	Nylon	Header & Bag	5056228206927	Q006048
White with check strap	Yes	138	180	127	Nylon	Header & Bag	5056228206736	Q002268
White	-	165	205	155	Nylon	Header & Bag	5056228206934	Q006050

Round Lock-Handle Access Hatches

- ◆ With flip up and turn locking handle
- ◆ Handle folds flush with deck plate surface when not in use



Colour	With seal	Cut out mm	Diameter mm	Opening mm	Material	Format	Barcode	Part Number
White	Yes	215	265	190	Nylon	Header & Bag	5056228206651	Q002135

Rectangular Lock-Handle Access Hatches

- ◆ With flip up and turn locking handle
- ◆ Handle folds flush with deck plate surface when not in use
- ◆ Splash-proof cover with neoprene gasket
- ◆ Hinged with 160° opening
- ◆ Textured anti-slip surface



Colour	Outside Diameter mm	Inside Diameter mm	Opening Degree	Material	Format	Barcode	Part Number
White - Hinged	280 x 380	180 x 280	160°	Nylon	Bagged with ID sticker	5056228206668	Q002136
White - Hinged	345 x 595	250 x 500	160°	Nylon	Bagged with ID sticker	5056228206675	Q002137

Storm Classic hatches

- ◆ Fits standard cutout sizes of most production boats - power and sail and are designed to last whatever you or the elements throw at them
- ◆ Storm Classic hatches fit the standard cutout sizes of most production boats - power and sail
- ◆ Direct replacement for Europe's most popular hatch
- ◆ Self supporting lid up to 90°
- ◆ Lid sits flat at 180°
- ◆ CE approved
- ◆ Lockable venting position
- ◆ Smoked acrylic
- ◆ Anodised aluminium

Hatch Specifications

Base	Size	Overall Length X: mm	Overall Width Y: mm	Overall Height Z: mm	Overall Height Z1: mm	Overall Radii R: mm	Cut out Length X1: mm	Cut out Width Y1: mm
Flanged	Classic 30	415	546	50	74	78	329	458
Flat Base	Classic 30	415	546	48	-	78	328	457
Flanged	Classic 50	466	596	50	74	78	379	509
Flat Base	Classic 50	466	596	48	-	78	378	508
Flanged	Classic 60	598	598	50	74	78	509	509
Flat Base	Classic 60	598	598	48	-	78	508	508



Classic 30




Classic 50



Tri-lingual retail display box

Cut out Radii R1: mm	Hatch Weight Kg	Acrylic Thickness Window mm	Barcode	Part Number
41	6.5	10	5056228205982	BM301001
41	7.25	10	5056228205999	BM302001
41	9.75	12	5056228206002	BM501001
41	8	12	5056228206019	BM502001
41	10.5	12	5056228206026	BM601001
41	9	12	5056228206033	BM602001



Classic 60



Replacement Handles

Hand	Format	Barcode	Part Number
Left	Header & Bag	5056228206040	BM9136LHKIT
Right	Header & Bag	5056228206057	BM9136RHKIT

Spring Stay

- ◆ Simple spring design



Length mm	Secures by	Material	Format	Barcode	Part Number
216	4 x screws	Stainless Steel	Header & Bag	5056228206941	Q006129

Telescopic Stay

- ◆ Universal stay for hatches, cover lids etc.
- ◆ Opening adjuster clamp
- ◆ One end rotates for horizontal / vertical / angled screw location



Length mm	Extended Length mm	Secures by	Material	Format	Barcode	Part Number
260	470	4 x screws	Chrome plate on brass	Boxed with ID Sticker	5056228207122	Q007405



Louvred Vent

Type	Length mm	Width mm	Flange depth mm	Material	Format	Barcode	Part Number
Long Narrow	432	76	13	AISI316 Stainless Steel	Header & Bag	5056228207061	Q006612

Closable Outlet



Colour	Flange mm	Cut Out mm	Material	Format	Barcode	Part Number
Black	113.5	88.5	Black Nylon	Header & Bag	5056228207849	Q077055



AQM90502



AQM90501



AQM90500

Round Vent

Colour	For Pipe mm / in	Outer Diameter mm	Inner Diameter mm	Material	Format	Barcode	Part Number
Grey	75 - 3	100	75	HDPE	Header & Bag	5056228211327	AQM90502
White	75 - 3	100	75	HDPE	Header & Bag	5056228211310	AQM90501
Black	75 - 3	100	75	HDPE	Header & Bag	5056228211303	AQM90500



AQM90602



AQM90601



AQM90600

Adapters for Round Vent

◆ For use with round vent AQM90500 / 1 / 2


Type	For Pipe mm / in	Outer Diameter mm	Inner Diameter mm	Material	Format	Barcode	Part Number
90°	75 - 3	91	76	HDPE	Header & Bag	5056228211358	AQM90602
Straight	75 - 3	91	76	HDPE	Header & Bag	5056228211341	AQM90601
Flange	75 - 3	91	76	HDPE	Header & Bag	5056228211334	AQM90600

Destroyer Steering Wheels

◆ Universal taper hub for SeaStar, Teleflex, Morse and Ultraflex helms



Q002144



Q002142

Type	Dished	Glove	Diameter mm	Material	Format	Barcode	Part Number
5 Spoke	Yes	Black Polyurethane	350	AISI316 Stainless Steel	Boxed with ID Sticker	5056228206699	Q002144
5 Spoke	Yes	Grey Polyurethane	350	AISI316 Stainless Steel	Bagged with ID Sticker	5056228206682	Q002142

Transom Pads - Plastic

- ◆ Offers protection against outboard clamp damage
- ◆ Avoids scratching and marking on transoms
- ◆ Helps to absorb engine vibration
- ◆ Great for reinforcing transoms on dinghies
- ◆ Made from rigid plastic, textured surface to reduce slipping of outboard clamp bolts



AQM50200



AQM52200



AQM51200




AQM50201

Type	Dimensions	Colour	Material	Barcode	Part Number
Small	85 H x 197 L mm	Black	UV resistant polypropylene	5056228211082	AQM50200
Small	85 H x 197 L mm	White	UV resistant polypropylene	5056228211105	AQM51200
Small	85 H x 197 L mm	Grey	UV resistant polypropylene	5056228211112	AQM52200
Large	95 H x 265 L mm	Black	UV resistant polypropylene	5056228211099	AQM50201

Transom Pads - Aluminium

- ◆ Offers protection against outboard clamp damage
- ◆ Avoids scratching and marking on transoms
- ◆ Helps to absorb engine vibration
- ◆ Great for reinforcing transoms on dinghies
- ◆ Made from cast aluminium
- ◆ Features safety ring for engine cable



Type	Dimensions	Colour	Material	Barcode	Part Number
Alloy finish	100 H x 317 L mm	Grey	Alloy	5056228206743	Q002511

Transom Drains & Plugs



Type	Flange mm	Length mm	Outer Diameter mm	Inner Diameter mm	Material	Format	Barcode	Part Number
Nylon Drain Tube only - with retaining collar	32	58	25	19	Nylon	Unpacked	5056228206835	Q003220
Drain Plug and Sleeve	30	60	26	24	Brass Plug, Stainless Tube	Header & Bag	5056228206781	Q002792
Drain Plug with Chain	-	96	25	-		Header & Bag	5056228206774	Q002786
White Transom Drain with Non Return Valve	-	80	80	36	Nylon	Header & Bag	5056228210900	AQM21114
White Transom Drain with Non Return Valve	-	80	80	42	Nylon	Header & Bag	5056228210917	AQM21115
Black Transom Drain with Non Return Valve	-	80	80	36	Nylon	Header & Bag	5056228210870	AQM20114
Black Transom Drain with Non Return Valve	-	80	80	42	Nylon	Header & Bag	5056228210887	AQM20115
Screw In Drain Plug and Body	40	40	-	20	Nylon	Header & Bag	5056228210894	AQM20215
Drain Plug	48	45	26	25	AISI316 Stainless Steel	Header & Bag	5056228203933	AQM054821



Motor Splashwell Grommets/Witches Hats – for steering cables

- ◆ A range of grommets in different designs
- ◆ Ideally suited for mounting on the transom to splash seal the exit of steering cable from transom

Type	Material	Outer Ring Diameter mm	Inner Diameter mm	Height mm	Barcode	Part Number
Small straight cone type for neat single cable applications	Nylon glass reinforced ring with Dryflex SEPS gaiter	79	51	30	5056228210801	AQM10104
Medium ridged cone type for neat single cable applications	Nylon glass reinforced ring with Dryflex SEPS gaiter	119	86	41	5056228210818	AQM10106
Large ridged cone type for neat single/dual cable applications	Nylon glass reinforced ring with Dryflex SEPS gaiter	139	103	90	5056228210825	AQM10109

Motor Splashwell Grommets/Cable Outlets - for multiple cables

- ◆ A range of grommets / witches hats designed for use with multiple cables, wires etc
- ◆ Ideally suited for mounting and routing multiple lines to outboards



Type	Material	Outer Ring Diameter mm	Inner Diameter mm	Height mm	Barcode	Part Number
Small flat type with 3 nipples	Nylon glass reinforced ring with Dryflex SEPS gaiter	79	51	10	5056228210795	AQM10103
Medium drawstring type with cable tie	Nylon glass reinforced ring with Dryflex SEPS gaiter	107	73	70	5056228210832	AQM10120

Motor Splashwell Conduit System

- ◆ Designed for use as a 3 part system, this enables really neat installations to be made and allows cables, wires and hoses to be hidden from sight in a really neat convoluted tube. This tube allows flex and free movement as the outboard is steered. Tube is designed to screw into the transom socket and then is cut to length with the rubber reducer slipped on the end of the tube
- ◆ Supplied in individual parts and as a kit



Type	Barcode	Part Number
Transom socket for screwing tube to the transom. Black.	5056228210849	AQM10130
Convoluted tube for steering, control, wires etc. Black 15 metre reel.	5056228210832	AQM10135
Tube end fitting for terminating cables at outboard – push on in Dryflex SEPS material Black	5056228210863	AQM10140
Complete Splashwell Conduit Kit includes: AQM10130, AQM10135 & AQM10140	5056228211365	AQM10141

Funnels

- ◆ Extensive range of sizes to suit all applications
- ◆ Ideal for fuelling operations
- ◆ Minimises the risk of spilling fuel - safer and better for the environment
- ◆ Resistant to acids, alkalis and other chemicals



HUN950500



HUN950600



HUN955200



HUN490020

Type	Colour	Opening	Spout Hose	Dims	Temp range	Material	Format	Barcode	Part Number
Small - Standard - Fracture proof polyethylene (HD- PE) - with hanging eyelet	Clear	120mm	None	145.5 x 120mm	-20°C to +70°C	HDPE Polyethylene	With ID Sitcker	5056228206538	HUN950500
Medium - Standard, racture proof with hanging eyelet	Clear	140mm	None	166.8 x 140mm	-20°C to +70°C	HDPE Polyethylene	With ID Sitcker	5056228206545	HUN950600
Large - with Anti-Splash collar, integrated long angled spout, filter and handle, fracture proof	Hi Vis Red	205mm	None	322 x 205mm	-	HDPE Polyethylene	With ID Sitcker	5056228206569	HUN955200
Heavy Duty - with overflow rim, detachable flexi spout	Bright tin	160mm	300mm tin plated convoluted tube with HD-PE ends	225 x 165 x 200mm	-	Tin & HDPE	With ID Sitcker	5056228206309	HUN490020



Fuel Line Adaptor for AquaMarine Jerry Cans

- ◆ Quick, safe, practical
- ◆ Ideal for direct supply of fuel to engines and generators
- ◆ Saves additional refuelling by transferring one tank to another
- ◆ Screws in place of the cap on the Jerry can - barb connection for outboard fuel line
- ◆ Hazard-free fuelling



Suitable for:	Material	Format	Barcode	Part No
5, 10 & 20 litre jerry cans	Nylon	Header & Bag	5056228206422	HUN810000

Sump Pump

- ◆ Brass body
- ◆ Nitrile rubber components
- ◆ For hand pumping



Pump Length	Inlet/Outlet Connection	Inlet Tube Length	Outlet Tube Length	Material	Format	Barcode	Part No
180mm	6mm	700mm	270mm	Brass Body, Nitrile Rubber	Bagged with ID Sticker	5056228207078	Q006622

Siphon Pump

- ◆ Suction pump with PVC tube and shut-off valve for transferring fluids
- ◆ Consists of suction pump, shut-off valve and hose
- ◆ Resistant to acid, chemicals and petrol
- ◆ For hand pumping



Flow	Material	Format	Barcode	Part No
4 litres per minute	PVC tube and body	Header & Bag	5056228206415	HUN546000

Tank Vents

- ◆ For use when venting a below deck / built-in fuel tank
- ◆ Allows the tank to vent as temperature and atmospheric conditions change
- ◆ Allows free flow of fuel as the engine requires it
- ◆ Chrome plate on brass
- ◆ Supplied with threaded collar and nut for fixing through the boat structure



Q002258



Q002259

Type	For hose	Material	Format	Barcode	Part Number
Straight - Barbed	1/2" Inner Diameter	Chrome plate on brass	Header & Bag	5056228206712	Q002258
Straight - Threaded	15mm thread	Chrome plate on brass	Header & Bag	5056228206705	Q002259

Outboard Propeller Bags

- ◆ A legal requirement for anyone towing a boat on the UK highway
- ◆ Boat propellers must be covered by a bag which is made of a reinforced material
- ◆ Aquamarine propeller bags feature a special wavelock material to reinforce them and provide long service life
- ◆ Made from hi-visibility material, they feature a drawstring to keep them in place and a drain outlet
- ◆ They provide protection for the propeller when not in use and the hi-vis colour makes it less likely you will bang into the prop and cut / hurt yourself



Model	For Engine Size	Dimensions mm	Material	Format	Barcode	Part Number
Sml	Up to 6HP	440 W x 400 L	Wavelock PVC	Header & Bag	5056228206989	Q006521
Med	Up to 40HP	550 W x 470 L	Wavelock PVC	Header & Bag	5056228206996	Q006522
Large	Up to 40HP & Outdrives	750 W x 670 L	Wavelock PVC	Header & Bag	5056228207009	Q006523
XL	Over 40HP	1000 W x 910 L	Wavelock PVC	Header & Bag	5056228207016	Q006524

Tenders

- ◆ Manufactured using the best quality European sourced materials and incorporating key safety features into the design which makes them easy to use and inspires confidence in operation:

- 1 3 chamber tubes – gives greater safety when a tube is punctured – allows you to get ashore or to your vessel whilst still afloat
- 2 Strong Bench seat in solid marine ply – remains cool to sit on, even in the sun, provides a strong seat which also increases stability of the tender
- 3 Large diameter tubes – making them safer to use than most other dinghies on the market – and offer large boat performance, stability and handling – making everyone aboard feel safe and secure
- 4 Hot Air Welded seams – offers permanent, watertight, airtight welding – making a continuous sheet of PVC – this eliminates the problems with glued seams which deteriorate over time when in contact with moisture
- 5 Lightweight Aluminium Oars – with integrated oar locks fitted to dinghy – ensures no losses over the side!
- 6 Davit lifting points factory fitted as standard – ready to go and easy to hang from davits – avoids extra time and hassle adding these features on lesser competitor models
- 7 Lifeline – on both sides of the boat running from bow to stern – terminated and routed through chunky heavy duty pad eyes



- 8 Twin D-ring towing eyes on inflatable range, Integrated towing eye on RIB models as standard

- 9 Heavy duty moulded rubbing strake on all tubes – runs right round the boat to fend off any scrapes you may get into

Supplied with Pump, Oars, Seat, Repair Kit and Transit bag for quick pack down and compact storage

- 10 Handholds and handles ergonomically located bow and stern to make it easier to lift and manoeuvre the boat when out of the water

- 11 Simple operation gate bailer in transom – allows fast bailing when on the plane

All these **'think of you'** features from AquaMarine , make the new tender range incredibly fast and easy to set up – allowing you to spend more time on the water

Slatted Floor Range


- ◆ Our new range of slatted floor tenders are ideally suited for boat owners who want a lightweight tender that will roll up to a compact packed down dimension for easy transport and storage when not in use.
- ◆ Solid wood slat floor – strong marine ply slats to spread the load – can be removed when deflated to allow even more compact rolled up, packed down dimensions



Model	External Dimensions	Internal Dimensions	People	Weight	Motor	Motor Shaft	Tube Diameter	Tubes	Barcode	Part Number
185SF	185 x 129cm	95 x 57 x 30cm	2	19.5kg	4HP	S	37cm	3	5056228204916	AQM71185
240SF	240 x 151cm	93 x 53 x 25cm	3	25.5kg	6HP	S	42cm	3	5056228204923	AQM71240

Air Deck Range

- ◆ This new range from AquaMarine offers a comprehensive range of models in one of the most popular styles of tender on the market. The clever design allows for a flat, rigid floor within the tenders – by the use of technical drop stitch, double wall air deck fabric. Two fabric layers separated by a woven-in system of threads. This thread link system produces an extremely strong connection between the layers. This makes the ready-made air deck totally stiff after inflation and ensures a dimensionally stable surface
- ◆ The Air Deck range is ideally suited for the boat owner who wants a tender that they can roll up and stow when out of use, which also combines RIB like performance thanks to the rigid air deck floor and separate inflatable keel which gives a strong 'V' profile hull. The lightness of the design means that it is quicker to get on the plane. The ultimate blend of portability with performance
- ◆ Quick to set up and pack down the unique AquaMarine design means that the boat can be rolled with the floor in place or removed – giving total flexibility



Model	External Dimensions	Internal Dimensions	People	Weight	Motor	Motor Shaft	Tube Diameter	Tubes	Barcode	Part Number
210AD	210 x 132cm	129 x 59cm	2	22kg	4HP	S	38cm	3+1+1	5056228204978	AQM75210
240AD	240 x 153cm	155 x 73cm	3	25kg	6HP	S	42cm	3+1+1	5056228204985	AQM75240
270AD	270 x 152cm	176 x 73cm	3+1	28.5kg	10HP	S	41cm	3+1+1	5056228204992	AQM75270
310AD	310 x 148cm	214 x 70cm	4	32kg	15HP	S	40cm	3+1+1	5056228205005	AQM75310

Aluminium Floor

- ◆ This new range of heavy duty tenders feature an aluminium floor system which is designed to offer a skipper a completely solid, hard wearing floor to their inflatable tender. Easy to assemble, this model range blends lightness and rigidity with enhanced durability in use
- ◆ This range has excellent stowage capacity making it ideally suited for boat owners who need to carry more payload and awkward kit. The comprehensive range of lengths enables the user to tailor their model exactly to their common carrying requirements – offering handy extra capacity without having to increase length significantly. It is easy to pilot and the inflatable keel which gives it a 'V' profile hull makes it safe and sure footed in its handling when underway



Model	External Dimensions	Internal Dimensions	People	Weight	Motor	Motor Shaft	Tube Diameter	Tubes	Barcode	Part Number
270AF	270 x 158cm	177 x 70cm	3+1	40.5kg	10HP	S	41cm	3+1	5056228204930	AQM72270
310AF	310 x 158cm	208 x 70cm	3+1	47.5kg	15HP	S	42cm	3+1	5056228204947	AQM72310
340AF	340 x 158cm	236 x 78cm	3+1	53.5kg	15HP	S	43cm	3+1	5056228204954	AQM72340
370AF	370 x 159cm	261 x 78cm	3+1	58kg	25HP	S	43cm	3+1	5056228204961	AQM72370



RIB Range

- ◆ The ultimate tenders within the AquaMarine range are the new rigid inflatable boats – manufactured using the very latest techniques. These boats are finished to an incredibly high standard – produced in a low volume, meticulously quality controlled environment in Italy
- ◆ The hull designs feature deep 'V' profile for great performance and stability on the water. The 320 and 360 models also feature a longitudinal bulkhead 'I' beam to create an incredibly strong floor for weight dissipation and hull rigidity
- ◆ All hulls are in commercial grade counter-molded fibreglass – providing very high strength-to-weight characteristics. This ensures perfect lamination and an exceptional gelcoat finish – processes used by very best RIB producers
- ◆ These features combined with the latest hull designs which incorporate advanced chines gives crisp sharp handling with unrivalled performance – all of which inspire confidence and allow you to get the best performance out of your AquaMarine RIB





Model	External Dimensions	Internal Dimensions	People	Weight	Motor	Motor Shaft	Tube Diameter	Tubes	Barcode	Part Number
270RIB	271 x 143 x 72cm	172 x 69cm	3	41kg	8HP	S	37cm	2	5056228205012	AQM76270
320RIB	317 x 167 x 81cm	230 x 81cm	5	57kg	15HP	S	43cm	3	5056228205029	AQM76320
360RIB	351 x 167x 81cm	260 x 81cm	5	78kg	25HP	S	43cm	3	5056228205036	AQM76360



EXTR1A



EXTR1B

Boat Trailer Brackets & Rollers

Type	Length mm	Width mm	Format	Barcode	Part Number
Wing Bracket Roller	300	110	Unpacked	5056228206132	EXTRA1
Ribbed Blue Nylon Wobble Roller	83	110	Unpacked	5056228206125	EXTR1B



Overcentre Tie Down Straps

Colour	Length m	Webbing mm	Format	Barcode	Part Number
Orange	5	50	Bagged with ID Sticker	5056228207696	Q052508
Black	7	50	Bagged with ID Sticker	5056228207702	Q052510



General Purpose Strap

Type	Colour	Length m	Webbing mm	Format	Barcode	Part Number
	Light Blue	3	25	Header & Bag	5056228207658	Q052500
With Buckle	Blue	5	25	Header & Bag	5056228207665	Q052502



Trailer / PWC Tie Down Strap

Colour	Length m	Webbing mm	Format	Barcode	Part Number
Blue	3	25	Header & Bag	5056228207672	Q052504
Blue	5	25	Header & Bag	5056228207689	Q052506



Ratchet Tie Down Strap

Colour	Length m	Webbing mm	Format	Barcode	Part Number
Yellow	7	50	Bagged with ID Sticker	5056228207726	Q052514
Yellow	5	50	Bagged with ID Sticker	5056228207719	Q052512



Webbing Strap

Type	Colour	Length m	Webbing mm	Format	Barcode	Part Number
With 6 x 50mm D Ring & Bolt	Black	2	50	Header & Bag	5056228207733	Q052523



Winch Straps

With Hook	With Nut / Bolt	For Winch Types	Colour	Length m	Format	Barcode	Part Number
Yes	No	For DL400A	Black	3.3	Header & Bag	5056228207450	Q024117
Yes	No	DL400A/600A/900A	Black	4.5	Header & Bag	5056228207429	Q024114
Yes	No	Over 900lb	Black	6	Header & Bag	5056228207436	Q024115
Yes	No	Over 900lb	Black	7.5	Header & Bag	5056228207443	Q024116
Yes	Yes - 6mm	For DL400A	Black	3.3	Bagged with ID Sticker	5056228206811	Q002848
Yes	Yes - 6mm	DL400A/600A/900A	Black	4.5	Bagged with ID Sticker	5056228206828	Q002849
Yes	Yes - 10mm	Over 900lb	Black	4.5	Bagged with ID Sticker	5056228213000	Q002845
Yes	Yes - 10mm	Over 900lb	Black	6	Bagged with ID Sticker	5056228206798	Q002826



Battery Holder

Type	Colour	Length mm	Width mm	Material	Format	Barcode	Part No
Small	Black	280	178	Nylon	Header & Bag	5056228207375	Q009964
Large	Black	330	178	Nylon	Header & Bag	5056228207382	Q009965



Q005011



Q005012

Battery Switch

Type	Rating Amp	Format	Barcode	Part No
Key Operation	100	Boxed with ID Sticker	5056228206880	Q005011
Replacement Key for Q005011	-	Header & Bag	5056228206897	Q005012



Cable Gland

Type	Diameter mm	For Cables Diameter mm	Material	Format	Barcode	Part No
Chrome Screw type	32	6	Chrome Plate on brass, rubber seal	Header & Bag	5056228207191	Q007518
Chrome Screw type	32	8	Chrome Plate on brass, rubber seal	Header & Bag	5056228207207	Q007519
Chrome Screw type	38	10	Chrome Plate on brass, rubber seal	Header & Bag	5056228207214	Q007520
Chrome Screw type	50	19	Chrome Plate on brass , rubber seal	Header & Bag	5056228213024	Q007521

Socket & Plug



Type	Diameter mm	Rating Amp	Material	Format	Barcode	Part No
2 pin - waterproof rubber plug type	37	3	Chrome Plate on Brass, Rubber Plug	Boxed with ID Sticker	5056228207276	Q007652
2 pin - chrome	37	3	Chrome Plate on Brass	Boxed with ID Sticker	5056228207085	Q006680
4 pin - chrome	37	3	Chrome Plate on Brass	Boxed with ID Sticker	5056228207092	Q006682
2 pin - chrome	37	5	Chrome Plate on Brass	Boxed with ID Sticker	5056228213048	Q006685

Cable Ties



Type	Length mm	Width mm	Pack Size	Format	Barcode	Part No
Black Nylon	370	4.8	100	Bagged with ID Sticker	5056228207115	Q006904

Switch Panels

- ◆ Anodised aluminium panels
- ◆ Matt black finish
- ◆ Illuminating rocker switches with fuse holders
- ◆ Selection of fuses 3 - 15 Amp
- ◆ Selection of 20 switch labels for identification



Type	Volt Rating	Number of Switchways	Height mm	Width mm	Material	Format	Barcode	Part No
Panel	12	3	165	115	Aluminium, Nylon	Boxed	5056228207139	Q007449
Panel with Meter and Outlet Plug	12	3	165	115	Aluminium, Nylon	Boxed	5056228207146	Q007450
Panel with Meter and Horn Push	12	3	165	115	Aluminium, Nylon	Boxed	5056228207153	Q007451
Replacement Rocker Switch	-	-	32	17	-	Header & Bag	5056228207160	Q007453
Replacement Fuse Holder	-	-	15	15	-	Header & Bag	5056228207177	Q007454

Switches



Type	Termination	Rating Amp	Voltage	Material	Format	Barcode	Part No
On / Off Pull Switch	Screw Tabs	15	12	Brass	Header & Bag	5056228206873	Q005003
Horn Push	Screw Tabs	12	12	Brass	Header & Bag	5056228206903	Q005202


Bilge Pump Control Switch



Type	Height mm	Width mm	Format	Barcode	Part No
Waterproof, Illuminated	63	75	Boxed with ID Sticker	5056228207184	Q007490

Ignition Cut Out Device - Dead Man Switch

- ◆ For RIBS, Ski-boats & Tenders
- ◆ Automatically stops engine should driver be thrown overboard
- ◆ Mounts on dashboard close to the ignition switch or in place of outboard stop button
- ◆ Supplied with nylon lanyard



Type	Termination	For Ignition Type	Material	Format	Barcode	Part No
Through Panel Mount	2 wire leads	Magneto	Chrome Plate on Brass with PVC Sleeve	Header & Bag	5056228207221	Q007522
Through Panel Mount	2 wire leads	Electronic	Chrome Plate on Brass with PVC Sleeve	Header & Bag	5056228207238	Q007523

Shorepower Cable

- ◆ 16A Site plug to 16A site socket
- ◆ Heavy duty yellow arctic cable
- ◆ Designed for dockside to yacht connection
- ◆ Arctic grade cable is much tougher and durable than orange 'caravan' type leads
- ◆ Hi-visibility yellow colour for safer use on the quayside



Length m	Rating Amp	Format	Barcode	Part No
10	16A	Bagged with ID Sticker	5056228206279	HM16650
25	16A	Bagged with ID Sticker	5056228206293	HM16652

Shorepower Trailing Socket

- ◆ Heavy duty yellow arctic cable
- ◆ Handy converter for site leads to domestic UK three pin socket
- ◆ 16A site plug to 13A 3 pin UK socket



Plug	Socket	Format	Barcode	Part No
16A Blue Site Plug	13A UK 3 pin black socket	Header & Bag	5056228206286	HM16651

Ski Float

- ◆ For ski tows, bridles, buoy markers



Type	Length mm	Width mm	Format	Barcode	Part No
For rope up to 12mm diameter	100	63	Header & Bag	5056228206644	Q002134

Web Sanding Pads

- ◆ Grey, green and red
- ◆ Ultra fine, very fine, medium
- ◆ Ideal for keying paintwork and de-nibbing
- ◆ Extremely flexible and conformable



Type	Length mm	Width mm	Format	Barcode	Part No
Mixed pack of 3 pads	230	150	Header & Bag	5056228205562	AQM230150

Aquaflow Tanks

- ◆ The ingeniously designed Aquaflow Tanks
- ◆ Moulded in tough, dark blue anti-algae shatterproof polyethylene
- ◆ Supplied with threaded blanks fitted
- ◆ Can be used in any position, even upside-down and provides an inlet, an outlet, provision for a draincock and vent in the right place
- ◆ Made from food grade approved polymer



Capacity	Inlet dimensions BSP	Outlet dimensions BSP	Dims cm	Barcode	Part No
34L (7.50 gal)	1¼-1½" stepped	¾"	23 x 33 x 48	5056228207337	Q007715
45L (10 gal)	1¼-1½" stepped	¾"	23 x 46 x 48	5056228207306	Q007708

Tank Plug

¾" BSP	5056228213017	Q007713
--------	---------------	----------------



Description	Barb	Thread BSP	Material	Format	Barcode	Part No
Hose connector straight adaptor	½"	¾"	Nylon	Header & Bag	5056228207313	Q007710
Hose connector right angle adaptor	½"	¾"	Nylon	Header & Bag	5056228207320	Q007711
Y connector	¾"	-	Polyacetal Copolymer	Header & Bag	5056228207344	Q007764
Tank Plug	¾" BSP	-	Nylon	Header & Bag	5056228213017	Q007713

Manual Bilge Pump

- ◆ Handle can be oriented in eight different positions



Flow	Hose Diameter mm	Length mm	Width mm	Height mm	Format	Barcode	Part No
0.5litre per pull	25	275	150	100	With ID Sticker	5056228211297	AQM90190

Shower Kit Flush Mount with 2.5m hose

- ◆ Designed for bathing platforms
- ◆ The hose is concealed under the mounting surface
- ◆ Shower head recesses into the housing when not in use
- ◆ Trigger operation for water economy



Dimensions mm	Hose length m	Hose type	Format	Barcode	Part No
Recess 54mm	Overall Ø 84mm	2.5	Net PVC	Header & Bag	5056228207641
					Q047702

Shower Kit Standard Mount with 2.5m Hose

- ◆ For use in toilet compartments or on deck bathing platform
- ◆ The hose is concealed under the mounting surface
- ◆ Trigger operation for water economy



Hose length m	Hose type	Format	Barcode	Part No
2.5	Net PVC	Header & Bag	5056228207634	Q047701

Replacement bayonet fitting hose connector

- ◆ Replacement bayonet fitting hose connector for Q033233
- ◆ Can be used as a replacement for Jabsco Q006830



Connection BSP	Bayonet BSP	Dims w x h mm	Material	Format	Barcode	Part No
1/2" female	3/4"	45x88	Nylon	Header & Bag	5056228207610	Q033234

SLX Superflat Cassette Hose

- ◆ Compact for convenient space -saving storage
- ◆ Highly flexible
- ◆ Lightweight and easy to use
- ◆ Easily drained when stowing
- ◆ Compatible with most leading brands of garden hose fittings
- ◆ Silicone-free
- ◆ Made from Cadmium-free materials
- ◆ Supplied with deluxe quick-release fittings - universal tap connector and adjustable spray nozzle
- ◆ RoHS 3 compliant



Hose colour	Internal diameter	External diameter	Maximum working pressure	Minimum burst pressure	Material	Format	Barcode	Part No
Opaque blue	1/2"/12.5mm	5/8"/15.8mm	8bar	24bar	Super flat phthlate free PVC with polyester fibre reinforcement	Boxed	5056228212904	AQMSLXHOSE

Y, T & L Connectors

- ◆ Y, T & L hose connector made from fracture-proof and food-safe polyethylene (HD-PE)
- ◆ Sleeve connections for hoses
- ◆ Resistant to acids, alkalis and other chemicals
- ◆ Resistant to temperature: -20° to +70°



Size mm	Height mm	Length mm	Connection area outside diameter mm	Colour	Material	Format	Barcode	Part No
Y connector for 13mm pipe	62	59	13	Natural	HDPE Polyethylene	Header & Bag	5056228206316	HUN535400



Size mm	Height mm	Length mm	Connection area outside diameter mm	Colour	Material	Format	Barcode	Part No
T-hose connector for 13mm pipe	40	79	13	Natural	HDPE Polyethylene	Header & Bag	5056228206378	HUN537200
T-hose connector For 19mm pipe	45	89	19	Natural	HDPE Polyethylene	Header & Bag	5056228206385	HUN537400



Size mm	Height mm	Length mm	Connection area outside diameter mm	Colour	Material	Format	Barcode	Part No
L-hose connector for 13mm pipe	46	13	Natural	Natural	HDPE Polyethylene	Header & Bag	5056228206392	HUN539200
L-hose connector for 19mm pipe	54	19	Natural	Natural	HDPE Polyethylene	Header & Bag	5056228206408	HUN539300

Reduction hose connector

- ◆ Reduction hose connector made from fracture-proof and food-safe polyethylene (HD-PE)
- ◆ Sleeve connections for hoses
- ◆ Very resistant to acids, alkalis and other chemicals
- ◆ Resistant to temperature: -20° to +70°



Barb to barb mm	Length mm	Colour	Material	Format	Barcode	Part No
19-13	74	Natural	HDPE Polyethylene	Header & Bag	5056228206361	HUN536500
13-10	66	Natural	HDPE Polyethylene	Header & Bag	5056228206354	HUN536600

Straight Hose Connector

- ◆ Straight hose connector made from fracture-proof and food-safe polyethylene (HD-PE)
- ◆ Sleeve connections for hoses
- ◆ Very resistant to acids, alkalis and other chemicals
- ◆ Resistant to temperature: -20° to +70°



Barb to barb mm	Length mm	Connection area outside diameter mm	Colour	Material	Format	Barcode	Part No
Equal	74	13	Natural	HDPE Polyethylene	Header & Bag	5056228206323	HUN536200
Equal	74	19	Natural	HDPE Polyethylene	Header & Bag	5056228206330	HUN536300
Equal	84	25	Natural	HDPE Polyethylene	Header & Bag	5056228206347	HUN536400

Non Return Valve



Barb	Material	Format	Barcode	Part No
Stepped 1/2" - 3/4" - 1"	HDPE Polyethylene	Header & Bag	5056228206323	Q007789



Maclow Nylon Pipe Holding Clips

For pipe size Ø	Material	Format	No in pack	Barcode	Part No
5/8"/15mm	HDPE Polyethylene	Header & Bag	10	5056228206323	DC2030301
3/4"/19mm	HDPE Polyethylene	Header & Bag	10	5056228206323	DC2030401
1"/25mm	HDPE Polyethylene	Header & Bag	10	5056228206323	DC2030501
1 1/4"/30mm	HDPE Polyethylene	Header & Bag	10	5056228206323	DC2030601
1 1/2"/38mm	HDPE Polyethylene	Header & Bag	10	5056228206323	DC2030701

Rigid Nylon Universal Pipe / Oar / Boat Hook Clips



Colour	For Pipe / Item Diameter mm	Material	Format	Barcode	Part No
Black	20	Nylon	Header & Bag	5056228211129	AQM70200
White	20	Nylon	Header & Bag	5056228211136	AQM70201
Grey	20	Nylon	Header & Bag	5056228211143	AQM70202
Black	25	Nylon	Header & Bag	5056228211150	AQM70210
White	25	Nylon	Header & Bag	5056228211167	AQM70211
Grey	25	Nylon	Header & Bag	5056228211174	AQM70212
Black	30	Nylon	Header & Bag	5056228211181	AQM70300
White	30	Nylon	Header & Bag	5056228211198	AQM70301
Grey	30	Nylon	Header & Bag	5056228211204	AQM70302



Suction & Delivery Hose Transparent Green

- ◆ Lightweight construction for easy handling
- ◆ Optimum flow is maintained by the smooth bore
- ◆ Tough, flexible and extremely durable
- ◆ Retains flexibility, even in cold weather
- ◆ Outstanding resistance to the effects of weather
- ◆ Excellent chemical and abrasion resistance
- ◆ RoHS 3 – restriction of hazardous substances – compliant

Internal diameter	External diameter	Wall thickness mm	Max working pressure	Weight /m kg	Bend radius mm	Vacuum m/H2O	Coil length m	Material	Format	Barcode	No
¾" / 19mm	1" / 25mm	3.3	9.0bar	0.38	76	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228212973	AQMSDH1930TG
1" / 25.4mm	1¼" / 32mm	3.3	8.0bar	0.33	114	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228212911	AQMSDH2530TG
1¼" / 32mm	1½" / 39.2mm	3.6	7.0bar	0.46	143	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228212928	AQMSDH3230TG
1½" / 38mm	1¾" / 45.4mm	3.7	6.5bar	0.55	171	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228212935	AQMSDH3830TG

Sanitation Hose White

- ◆ Odour resistant for sanitation purposes
- ◆ Tough flexible and extremely durable
- ◆ Minimum frictional loss is achieved by the smooth bore
- ◆ UV stabilised
- ◆ Excellent chemical and abrasion resistance
- ◆ Hose is resistant to most cleaning chemicals and detergents
- ◆ Flexibility maintained - even under cold weather conditions
- ◆ Suitable for delivery and suction of cleaning chemicals within seawater boats
- ◆ Flat outer profile for easy cleaning
- ◆ RoHS 3 compliant



Internal diameter	External diameter	Wall thickness mm	Max working pressure	Weight /m kg	Bend radius mm	Vacuum m/H2O	Coil length m	Material	Format	Barcode	No
¾" / 19mm	1" / 25.4mm	3.3	9.0bar	0.38	76	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228212942	AQMMSH1930SW
1" / 25.4mm	1¼" / 32.6mm	3.6	8.0bar	0.39	102	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228212959	AQMMSH2530SW
1½" / 38mm	1¾" / 45.4mm	4	6.5bar	0.56	152	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228212966	AQMMSH3830SW

Wire Reinforced Food Quality Hose

- ◆ Flexible
- ◆ Resistant to most chemicals and UV Anti - Static through earthing the wire at each end
- ◆ Suitable for food contact applications up to +60°C
- ◆ Weather resistant
- ◆ Durable
- ◆ Good abrasion
- ◆ Rot and chemical resistance
- ◆ Good crush and kink resistance




Internal diameter	Max working pressure	Weight /m kg	Bend radius mm	Vacuum m/H2O	Coil length m	Material	Format	Barcode	No
1 1/4" / 32mm	13bar	0.65	75	9	30	PVC with Wire reinforcement helix	With ID Sticker	5056228212980	AQMWRH3230TC

Multi Layered Food Quality Hose

- ◆ Will not support microbiological growth
- ◆ WRAS approved construction
- ◆ Cadmium and silicone - free
- ◆ Manufactured using a unique ultra-hygenic heat bonding technology which eradicates the need for chemicals
- ◆ High quality PVC outer extruded with brilliant white 'clinical' finish
- ◆ TPE mirror smooth inner for improved flow
- ◆ Odourless and taint free specialist materials
- ◆ Good flexibility and durability
- ◆ Excellent resistance to abrasion
- ◆ Specially selected high tensile Polyester fibre reinforcement
- ◆ Good kink resistance across a wide temperature range
- ◆ Independently tested in accordance with BS 6920
- ◆ Laser printed for clarity and cleanliness
- ◆ BS 6920 – assessments for suitability of non-metallic materials to ensure integrity of the material
- ◆ RoHS 3 – restriction of hazardous substances - compliant



Internal diameter	External diameter	Max working pressure	Minimum burst Pressure	Weight /m kg	Bend radius mm	Coil length m	Material	Format	Barcode	No
1/4" / 10mm	5/8" / 16mm	10bar	60bar	0.158	40	30	TPE,PVC with Polyester reinforcement fibre	With ID Sticker	5056228212775	AQMRPH1030SW



Braided PVC Food Hose

- ◆ Clear versions offer excellent glass transparency for clear visibility
- ◆ Also offered in solid red and solid blue colours for Hot/Cold ID in installations
- ◆ Good flexibility for ease of use
- ◆ Resistant to a wide range of chemicals including many acids/alkalis
- ◆ Abrasion resistant. Thicker wall gives medium to heavy duty durability for improved resistance to abrasion
- ◆ Specially selected high tensile Polyester fibre reinforcement creates an effective and balanced pressure hose
- ◆ EU no. 10/2011 compliant for food contact applications RoHS 3 compliant
- ◆ Manufactured from cadmium and silicone-free materials, using a specialist PVC that can reduce the taint of drinking water
- ◆ Manufactured in accordance with ISO 5774
- ◆ 4:1 safety factor
- ◆ EU no. 10/2011 – compliant for food contact applications
- ◆ RoHS 3 – restriction of hazardous substances - compliant
- ◆ NSF51 & NSF61 – approval for transfer of drinking water

Hose colour	Internal diameter	External diameter	Max working pressure	Minimum burst Pressure	Weight /m kg	Bend radius mm	Coil length m	Material	Format	Barcode	No
Clear	1/4" / 6.3mm	29/64" / 11.5mm	16bar	64bar	0.093	28	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212676	AQMRPV061130TC
Clear	5/16" / 8mm	17/32" / 13.5mm	16bar	64bar	0.123	29	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212683	AQMRPV081430TC
Clear	3/8" / 10mm	5/8" / 16mm	15bar	60bar	0.163	40	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212744	AQMRPV101630TC
Blue	3/8" / 10mm	5/8" / 16mm	15bar	60bar	0.163	40	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212737	AQMRPV101630SB
Red	3/8" / 10mm	5/8" / 16mm	15bar	60bar	0.163	40	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212751	AQMRPV101630SR
Clear	1/2" / 12mm	17/32" / 18mm	15bar	60bar	0.187	55	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212713	AQMRPV121830TC
Blue	1/2" / 12.5mm	47/64" / 18.5mm	15bar	60bar	0.187	55	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212706	AQMRPV121830SB
Red	1/2" / 12.5mm	47/64" / 18.5mm	15bar	60bar	0.187	55	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212720	AQMRPV121830SR
Clear	3/4" / 19mm	15/16" / 24mm	10bar	40bar	0.310	135	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212812	AQMRPV192430TC
Clear	1" / 25mm	119/64" / 33mm	10bar	40bar	0.432	210	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212690	AQMRPV253330TC
Clear	1 1/4" / 32mm	121/32" / 42mm	10bar	40bar	0.684	320	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212881	AQMRPV324230TC
Clear	1 1/2" / 38.75mm	129/32" / 48.5mm	10bar	40bar	0.684	420	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228212898	AQMRPV384830TC

Clear PVC Food Hose

- ◆ Glass clear transparency for easy visibility
- ◆ Excellent abrasion and corrosion resistant properties for increased durability
- ◆ Good flexibility for ease of use
- ◆ Manufactured from cadmium and silicone-free materials using a special low toxic, odourless PVC formulation that can reduce the taint of drinking water
- ◆ EU No.10/2011 compliant for food contact applications RoHS 3 compliant
- ◆ Suitable for use with alcohol , petrol, oils, greases and solvents
- ◆ Highly resistant to a wide range of acids and alkalis
- ◆ Service temperature -15°C to + 60°C
- ◆ EU no. 10/2011 – compliant for food contact applications
- ◆ RoHS 3 – restriction of hazardous substances - compliant
- ◆ NSF51 & NSF61 – approval for transfer of drinking water



Hose colour	Internal diameter	External diameter	Weight /m kg	Bend radius mm	Coil length m	Material	Format	Barcode	No
Clear	3/16"/5mm	5/16"/8mm	0.035	72	30	PVC	With ID Sticker	5056228212669	AQMPVC050830TC
Clear	1/4"/6mm	23/64"/9mm	0.044	81	30	PVC	With ID Sticker	5056228212768	AQMPVC060930TC
Clear	5/16"/8mm	7/16"/11mm	0.065	99	30	PVC	With ID Sticker	5056228212829	AQMPVC081130TC
Clear	5/16"/8mm	35/64"/14mm	0.139	126	30	PVC	With ID Sticker	5056228212867	AQMPVC081430TC
Clear	3/8"/10mm	1/2"/13mm	0.078	117	30	PVC	With ID Sticker	5056228212850	AQMPVC101330TC
Clear	3/8"/10mm	5/8"/16mm	0.164	144	30	PVC	With ID Sticker	5056228212799	AQMPVC101630TC
Clear	1/2"/12mm	19/32"/15mm	0.092	135	30	PVC	With ID Sticker	5056228212805	AQMPVC121530TC
Clear	1/2"/12mm	45/64"/18mm	0.163	162	30	PVC	With ID Sticker	5056228212836	AQMPVC121830TC
Clear	3/4"/19mm	1"/25mm	0.151	198	30	PVC	With ID Sticker	5056228212843	AQMPVC192530TC
Clear	1"/25mm	17/32"/31mm	0.262	225	30	PVC	With ID Sticker	5056228212782	AQMPVC253130TC
Clear	1 1/2"/38mm	157/64"/48mm	1	432	30	PVC	With ID Sticker	5056228212874	AQMPVC384830TC



PVC Rowlock

- ◆ Supplied individually
- ◆ With locking keyway
- ◆ With eye for keeper cord

Extent	Colour	Jaw opening mm	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Single	Cream	50	62	16	55	142	PVC	Euroslot Carded	5056228204459	AQM054885
Single	Black	50	62	16	55	142	PVC	Euroslot Carded	5056228204442	AQM054884
Single	Cream	60	70	18	55	155	PVC	Euroslot Carded	5056228204473	AQM054887
Single	Black	60	70	18	55	155	PVC	Euroslot Carded	5056228204466	AQM054886

PVC Socket



AQM054891



AQM054874



AQM054889



AQM054890

- ◆ Supplied individually
- ◆ With locking keyway
- ◆ With eye for keeper cord

Extent	Colour	Mounting	Socket Diameter mm	Length mm	Width mm	Height mm	Material	Format	Barcode	Part No
Single	Cream	Side	18	70	45	45	PVC	Euroslot Carded	5056228204510	AQM054891
Single	Black	Side	18	72	50	42	PVC	Euroslot Carded	5056228204527	AQM054874
Single	Cream	Top	18	100	35	45	PVC	Euroslot Carded	5056228204503	AQM054890
Single	Black	Top	18	100	35	45	PVC	Euroslot Carded	5056228204497	AQM054889

Nylon Rowlock

- ◆ Supplied as a pair
- ◆ With inner pivoting oar keeper to prevent oars jumping out



Extent	Colour	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Pair	Black & White	35	12	35	100	Nylon	Euroslot Carded	5056228200611	AQM48352
Pair	Black	44	17	52	135	Nylon	Euroslot Carded	5056228200628	AQM48447

Stainless Rowlock & Socket

- ◆ Supplied as 1 x rowlock and 1 x socket
- ◆ With eye for keeper cord



Extent	Colour	Jaw opening mm	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Single	Polished finish	38	58	14	45	150	Stainless Steel	Header & Bag	5056228204480	AQM054888

Aluminium Rowlock

- ◆ Supplied as a pair
- ◆ With locking keyway
- ◆ Open type features eye for keeper cord



Extent	Type	Jaw opening mm	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Pair	Fixed	-	40-46	17	50	135	Aluminium	Euroslot Carded	5056228200635	AQM48801
Pair	With Bolt	-	46	17	50	132	Aluminium	Euroslot Carded	5056228200659	AQM48804
Pair	Open	50	53	17	50	145	Aluminium	Euroslot Carded	5056228200642	AQM48803

Aluminium Socket

- ◆ Supplied as a pair
- ◆ With locking keyway
- ◆ With pressed in liner inner socket



Extent	Mounting	Socket Diameter mm	Length mm	Width mm	Height mm	Material	Format	Barcode	Part No
Pair	Side	18	93	56	40	Aluminium	Euroslot Carded	5056228200673	AQM48851
Pair	Top	F18	80	32	57	Aluminium	Euroslot Carded	5056228200666	AQM48850

Galvanised Rowlock

- ◆ Supplied as a pair
- ◆ With locking keyway
- ◆ With pressed in liner inner socket



Extent	Colour	Jaw opening mm	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Pair	Zinc Galvanised	50	58	12	65	155	Hot Dipped Galvanised	Euroslot Carded	5056228203223	AQM054750
Pair	Zinc Galvanised	57	67	14	90	200	Hot Dipped Galvanised	Euroslot Carded	5056228203230	AQM054751
Pair	Zinc Galvanised	64	78	14	90	200	Hot Dipped Galvanised	Euroslot Carded	5056228203247	AQM054752
Pair	Zinc Galvanised	70	85	14	90	200	Hot Dipped Galvanised	Euroslot Carded	5056228203254	AQM054753
Pair	Zinc Galvanised	75	90	16	95	215	Hot Dipped Galvanised	Euroslot Carded	5056228203261	AQM054754



Galvanised Socket

Extent	Colour	Mounting	Socket Diameter mm	Length mm	Width mm	Height mm	Material	Format	Barcode	Part No
Pair	Zinc Galvanised	Top	For 12mm Rowlock	70	28	40	Hot Dipped Galvanised	Euroslot Carded	5056228203278	AQM054755
Pair	Zinc Galvanised	Top	For 14mm Rowlock	85	28	40	Hot Dipped Galvanised	Euroslot Carded	5056228203285	AQM054756
Pair	Zinc Galvanised	Top	For 17mm Rowlock	90	30	40	Hot Dipped Galvanised	Euroslot Carded	5056228203292	AQM054757

Oar without collar



Length mm	Shaft Diameter mm	Blade Width mm	Blade Length mm	Ave. Weight kg	Material	Format	Barcode	Part No
1500	44	112	530	1.05	Selected timber with waterproof varnish	With ID Sticker	5056228200420	AQM07150
1650	44	112	530	1.08	Selected timber with waterproof varnish	With ID Sticker	5056228200437	AQM07165
1800	44	112	540	1.18	Selected timber with waterproof varnish	With ID Sticker	5056228200444	AQM07180
1950	44	112	540	1.27	Selected timber with waterproof varnish	With ID Sticker	5056228200451	AQM07195
2100	44	112	580	1.4	Selected timber with waterproof varnish	With ID Sticker	5056228200468	AQM07210
2250	44	112	580	1.49	Selected timber with waterproof varnish	With ID Sticker	5056228200475	AQM07225
2400	44	115	600	1.59	Selected timber with waterproof varnish	With ID Sticker	5056228200482	AQM07240
2700	44	115	600	1.86	Selected timber with waterproof varnish	With ID Sticker	5056228200499	AQM07270
3000	45 x 47	120	700	2.19	Selected timber with waterproof varnish	With ID Sticker	5056228200505	AQM07300

Oar Collar



Length mm	Inner Diameter mm	Material	Format	Barcode	Part No
115	44	Nylon	Header & Bag	5056228200604	AQM44244

Red Tip Oar with collar



Length mm	Shaft Diameter mm	Blade Width mm	Blade Length mm	Ave. Weight kg	Material	Format	Barcode	Part No
1500	44	112	530	1.15	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200291	AQM03151
1650	44	112	530	1.26	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200307	AQM03161
1800	44	112	540	1.44	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200314	AQM03181
1950	44	112	540	1.49	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200321	AQM03191
2100	44	112	580	1.6	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200338	AQM03211
2250	44	112	580	1.72	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200345	AQM03221
2400	44	115	600	1.83	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200352	AQM03241
2700	44	115	600	2.06	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200369	AQM03271
3000	45 x 47	120	700	2.39	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200376	AQM03301

Red Tip Jointed Oar



Length mm	Shaft Diameter mm	Blade Width mm	Blade Length mm	Ave. Weight kg	Material	Format	Barcode	Part No
1500	35	112	530	1.05	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200383	AQM04150
1650	35	112	530	1.2	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200390	AQM04165
1800	35	112	530	1.25	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200406	AQM04180
1950	35	112	530	1.3	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228213154	AQM04195
2100	35	112	530	1.375	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200413	AQM04210

Paddle



Length mm	Shaft Diameter mm	Blade Width mm	Blade Length mm	Ave. Weight kg	Material	Format	Barcode	Part No
1000	28 x 31	155	460	0.58	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200512	AQM11100
1250	28 x 31	155	460	0.65	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200529	AQM11125
1400	28 x 31	155	540	0.75	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200536	AQM11140
1500	28 x 31	155	540	0.78	Clean timber with high gloss waterproof varnish	With ID Sticker	5056228200543	AQM11150



Kids Kayak Paddle

Colour	Length mm	Material	Format	Barcode	Part No
Black	1600	Aluminium shaft Nylon blade	Bagged with ID Sticker	5056228213130	FLX3SFPD35



Adults Kayak Paddle

Colour	Length mm	Material	Format	Barcode	Part No
Yellow	2200	Aluminium shaft Nylon blade	Bagged with ID Sticker	5056228213116	FLX3SFPD206

Paddle with Boat Hook



Colour	Length mm	Material	Format	Barcode	Part No
Grey	1500	Nylon & Aluminium	With ID Sticker	5056228211273	AQM80241
Grey	1800	Nylon & Aluminium	With ID Sticker	5056228213093	AQM80243

Boathook

- ◆ Laminated pine with chromium-plated brass hook for extra durability and strength
- ◆ Special varnish for minimum maintenance
- ◆ Plastic foot minimises damage to shaft



Shaft Length mm	Shaft diameter mm	Total Length including hook mm	Material	Format	Barcode	Part No
1200	32	1300	Laminated pine, chrome plate on brass	With ID Sticker	5056228200567	AQM20120
1800	32	1900	Laminated pine, chrome plate on brass	With ID Sticker	5056228200574	AQM20180
2400	32	2500	Laminated pine, chrome plate on brass	With ID Sticker	5056228200581	AQM20240
3000	32	3100	Laminated pine, chrome plate on brass	With ID Sticker	5056228200598	AQM20300



15K-Offshore

- ◆ Specially aimed at use in Coastal and Offshore conditions, it has added comfort features to enhance your sailing experience - whether you are cruising or racing.

◆ JACKET & TROUSERS - TECHNICAL

- Shell Fabric: 100% Polyamide
- Lining: 100% Polyester, PU coating
- Waterproof: 15,000mm,
- Breathability: 6,000g/m² 24hr, YKK zips.

◆ HI-FIT TROUSERS - FEATURES

- Fully lined
- Ankle tightening with Velcro style closures
- Elasticated arm pits
- Wide adjustable braces
- Knee pads reinforced with removable neoprene

Hi visibility hood
- rolls away into collar

Retro reflective tape on arms and shoulders

Snug collar with anti-pill soft touch neck liner

Zippered 'Nelson' pocket

Inner mesh pocket

Lined two way pockets on outer of jacket



Adjustable outer and inner cuff



15K0 Jacket

Size	Format	Barcode	Part No
Small	Bagged with Retail Swing Tag	5056228205487	AQM15K0JGSML
Med	Bagged with Retail Swing Tag	5056228205470	AQM15K0JGMED
Large	Bagged with Retail Swing Tag	5056228205463	AQM15K0JGLRG
XL	Bagged with Retail Swing Tag	5056228205494	AQM15K0JGXL
XXL	Bagged with Retail Swing Tag	5056228205500	AQM15K0JGXXL

15K0 Hi Fit Trousers

Size	Format	Barcode	Part No
Small	Bagged with Retail Swing Tag	5056228205432	AQM15K0GSML
Med	Bagged with Retail Swing Tag	5056228205425	AQM15K0GMED
Large	Bagged with Retail Swing Tag	5056228205418	AQM15K0GLRG
XL	Bagged with Retail Swing Tag	5056228205449	AQM15K0GXL
XXL	Bagged with Retail Swing Tag	5056228205456	AQM15K0GXXL



15K-Offshore
Suit




6K-Crew

◆ JACKET - TECHNICAL

- Colour matched to Offshore trousers for regatta / day sailing use
- ◆ • Shell fabric: 100% Polyamide
- Lining: 100% Polyester, PU coating
- Waterproof: 5,000mm
- Breathability: 3,000g/m² 24hr



Integrated roll
away hood



Mesh lining and
fleece lined collar



Flush zips for
minimum snagging



Inner mesh
pocket



Elasticated waist
adjustment



Adjustable cuff with
Velcro style closure

Size	Format	Barcode	Part No
Small	Bagged with Retail Swing Tag	5056228205531	AQM6KCGSML
Med	Bagged with Retail Swing Tag	5056228205524	AQM6KCGMED
Large	Bagged with Retail Swing Tag	5056228205517	AQM6KCGLRG
XL	Bagged with Retail Swing Tag	5056228205548	AQM6KCGXL
XXL	Bagged with Retail Swing Tag	5056228205555	AQM6KCGXXL





Marina Buoyancy Aid

- ♦ Rated to 50 Newton CE EN ISO12402-5

- 1 Heavy gauge zip with pull keeper at top
- 2 Concealed zip safety pocket on left hand outer side for compass etc.
- 3 Velcro closure pocket on right hand outer side
- 4 Whistle on lanyard located in inner right hand side pocket
- 5 Enclosed elasticated under arms and shoulder straps for comfort fit
- 6 Heavy duty nylon buckle with fully adjustable webbing and one handed release
- 7 Enclosed elasticated waist hem



Size / Weight	Format	Barcode	Part No
XS-S 30-50kg	Bagged with Retail Swing Tag	5056228200734	AQMBFJ-003S
M-L 50-70kg	Bagged with Retail Swing Tag	5056228200727	AQMBFJ-003M
L-XXL +70kg	Bagged with Retail Swing Tag	5056228200710	AQMBFJ-003L

Jive Buoyancy Aid

- ♦ Slip over design ideal for kayaking and action sports
- ♦ Rated to 50 Newton CE EN ISO12402-5

- A Slip over design ideal for kayaking and action sports
- B Fully adjustable 2 x webbing adjusters on both sides of jacket
- C Front mesh pocket with hook & loop closure
- D Includes whistle with lanyard in front mesh pocket
- E Fleece lined front handwarmer pockets behind front mesh pocket
- F Reflective piping along top of front pocket and chest level of jacket
- G Reflective strips on either side of chest
- H Zipped pocket under chest with plenty of room for compasses etc.
- I Enclosed elasticated under arms
- J Zipped pocket on back for further storage/hydration packs
- K Reflective tape runs down back on both sides
- L Shoulder straps with neoprene padding and webbing adjusters



Size / Weight	Format	Barcode	Part No
XS-S 30-50kg	Bagged with Retail Swing Tag	5056228200703	AQMBFJ-001S
M-L 50-70kg	Bagged with Retail Swing Tag	5056228200697	AQMBFJ-001M
L-XXL +70kg	Bagged with Retail Swing Tag	5056228200680	AQMBFJ-001L



Clocks & Barometers

- ♦ The AquaMarine range of clocks and barometers is designed to offer the boat owner quality precision marine instruments in a range of styles and sizes to suit all boats. Manufactured in Europe by an instrument maker with over 40 years experience – this new range offers quality, design and precision engineering.



70mm Series Brass

Description	Finish	Format	Barcode	Part No
Clock	Brass	Boxed	5056228200253	AQM321055
Barometer	Brass	Boxed	5056228200239	AQM321051
Thermo/Hygrometer	Brass	Boxed	5056228200246	AQM321054



95mm Series Brass

Description	Finish	Format	Barcode	Part No
Clock	Brass	Boxed	5056228200116	AQM320361
Barometer	Brass	Boxed	5056228200109	AQM320360
Thermo/Hygrometer	Brass	Boxed	5056228200154	AQM320369



120mm Series Brass

Description	Finish	Format	Barcode	Part No
Clock	Brass	Boxed	5056228200192	AQM320385
Barometer	Brass	Boxed	5056228200185	AQM320380
Thermo/Hygrometer	Brass	Boxed	5056228200178	AQM320375
Barometer/Thermo/Hygrometer	Brass	Boxed	5056228200161	AQM320370



70mm Series Chrome

Description	Finish	Format	Barcode	Part No
Clock	Chrome	Boxed	5056228200260	AQM321520
Barometer	Chrome	Boxed	5056228200277	AQM321523
Thermo/Hygrometer	Chrome	Boxed	5056228200284	AQM321525



95mm Series Chrome

Description	Finish	Format	Barcode	Part No
Clock	Chrome	Boxed	5056228200123	AQM320366
Barometer	Chrome	Boxed	5056228200130	AQM320367
Thermo/Hygrometer	Chrome	Boxed	5056228200147	AQM320368



120mm Series Chrome

Description	Finish	Format	Barcode	Part No
Clock	Chrome	Boxed	5056228200222	AQM320485
Barometer	Chrome	Boxed	5056228200215	AQM320480
Thermo/Hygrometer	Chrome	Boxed	5056228200208	AQM320475



Wood Mounted Clock & Barometer Set



Description	Finish	Dimensions	Format	Barcode	Part No
Clock & Barometer	Brass	280 x 140mm	Boxed	5056228200093	AQM303762
Clock & Barometer	Chrome	260 x 130mm	Boxed	5056228200086	AQM302645



Neptune 4500 Series

- ◆ A 450mm marine cooker, designed and manufactured in the UK
- ◆ Features: hob, grill and oven with integrated gimballs and searails
- ◆ Flame failure device on all burners
- ◆ 3KW fast burner standard on all hobs
- ◆ Supplied with grill pan
- ◆ Stainless steel construction 4500 & 4500 Deluxe, stainless steel front, top and fascia – 4500E
- ◆ Vitreous enamelled oven interior for easy cleaning
- ◆ Thermostat controlled oven
- ◆ Spark ignition on all burners (except 4500E model)
- ◆ Stainless steel door with window
- ◆ Awarded **PBO BEST BUY**



Model	Finish	Electric Ignition on all burners	Flame Failure Device	Gimballs & Searails	Gimball Lock	Part No
Neptune 4500 Deluxe	All stainless construction with black and silver door	Yes - controlled by fascia switch	Yes - on all burners	Yes - included as standard	Yes	LE60108D
Neptune 4500	All stainless construction	Yes - controlled by fascia switch	Yes - on all burners	Yes - included as standard	No	LE60108
Neptune 4500 E	Stainless front, top and fascia with zintec sides	No	Yes - on all burners	Yes - included as standard	No	LE60108E


Model range	Key Features	A : Base to fiddle rail mm	B : Base to pan support mm
Neptune 4500D / 4500 / 4500E	450mm wide 2 burner hob with separate grill and oven	560	505
Neptune 4500 Hob	450mm wide 2 burner hob with separate grill	245	190
Pacific 4500	450mm wide 2 burner hob and oven (no grill)	485	425
Gulf 4500	450mm wide 2 burner hob	150	110
Neptune 5000	500mm wide 3 burner hob with separate grill and oven	620	570
Pacific 5000	500mm wide 3 burner hob and oven (no grill)	485	435

Neptune 4500 Hob

- ◆ 2 hob burner with separate grill underneath
- ◆ Ideal for installations where space is a premium
- ◆ Perfect for craft with very small galley
- ◆ 1 x 3kw plus 1 x 2kw burners
- ◆ Stainless steel construction throughout



Model	Key Features	Width mm	Part No
Neptune 4500 Hob	2 hob burner with grill	450	LE60110



C : Base to gimbal bracket mm	D : Width without gimballs mm	E : Width with gimballs mm	F: Gimballing arc mm	G : Back to gimbal fixture mm	Depth mm	Weight kg	Oven Dims mm
475	450	470	510	225	420	18.5	360x250x220
250	450	485	305	210	400	5.8	-
395	450	470	435	225	420	14.7	360x250x220
178	450	485	255	210	400	2.8	-
550	500	520	590	245	460	28.5	400x256x240
416	500	520	460	240	460	25	400x256x240

Neptune 5000

- ◆ Perfect for craft with a good sized galley
- ◆ Large oven, 500mm wide
- ◆ 3 burner hob provides practical cooking
- ◆ 2 x 2kw burners and 1 x 1kw
- ◆ Useful (working) oven volume: 24.5litres
- ◆ Electric spark ignition
- ◆ Thermostat controlled oven
- ◆ Integrated gimball lock included
- ◆ Door safety catch prevents door from opening if the boat heels
- ◆ Heavy duty searail and thumbscrew pan clamps included
- ◆ Stainless steel construction throughout



Model	Key Features	Width mm	Part No
Neptune 5000	3 hob burner with separate grill and oven	500	LE60102

Gas



Marine Ovens/Hobs



Gulf 4500

- ◆ Simple 2 burner hob
- ◆ Ideal for installations where space is a premium
- ◆ Perfect for craft with very small galley
- ◆ 1 x 3kw plus 1 x 2kw burners
- ◆ Stainless steel construction throughout



Model	Key Features	Width mm	Part No
Gulf 4500	2 hob burner	450	LE60111

Pacific 4500 & 5000

- ◆ Popular European model - this layout features a hob with oven underneath
- ◆ Compact height - whilst still providing a standard sized marine oven
- ◆ Flame failure device on all burners
- ◆ 4500 - 1 x 3kw plus 1 x 2kw burners
- ◆ 5000 - 2 x 2kw plus 1 x 1kw burners
- ◆ Stainless steel construction throughout
- ◆ Vitreous enamelled oven interior for easy cleaning



Model	Key Features	Width mm	Part No
Pacific 4500	2 hob burner with oven	450	LE60109
Pacific 5000	3 hob burner with oven	500	LE60104

Neptune / Pacific / Gulf Searails & Gimbal Kits

- ◆ A selection of 'add-on' parts to upgrade your marine cooker

Description	Format	Barcode	Part No
Standard rail/ pan clamp fits LE60108/109	Bagged	5056228206576	LE17464



- ◆ Our stylish range of ceramic glass electric hobs and griddles are ideal for luxury vessels with their own AC voltage supply
- ◆ Chosen by Europe's leading boat builders due to their compact dimensions and superior finish
- ◆ Available in 230v & 100v with a range of heating options including Induction

Ceramic Hobs 2 - 4 Zone

- ◆ Sleek, modern look for premium galleys
- ◆ Vitroceramic glass makes for easy cleaning
- ◆ Hot hob indicator safety feature
- ◆ Rotary control knobs offer simple ease of use
- ◆ Touch panels offer a flush, unobstructed surface and additional safety lock and slide control



LE50360



LE49463



LE50364



LE50366



LE49464

Model	Voltage	Control	Hobs / Zones	Length mm	Width mm	Depth mm	Part No
Ceramic hob 2	230V AC	Rotary knob	2 x 1200watt	490	260	45	LE49463
Ceramic hob 2	110V AC	Rotary knob	2 x 1200watt	490	260	45	LE50359
Ceramic hob 4	230V AC	Rotary knob	1 x 1800, 1 x 1500 & 2 x 1200watt	560	490	45	LE50366
Ceramic hob 2	230V AC	Touch panel	2 x 1200watt	490	290	45	LE50360
Ceramic hob 2	110V AC	Touch panel	2 x 1200watt	490	290	45	LE50361
Ceramic hob 3	230V AC	Touch panel	3 x 1200watt	515	480	45	LE50364
Ceramic compact hob 4	230V AC	Touch panel	4 x 1200watt	533	457	45	LE186329
Ceramic hob 4	230V AC	Touch panel	1 x 1800, 1 x 1500 & 2 x 1200watt	560	490	45	LE49464

Induction Hobs 2 - 3 Zone

- ◆ Stylish and easy to clean
- ◆ Faster and more energy efficient than conventional electric hob
- ◆ Safer to use due to reduced heat on glass
- ◆ Safety lock function



Model	Voltage	Control	Hobs / Zones	Length mm	Width mm	Depth mm	Part No
Induction Hob 2	230V AC	Touch panel	1 x 1600, 1 x 2000watt	510	300	62	LE50362
	230V AC	Touch panel	2 x 1600, 1 x 2000watt	510	462	62	LE50363

Ceramic Griddles

- ◆ Cook straight on the glass
- ◆ Built-in spillage tray catches any grease or fat
- ◆ Simple and quick to clean



Model	Voltage	Control	Hobs / Zones	Length mm	Width mm	Depth mm	Part No
Standard	230V AC	Rotary knob	1 x 1300watt ribbed griddle plate	505	295	70	LE60112
High performance	230V AC	Rotary knob	1 x 1600watt ribbed griddle plate	505	295	70	LE60113

A

AQM000101.....	40	AQM042400.....	34	AQM053882.....	14	AQM054752.....	77
AQM020500.....	11	AQM042401.....	34	AQM053883.....	14	AQM054753.....	77
AQM023128.....	7	AQM042402.....	34	AQM053884.....	14	AQM054754.....	77
AQM023228.....	17	AQM042405.....	14	AQM053886.....	14	AQM054755.....	77
AQM023229.....	17	AQM042406.....	14	AQM053895.....	10	AQM054756.....	77
AQM023230.....	17	AQM053130.....	6	AQM053896.....	10	AQM054757.....	77
AQM023231.....	17	AQM053131.....	6	AQM053897.....	10	AQM054778.....	8
AQM023232.....	17	AQM053132.....	6	AQM053900.....	10	AQM054779.....	8
AQM023233.....	17	AQM053133.....	6	AQM053901.....	10	AQM054780.....	8
AQM023234.....	17	AQM053135.....	6	AQM053903.....	10	AQM054781.....	8
AQM023235.....	17	AQM053136.....	6	AQM053906.....	10	AQM054782.....	8
AQM023245.....	18	AQM053139.....	6	AQM053907.....	10	AQM054783.....	8
AQM023246.....	18	AQM053140.....	6	AQM053910.....	10	AQM054784.....	8
AQM023247.....	18	AQM053141.....	6	AQM053913.....	10	AQM054785.....	8
AQM023248.....	18	AQM053142.....	6	AQM053916.....	10	AQM054786.....	8
AQM023249.....	18	AQM053144.....	6	AQM053918.....	10	AQM054787.....	8
AQM023250.....	18	AQM053145.....	6	AQM053919.....	10	AQM054788.....	8
AQM023265.....	15	AQM053280.....	3	AQM053925.....	10	AQM054789.....	8
AQM023266.....	15	AQM053281.....	3	AQM053928.....	9	AQM054790.....	8
AQM023267.....	15	AQM053282.....	3	AQM053929.....	9	AQM054791.....	8
AQM023268.....	15	AQM053283.....	3	AQM053930.....	9	AQM054792.....	8
AQM023499.....	3	AQM053284.....	3	AQM053931.....	9	AQM054793.....	8
AQM023527.....	14	AQM053285.....	3	AQM053932.....	9	AQM054794.....	3
AQM023540.....	14	AQM053286.....	3	AQM053933.....	9	AQM054795.....	3
AQM023806.....	10	AQM053287.....	3	AQM053934.....	9	AQM054796.....	3
AQM023807.....	10	AQM053288.....	3	AQM053935.....	9	AQM054797.....	3
AQM023813.....	10	AQM053289.....	3	AQM053936.....	9	AQM054798.....	3
AQM023814.....	10	AQM053295.....	2	AQM053937.....	9	AQM054799.....	3
AQM023816.....	10	AQM053296.....	2	AQM053938.....	9	AQM054800.....	3
AQM023817.....	10	AQM053297.....	2	AQM053941.....	12	AQM054801.....	7
AQM023818.....	10	AQM053298.....	2	AQM053942.....	12	AQM054802.....	7
AQM023821.....	8	AQM053299.....	2	AQM053943.....	12	AQM054803.....	7
AQM023822.....	8	AQM053300.....	2	AQM053944.....	12	AQM054804.....	7
AQM023823.....	8	AQM053301.....	2	AQM053946.....	12	AQM054805.....	7
AQM023824.....	8	AQM053302.....	2	AQM053948.....	12	AQM054806.....	7
AQM023825.....	8	AQM053303.....	2	AQM053960.....	2	AQM054807.....	7
AQM023873.....	4	AQM053304.....	2	AQM053961.....	2	AQM054808.....	7
AQM023874.....	4	AQM053311.....	9	AQM053963.....	2	AQM054809.....	7
AQM023877.....	4	AQM053313.....	9	AQM053964.....	2	AQM054810.....	7
AQM023878.....	4	AQM053315.....	9	AQM053965.....	2	AQM054811.....	7
AQM023879.....	4	AQM053316.....	9	AQM053975.....	2	AQM054812.....	7
AQM023949.....	12	AQM053317.....	9	AQM053976.....	2	AQM054813.....	7
AQM023950.....	12	AQM053318.....	9	AQM054700.....	11	AQM054814.....	7
AQM023951.....	12	AQM053319.....	9	AQM054701.....	11	AQM054815.....	7
AQM023966.....	2	AQM053320.....	9	AQM054702.....	11	AQM054816.....	7
AQM024729.....	11	AQM053321.....	9	AQM054703.....	12	AQM054817.....	7
AQM024730.....	11	AQM053400.....	9	AQM054704.....	12	AQM054818.....	7
AQM024731.....	11	AQM053401.....	9	AQM054705.....	12	AQM054819.....	7
AQM024732.....	11	AQM053402.....	9	AQM054706.....	12	AQM054820.....	7
AQM024733.....	11	AQM053403.....	9	AQM054707.....	12	AQM054821.....	47
AQM024734.....	11	AQM053404.....	9	AQM054708.....	12	AQM054822.....	40
AQM024735.....	11	AQM053405.....	9	AQM054709.....	12	AQM054832.....	19
AQM024736.....	13	AQM053406.....	9	AQM054710.....	12	AQM054833.....	19
AQM03151.....	78	AQM053408.....	9	AQM054711.....	12	AQM054834.....	19
AQM03161.....	78	AQM053510.....	2	AQM054712.....	12	AQM054835.....	19
AQM03181.....	78	AQM053511.....	2	AQM054713.....	12	AQM054836.....	19
AQM03191.....	78	AQM053512.....	2	AQM054714.....	12	AQM054837.....	19
AQM03211.....	78	AQM053513.....	2	AQM054715.....	5	AQM054838.....	19
AQM03221.....	78	AQM053535.....	2	AQM054716.....	5	AQM054839.....	19
AQM03241.....	78	AQM053576.....	2	AQM054717.....	5	AQM054843.....	17
AQM03271.....	78	AQM053577.....	2	AQM054718.....	5	AQM054844.....	17
AQM03301.....	78	AQM053578.....	2	AQM054719.....	6	AQM054845.....	16
AQM04150.....	78	AQM053579.....	2	AQM054720.....	6	AQM054846.....	16
AQM04165.....	78	AQM053828.....	9	AQM054721.....	6	AQM054847.....	16
AQM04180.....	78	AQM053829.....	9	AQM054722.....	4	AQM054848.....	16
AQM04195.....	78	AQM053830.....	9	AQM054723.....	4	AQM054849.....	16
AQM04210.....	78	AQM053854.....	5	AQM054726.....	5	AQM054850.....	16
AQM042386.....	34	AQM053855.....	5	AQM054727.....	5	AQM054851.....	16
AQM042387.....	34	AQM053856.....	5	AQM054738.....	11	AQM054852.....	16
AQM042389.....	34	AQM053857.....	5	AQM054739.....	11	AQM054853.....	16
AQM042390.....	34	AQM053862.....	3	AQM054740.....	11	AQM054854.....	18
AQM042391.....	34	AQM053863.....	3	AQM054741.....	11	AQM054855.....	18
AQM042392.....	34	AQM053864.....	3	AQM054742.....	11	AQM054856.....	18
AQM042394.....	34	AQM053865.....	3	AQM054743.....	11	AQM054857.....	18
AQM042396.....	34	AQM053866.....	3	AQM054749.....	4	AQM054858.....	18
		AQM053867.....	77	AQM054750.....	77	AQM054859.....	15
		AQM053881.....	14	AQM054751.....	77	AQM054860.....	15



AQM054861.....	14	AQM10106.....	48	AQM44244.....	78	AQMA018.....	31
AQM054862.....	14	AQM10109.....	48	AQM48352.....	75	AQMA018S.....	31
AQM054865.....	14	AQM10120.....	48	AQM48447.....	75	AQMA019.....	31
AQM054866.....	38	AQM10130.....	48	AQM48801.....	76	AQMA019S.....	31
AQM054867.....	38	AQM10135.....	48	AQM48803.....	76	AQMA023.....	32
AQM054870.....	35	AQM10140.....	48	AQM48804.....	76	AQMA024.....	32
AQM054871.....	35	AQM10141.....	48	AQM48850.....	76	AQMA026.....	32
AQM054872.....	35	AQM10REC.....	30	AQM48851.....	76	AQMA027.....	32
AQM054873.....	34	AQM11100.....	79	AQM50200.....	46	AQMA028.....	32
AQM054874.....	75	AQM11125.....	79	AQM50201.....	46	AQMA031.....	32
AQM054880.....	34	AQM11140.....	79	AQM5107.....	13	AQMA032.....	32
AQM054881.....	35	AQM11150.....	79	AQM5110.....	13	AQMA033.....	32
AQM054882.....	35	AQM12030G.....	15	AQM5115.....	13	AQMA035BK.....	32
AQM054883.....	35	AQM12060G.....	15	AQM5120.....	13	AQMA038.....	29
AQM054884.....	75	AQM12REC.....	30	AQM51200.....	46	AQMA039.....	29
AQM054885.....	75	AQM14REC.....	30	AQM514BK.....	27	AQMA068BK.....	33
AQM054886.....	75	AQM15K0GLRG.....	80	AQM514BU.....	27	AQMA068WT.....	33
AQM054887.....	75	AQM15K0GMED.....	80	AQM514RD.....	27	AQMA069BK.....	33
AQM054888.....	76	AQM15K0GSML.....	80	AQM514WT.....	27	AQMA069WT.....	33
AQM054889.....	75	AQM15K0GXL.....	80	AQM52200.....	46	AQMA076HD.....	26
AQM054890.....	75	AQM15K0GXXL.....	80	AQM523.....	35	AQMA085.....	26
AQM054891.....	75	AQM15K0JGLRG.....	80	AQM6KCGLRG.....	81	AQMA089.....	26
AQM054892.....	36	AQM15K0JGMED.....	80	AQM6KCGMED.....	81	AQMA089WT.....	26
AQM054893.....	36	AQM15K0JGSML.....	80	AQM6KCGSML.....	81	AQMA095BK.....	25
AQM054894.....	36	AQM15K0JGXL.....	80	AQM6KCGXL.....	81	AQMA095WT.....	25
AQM054895.....	36	AQM15K0JGXXL.....	80	AQM6KCGXXL.....	81	AQMA097BK.....	25
AQM054896.....	36	AQM16REC.....	30	AQM70200.....	70	AQMA097WT.....	25
AQM054897.....	36	AQM20114.....	47	AQM70201.....	70	AQMA101.....	28
AQM054898.....	36	AQM20115.....	47	AQM70202.....	70	AQMA102.....	28
AQM054900.....	36	AQM20120.....	79	AQM70210.....	70	AQMA107.....	32
AQM054901.....	36	AQM20180.....	79	AQM70211.....	70	AQMA108.....	32
AQM054902.....	36	AQM20215.....	47	AQM70212.....	70	AQMA109.....	32
AQM054903.....	36	AQM20240.....	79	AQM70300.....	70	AQMA114.....	32
AQM054904.....	36	AQM20300.....	79	AQM70301.....	70	AQMA116.....	32
AQM054905.....	36	AQM20REC.....	30	AQM70302.....	70	AQMA117.....	32
AQM054908.....	39	AQM21114.....	47	AQM71185.....	53	AQMA118.....	32
AQM054909.....	39	AQM21115.....	47	AQM71240.....	53	AQMA300BK.....	29
AQM054910.....	38	AQM230150.....	64	AQM72270.....	55	AQMA300WT.....	29
AQM054911.....	38	AQM30120.....	35	AQM72310.....	55	AQMA302.....	30
AQM054912.....	38	AQM30121.....	35	AQM72340.....	55	AQMA303BK.....	29
AQM054913.....	38	AQM30180.....	37	AQM72370.....	55	AQMA303WT.....	29
AQM054914.....	38	AQM30183.....	37	AQM75202.....	40	AQMA305BK.....	29
AQM054915.....	38	AQM30250.....	35	AQM75203.....	40	AQMA305WT.....	29
AQM054916.....	38	AQM30251.....	35	AQM75210.....	54	AQMB510.....	28
AQM054917.....	38	AQM302645.....	85	AQM75212.....	40	AQMB511.....	28
AQM054918.....	13	AQM303762.....	85	AQM75213.....	40	AQMB512.....	28
AQM054919.....	13	AQM30CEC.....	31	AQM75222.....	40	AQMB513.....	28
AQM054920.....	13	AQM30CTEC.....	30	AQM75223.....	40	AQMBFJ-001L.....	82
AQM054921.....	28	AQM31180.....	37	AQM75240.....	54	AQMBFJ-001M.....	82
AQM054922.....	28	AQM31183.....	37	AQM75270.....	54	AQMBFJ-001S.....	82
AQM054923.....	28	AQM320360.....	83	AQM75310.....	54	AQMBFJ-003L.....	82
AQM054924.....	28	AQM320361.....	83	AQM76270.....	57	AQMBFJ-003M.....	82
AQM054925.....	28	AQM320366.....	84	AQM76320.....	57	AQMBFJ-003S.....	82
AQM054926.....	28	AQM320367.....	84	AQM76360.....	57	AQMC005.....	27
AQM054927.....	28	AQM320368.....	84	AQM80241.....	79	AQMC007.....	27
AQM06050SU.....	15	AQM320369.....	83	AQM80243.....	79	AQMC021.....	27
AQM06REC.....	30	AQM320370.....	83	AQM90190.....	66	AQMC022.....	27
AQM07030G.....	15	AQM320375.....	83	AQM90500.....	44	AQMC024.....	27
AQM07060G.....	15	AQM320380.....	83	AQM90501.....	44	AQMC025.....	27
AQM07150.....	77	AQM320385.....	83	AQM90502.....	44	AQMET069WT1.....	26
AQM07165.....	77	AQM320475.....	84	AQM90600.....	45	AQMG040BK.....	28
AQM07180.....	77	AQM320480.....	84	AQM90601.....	45	AQMG040WT.....	28
AQM07195.....	77	AQM320485.....	84	AQM90602.....	45	AQMG190BK.....	25
AQM07210.....	77	AQM321051.....	83	AQMA001.....	30	AQMG190WT.....	25
AQM07225.....	77	AQM321054.....	83	AQMA002.....	30	AQMG191WT.....	25
AQM07240.....	77	AQM321055.....	83	AQMA005.....	30	AQMG192BK.....	25
AQM07270.....	77	AQM321520.....	84	AQMA006.....	30	AQMG192WT.....	25
AQM07300.....	77	AQM321523.....	84	AQMA007.....	31	AQMG194BK.....	25
AQM08030G.....	15	AQM321525.....	84	AQMA008.....	31	AQMG194WT.....	25
AQM08030S.....	15	AQM32180.....	37	AQMA009.....	31	AQMG196CL.....	25
AQM08060G.....	15	AQM32183.....	37	AQMA011.....	31	AQMG210S.....	25
AQM08060S.....	15	AQM34200.....	35	AQMA012.....	31	AQMG211S.....	25
AQM08REC.....	30	AQM35200.....	37	AQMA013.....	31	AQMG221.....	26
AQM10030G.....	15	AQM35210.....	37	AQMA014.....	31	AQMG605S.....	23
AQM10030S.....	15	AQM35220.....	37	AQMA015.....	31	AQMG607S.....	22
AQM10060G.....	15	AQM40200.....	40	AQMA016.....	31	AQMG610S.....	20
AQM10060S.....	15	AQM40201.....	40	AQMA016S.....	31	AQMG611S.....	21
AQM10103.....	48	AQM40202.....	40	AQMA017.....	31	AQMG615S.....	22
AQM10104.....	48	AQM40CEC.....	31	AQMA017S.....	31	AQMG615SQP.....	22

AQMG620S	20
AQMG621S	21
AQMG622S	22
AQMG623S	22
AQMG624S	21
AQMG625SQP	22
AQMG626S	22
AQMG630SHD	20
AQMG631SHD	21
AQMG655	21
AQMG672S	20
AQMG675	21
AQMG675S	23
AQMG747S	23
AQMG820S	19
AQMG830S	19
AQMG840S	19
AQMJ422	27
AQMJ423	27
AQMJ426	27
AQMLSWEDF	27
AQMMSH1930SW	71
AQMMSH2530SW	71
AQMMSH3830SW	71
AQMPRV101630SR	73
AQMPVC050830TC	74
AQMPVC060930TC	74
AQMPVC081130TC	74
AQMPVC081430TC	74
AQMPVC101330TC	74
AQMPVC101630TC	74
AQMPVC121530TC	74
AQMPVC121830TC	74
AQMPVC192530TC	74
AQMPVC253130TC	74
AQMPVC384830TC	74
AQMRPH1030SW	72
AQMRPV061130TC	73
AQMRPV081430TC	73
AQMRPV101630SB	73
AQMRPV101630TC	73
AQMRPV121830SB	73
AQMRPV121830SR	73
AQMRPV121830TC	73
AQMRPV192430TC	73
AQMRPV253330TC	73
AQMRPV324230TC	73
AQMRPV384830TC	73
AQMSDH1930TG	71
AQMSDH2530TG	71
AQMSDH3230TG	71
AQMSDH3830TG	71
AQMSLXHOSE	67
AQMSSWEDF	27
AQMWRH3230TC	72

B

B610	4
B610S	4
B611	4
B611N	4
B611SW	5
B615	5
B617S	5
B632	5
B637	5
BM301001	42
BM302001	42
BM501001	42
BM502001	42
BM601001	42

BM602001	42
BM9136LHKIT	43
BM9136RHKIT	43

D

DC2030301	70
DC2030401	70
DC2030501	70
DC2030601	70
DC2030701	70

E

EXTR1B	58
EXTRA1	58

F

FLX3SFPD206	79
FLX3SFPD35	79

G

G0292	12
G604S	23
G620BK	20
G622BK	22
G625S	22
G639	24
G640SHD	20
G641SHD	21
G650WT	24
G651WT	24
G652WT	24
G653WT	24
G660	24
G661	24
G662	24
G665	24
G666	24
G667	24
G668	24
G669	24
G671S	23
G674S	22
G676	21
G678S	23
G679	21
G681S	23
G682S	20
G692S	22
G697S	20
G738	24
G742S	26
G744S	23
G854	24

H

HM16650	63
HM16651	63
HM16652	63
HUN490020	49
HUN535400	68
HUN536200	69
HUN536300	69
HUN536400	69
HUN536500	69
HUN536600	68
HUN537200	68
HUN537400	68
HUN539200	68
HUN539300	68
HUN546000	50

HUN810000	50
HUN950500	49
HUN950600	49
HUN955200	49

L

LE17464	88
LE186329	89
LE49463	89
LE49464	89
LE50359	89
LE50360	89
LE50361	89
LE50362	90
LE50363	90
LE50364	89
LE50366	89
LE60102	88
LE60104	87
LE60108	86
LE60108D	86
LE60108E	86
LE60109	87
LE60110	86
LE60111	88
LE60112	90
LE60113	90

P

P38865	6
--------	---

Q

Q001001	39
Q001002	39
Q001003	39
Q001004	39
Q001005	39
Q002134	64
Q002135	41
Q002136	41
Q002137	41
Q002142	45
Q002144	45
Q002258	51
Q002259	51
Q002267	40
Q002268	41
Q002511	46
Q002786	47
Q002792	47
Q002826	60
Q002845	60
Q002848	60
Q002849	60
Q003220	47
Q004801	19
Q004802	19
Q005003	62
Q005011	60
Q005012	60
Q005202	62
Q006048	41
Q006050	41
Q006129	44
Q006521	51
Q006522	51
Q006523	51
Q006524	51
Q006535	38
Q006536	38
Q006612	44

Q006622	50
Q006680	61
Q006682	61
Q006685	61
Q006741	38
Q006904	61
Q007405	44
Q007449	62
Q007450	62
Q007451	62
Q007453	62
Q007454	62
Q007490	62
Q007518	61
Q007519	61
Q007520	61
Q007521	61
Q007522	63
Q007523	63
Q007652	61
Q007708	65
Q007710	65
Q007711	65
Q007713	65
Q007715	65
Q007764	65
Q007789	69
Q008377	37
Q009964	60
Q009965	60
Q023244	18
Q024114	60
Q024115	60
Q024116	60
Q024117	60
Q033234	66
Q039000	48
Q047701	66
Q047702	66
Q052500	58
Q052502	58
Q052504	59
Q052506	59
Q052508	58
Q052510	58
Q052512	59
Q052514	59
Q052523	59
Q054744	13
Q054745	13
Q077055	44
Q133818	16
Q133819	16
Q133820	16
Q133821	16
Q133825	16
Q133826	16
Q133827	16
Q133828	16
Q133829	16

R

RF00365	33
RF00366	33

S

SRSSH03G	33
SRSSH04G	33
SRSSH05G	33
SRSSH06G	33



**A**

Adapters for Round Vents	45
Adapters for Round Vents	45
Adapters for Round Vents	45
Adults Kayak Paddle	79
Aids - Buoyancy	82
Allslip Sail Slides	31
Aluminium Rowlock	76
Anchor rope with chain	15
Anchor Shackle	14
Anchor Swivel	14
Anchors	16
Angled Fuel Filler	39
Aquabatten Endcaps	31
Aquaflow Tanks	65
Asymetric Snap Carabiner	5

B

Bags - Propeller	51
Barbed Pipe Connectors	68
Barometers	83
Batten Box for Flat Battens	29
Batten Box for Round Battens	29
Batten Endcaps Round	30
Batten Pocket Protectors	30
Battery Holder	60
Battery Switch	60
Bayonet fitting hose connector	66
Bilge Pump	66
Bilge Pump Control Switch	62
Blocks	13
Boarding Step	37
Boathook	79
Bollards	35
Bow Roller	38
Bow Roller with pivot roller	38
Bow Shackles	2
Braided PVC Food Hose	73
Brass Barometers	83
Brass Clocks	83
Brass Piston Jib Hanks	28
Brass Thermo / Hygrometers	83
Bridge - Webbing	25
Buckles - Webbing	25
Buoyancy Aids	82

C

Cable - Shorepower	63
Cable Gland	61
Cable Ties	61
Calibrated Chain	15
Canoe Paddle	79
Canopy fittings	19
Canopy Hand Clamp	24

Cassette Hose	67
Ceramic Griddles	90
Ceramic Hobs	89
Chain	15
Chain Pipe	14
Chrome Barometers	84
Chrome Clocks	84
Chrome Thermo / Hygrometers	84
Claw Anchor	17
Clear PVC Hose	74
Cleats	34
Clock & Barometer Set	85
Clocks	83
Closable Outlet	44
Cover Eyelets	33
Cover Hooks	33
Cover Tie with 1 Ball	28
Crew Jacket	81
Cross Bollard	35

D

D - Type Anchor	16
D Ring - welded	10
D Shackles	3
Dead Man Switch	63
Deck Fillers	38
Deck Hinge Ball & Socket	23
Deck Hinges	22
Deck Plates	41
Dinghies	53
Double Jaw with Swivel Hinge	20
Double Sided Tape	27
Drain Hose	71
Drains - Plugs	47
Drains - Transom	47
Drink Holder	40
Drinking water hose	73

E

Electric Griddles	90
Electric Hobs	89
Electrical Switches	62
End Plugs	21
Endcaps Aquabatten	31
Endcaps Round	30
Eye Bolts	5
Eye Ends	21
Eye Plate	12
Eye Strap Stirrup	12
Eye Swivel Snap Shackle	4
Eyelets - Cover	33
Fairleads	34

F

Fast Rigid Snap Hook	4
Fast Rigid Snap Hook for webbing	5
Fast Swivel Snap Hook	5
Fids	27
Fillers - Deck	38
Fixed Snap Shackle	4
Folding Boarding Step	37
Folding Pad Eye	13
Food Hose	73
Fork to Swage	8
Fuel Filler	39
Fuel Line Adaptor	50
Funnels	49

G

Galvanised Rowlock	77
Gas Cookers	86
General Purpose Strap	58
Gland - Cable	61
Grab Handle	37
Grab Rail Stand Off	24
Grab Rail Terminal	24
Grapnel Anchor	18
Griddles	90
Grip Hi Tensile Anchor	16
Grommets	48
Gulf 4500	88

H

H+B Dabond 2000 UVR Thread	26
Hand Clamp	24
Handed Cast Fairleads	34
Handles	37
Handrail	36
Hanks	28
Hatches	41
Hatches - Storm	42
Heavy Duty Herreshoff Cleat	34
Heavy Duty Ladderlock Buckle	26
Hinge - Deck	22
Hinge - Tube	23
Hinges	40
Hobs	89
Holder - Battery	60
Holder - Drink	40
Holder - Lifebuoy	39
Holder - Rod	40
Hooks - Cover	33
Hooks - Shockcord	28
Horn Cleat	35
Horn Push	62
Hose - cassette	67
Hose - Drain	71

Hose - Food	73
Hose - Sanitation	71
Hose connector	65

I

Ignition Cut Out Device	63
Induction Hobs	90
Inflatable Dinghies.....	54

J

Jacket - Crew	81
Jacket - Offshore	80
Jam Cleat	35
Jaw Slide	20
Jib Hanks	28
Jointed Oar	78

K

Kayak Paddles	79
Kids Kayak Paddle.....	79

L

Ladderlock Buckles.....	26
Lifebuoy Holder	39
Lifting Eye Bolt	11
Lifting Eye Bolt, Nut & Washer ...	11
Lifting Eye Nut	11
Long D Shackles	2
Louvred Vent.....	44
Low Friction Ring.....	13
Low Profile Cleats	34
Lozenge Eye Plate	12

M

Maclow Nylon Pipe Clips	70
Manual Bilge Pump.....	66
Mini Pulley	13
Mooring spike with ring	18
Motorwell Grommets	48
Multi Layer Food Hose	72

N

Needles	27
Neptune 4500 Deluxe Oven & Grill	86
Neptune 4500 Oven & Grill.....	86
Neptune 4500E Oven & Grill.....	86
Neptune 5000.....	88
Neptune Hob 4500.....	86
Non Return Valve	69
Nylon Jaw Slide	20
Nylon Rowlock	75

O

Oar Collar	78
Oar with collar	78
Oar without collar	77

Offshore Jacket	80
Offshore Trousers	80
On / Off Pull Switch	62
Open Base Cleat	35
Open Base Herreshoff Cleat.....	34
Open Base Low Profile Cleat	34
Oval Handrail	36
Overcentre Tie Down Straps.....	58

P

Pacific 4500	87
Pacific 5000.....	87
Pad Eye	14
Paddle	79
Paddle with Boat Hook	79
Pads - Transom	46
Palms	27
Panels - Switch	62
Patches	27
Pelican Hook	7
Pipe - Chain	14
Pipe Clips	70
Pipe Connectors.....	68
Piston Jib Hanks	28
Plastic Jib Hanks	29
Plough Anchor	17
Plug - Tanks	65
Plug & Socket.....	61
Plugs - for Transom Drains	47
Pocket Protectors for Battens ...	30
Propeller Bags.....	51
Pulley.....	13
PVC Rowlock	75
PVC Socket	75
PWC Tie Down Straps	59

Q

Quick Links	14
Quick Release Deck Mount	23

R

Rail fittings	19
Ratchet Tie Down Strap	59
Rectangular Lock-Handle Access Hatches.....	41
Rectangular Lock-Handle Access Hatches.....	41
Red Tip Jointed Oar	78
Red Tip Oar with collar	78
Repair Patches.....	27
RIBs.....	57
Rigging Screws	8
Ring, Bolt, Nut & Washer	10
Rod Holder	40

Rollers - for Trailers	58
Rope with chain	15
Round Inspection Hatches	41
Round Lock-Handle Access Hatches 41	
Round Ring - welded.....	10
Round Vent	44
Rowlock - Aluminium	76
Rowlock - Galvanised	77
Rowlock - Nylon.....	75
Rowlock - PVC	75
Rowlock - Stainless.....	76

S

S Hooks.....	7
Safety - Buoyancy Aids	82
Sail Batten Pocket Protectors	30
Sail Repair Patches.....	27
Sail Shackles	32
Sail Slides.....	31
Sail Tie with 2 Balls.....	28
Sail Tie with Speedclip	28
Sailmakers Needles	27
Sailmakers Palms	27
Sanitation Hose	71
Searails & Gimbals.....	88
Selden Sail Slides	31
Senhouse Hook	6
Separating Jaw Slide.....	19
Shackle Key	4
Shackle with Bar	3
Shackle with Sink Pin	3
Shackles	2
Shackles - Sail.....	32
Shackles - Soft.....	33
Shock Cord Hooks.....	28
Shorepower Cable	63
Shorepower Trailing Socket	63
Shower Kit	66
Side Mounts	21
Siphon Pumps	50
Ski Float	64
Slides Sail.....	31
Sliding Bar Buckle.....	26
SLX Superflat Cassette Hose	67
Snap Buckles	26
Snap Carabiner	6
Snap Carabiner with eye	6
Snap Carabiner with lock	7
Snap Eyes.....	5
Snap Hooks	4
Socket & Plug.....	61
Socket Jaw Slide	20



96

TERMS & CONDITIONS

1. CONTRACTS

- a. Contracts are made and orders accepted only upon and subject to these Terms and Conditions of Sale. All other conditions are hereby excluded unless expressly accepted in writing by Bainbridge International Ltd or Aqua-Marine International Ltd (hereinafter called the "Seller").
- b. In entering into a contract with the Seller, the contracting party (hereinafter called the "Buyer") acknowledges that the contract has not been induced by any representations orally or in writing made by the Seller, is servants or agents.
- c. Any quotation, estimate or tender previously given or made by the Seller was not an offer but an intimation of the terms upon which the Seller was prepared to negotiate. The offer to contract with the Buyer made by these conditions may be accepted by the Buyer in a formal manner or may be inferred from the Buyer's acceptance of performance, in whole or in part, by the Seller. Any conditions contained in any purported acceptance by the Buyer shall be disregarded and the acceptance shall be construed as an unqualified acceptance of these conditions.
- d. Any typographical, clerical or other error or omission in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by the Seller shall be subject to correction without any liability on the part of the Seller.

2. PRICES

- a. Unless expressly stated otherwise by the Sellers, all prices quoted are ex works and exclude the cost of packing. Any applicable value added tax or any other sales tax or excise duties paid or payable by the Seller shall be added to the price and shall be payable by the Buyer.
- b. The Seller may, at their sole absolute discretion, accept or reject any order placed by the Buyer. The Seller may change the price of goods for future invoiced goods to the Buyer without notice.
- c. In the event of the Buyer cancelling a part of the order in accordance with the provisions of Clause 12, the Seller reserves the right to revise the price or prices quoted for goods already delivered.
- d. The contract price is, unless specifically agreed upon in writing by the Seller, payable in Pound Sterling. The Seller reserves the right to review the contract price(s) in the event of devaluation of the Pound Sterling or substantial change in the value of Pound Sterling in the foreign exchange markets.

3. CONDITIONS AND WARRANTIES

- a. Seller shall not be liable for the normal manufacturing defects nor any customary variations from quantities or specifications. A variance of not more than 15% either way from the total specified weight, quantity or length shall be deemed compliance with this contract.
- b. Where samples of goods or a colour chart are provided, these are submitted only as indicative of the class, size or colour of goods quoted for and sales of goods shall not be by reference to any such samples or colour charts.
- c. Whilst all description and illustrations of the goods in (interalia) catalogues, brochures, web sites and price lists provided by the Seller have been carefully prepared, they are intended nevertheless for general guidance only and do not form part of any contract for sale of goods and no responsibility is accepted for any errors or omissions therein or for any loss or damage resulting from reliance on such descriptions and illustrations.
- d. When the Seller agrees to provide a specially designed plan, the Buyer agrees that he is obliged to check the accuracy and suitability of the plan and that the Seller shall not be liable for any omissions or inaccuracies in the measurements given. The copyright in the plan drawn up by the Seller is, and remains, their property and may not be reproduced in whole or in part without written consent.
- e. If the Buyer claims or detects a defect in the goods, the Buyer will seek prior approval and return those goods to the Seller or, if the goods are retained by the Buyer, indemnify and keep the Seller indemnified against all liability and claims which may arise out of or incidental to the defect.
- f. The Seller has undertaken no responsibility for learning about the end purpose or use for which the goods are to be used, and the Buyer shall undertake to conduct whatever tests or examinations are necessary to confirm that goods are suitable for such end use.
- g. Any textile products that may be sold hereunder are sold subject to any imperfections that are typically regarded as acceptable in the textile trade resulting from the weaving and finishing thereof, and Seller shall have no liability in connection with any such imperfections. Buyer warrants that all merchandise covered by this contract is purchased for resale as tangible personal property, or to be incorporated as a component or part of other tangible property to be produced for sale by manufacturing, assembling or processing.
- h. The Buyer shall not be entitled to accept part only of the goods.

4. DELIVERY BY THE SELLER

- a. Unless and except as otherwise expressly provided in writing by the Seller, delivery shall be ex works place of business.
- b. Any dates quoted for delivery of the goods are approximate only and the Seller shall not be liable for any delay in delivery of the goods howsoever caused. Time for delivery shall not be of the essence unless previously agreed by the Seller in writing.
- c. Where goods are offered for delivery to a site, the Seller's obligation is to deliver as near to the site as safe hard roads permit. The Buyer is to provide at its own expense the labour required for unloading and stacking.
- d. The Seller reserves the right to deliver goods by instalments and in such event each instalment shall be treated as a separate contract save that the delivery of further instalments may be withheld until goods contained in earlier instalments have been paid for in full.
- e. Where goods are held by the Seller awaiting delivery instructions, they may be subject to a storage charge. For account holding customers, payment for these goods must be made on or before the last day of the month following the month of the invoice; for non-account holding customers, payment must be made at the time of ordering.
- f. In the absence of shipping instructions, the issuing of an invoice shall constitute delivery to the Buyer.

5. COLLECTION BY THE BUYER

- a. Where goods are sold "ex-factory" the Buyer shall collect the goods at the Sellers premises within seven days of the Seller's notifying the buyers that the goods are ready for collection.

- b. If the Buyer fails to collect the goods within seven days of notification that they are ready for collection, then, without prejudice to any other right or remedy available to the Seller, the Seller may:
- i. Store the goods until actual delivery and charge the Buyer for reasonable costs (including insurance) of storage; or
- ii. Sell the goods at the best price readily obtainable (after deducting all reasonable storage and selling expenses) account to the Buyer for the excess over the price under the contract or charge the Buyer for any shortfall below the price.

6. DAMAGE, LOSS, SHORT DELIVERY

- a. On delivery, the Buyer shall examine the goods for defects and completeness. Thereafter no claim for damage in transit, for shortage in delivery, or for loss of goods will be entertained except, in the case of damage, a separate notice in writing is given to the Carriers or to the Seller within three days of the receipt of the goods, followed within 14 days of the date of advice of despatch by a complete claim in writing; or, in the case of loss of goods, a separate notice in writing and a claim is given to the Seller and Carriers within 14 days of the date of the Seller's advice of despatch to the Buyer. In all cases a signature "unexamined" shall be deemed to be an unconditional acceptance of the goods.
- b. The Seller shall not in any circumstances be liable, whether in contract or tort, to the Buyer for any indirect or consequential loss or damage (including without limitation, loss of profits, loss of contracts or damage to property) or for any claim against the Buyer by any third party.
- c. The Seller's liability for damage or non-delivery of goods duly notified in accordance with the above shall in any event be limited to replacement of the goods within a reasonable time (or, at the Seller's option, refunding the price thereof) whether the damage or non-delivery is due to the Seller's negligence or otherwise.

7. ROLL LENGTHS

- a. Where goods are sold as a measured length there may be a variation in length of plus or minus 2%. In the event of a claim the seller reserves the right to insist that the roll be returned for measuring before a settlement is agreed.

8. CREDIT AGREEMENTS

- a. Where the Sellers has granted the Buyer a credit facility, the price of goods and/or service shall be paid by the Buyer as per the payment terms specified on the invoice or, if the Seller shall so require under Clause (b) of this Clause 7, to be paid on demand without any period of notice.
- b. The Seller reserves the right to withdraw or vary credit facilities at any time to the Buyer without either giving any reason for doing so, or thereby incurring any liability to the Buyer.
- c. If the Buyer takes goods from the Seller in excess of the Buyer's credit limit, the Seller may require payment on delivery for such excess of goods.

9. TERMS OF PAYMENT

- a. Unless credit facilities have been granted to the Buyer or unless otherwise specifically provided in writing, the price for the goods shall be paid by the Buyer in cash on delivery and in default the Seller shall be entitled to withhold delivery until payment. In the case of non-cash sales, the Seller shall be entitled to charge and recover interest from the Buyer on the price of the goods calculated at whichever shall be the greater: the statutory interest payable under the Late Payment of Commercial Debts (Interest) Act 1998 or the rate of 4% per annum
- b. Unless otherwise expressly agreed upon in writing, no other discounts or commissions are to become due or allowable to the Buyer (any previous course of dealing between the parties notwithstanding).
- c. Where there is a term of contract that payment of any of the Seller's invoices is dependant upon the issues of the certificate of a third party, the due date for payment of the invoice is not later than 14 days after the issue of the relevant certificate.

10. LATE PAYMENT

- a. When payment of any of the Seller's invoices is overdue, the Seller may suspend their performance of the contracts to which the invoice relates and/or of any other contract then subsisting between the Seller and the Buyer.
- b. In the event of legal action being taken by the Seller against the Buyer for breach of payment obligations hereunder, the Buyer shall be responsible for all costs and disbursements incurred by the Seller on a full indemnity basis.

11. RISK AND LIABILITY

- a. b. c. Risk of damage to or loss of the goods shall pass to the Buyer at the time of delivery or, if the Buyer at the time of delivery of the goods, the time when the Seller has tendered delivery of the goods. For the purpose of this Clause 10, "delivery" shall mean the arrival of the goods at the place of delivery of the Buyer where delivery is by the Seller, or the safe loading of the goods into the Buyer's vehicles at the Seller's premises where delivery is through collection by the Buyer. In no event shall the Seller be liable for damages with respect to the sale or use of any product sold hereunder in any amount greater than the amount of the purchase price received by the Seller for that particular product. In addition, the Seller shall not be liable for any consequential, incidental, or special damages or costs or expenses in the event of any breach of warranty or in the event of any loss, damage injury or cost resulting from, or arising out of, or in respect of the goods being sold hereunder. When any goods are sold hereunder bear a particular label, trademark, or trade name, affixed at the request of the Buyer, it is the understanding of the parties that the Buyer warrants that he has the right to use said label trademark or trade name, and that he hereby agrees to indemnify and hold harmless the Seller against any loss, damage or claim by any person with respect thereto.
- d. The Buyer agrees to reimburse the Seller, and hold Seller harmless against liability for all expenses, including legal fees, incurred by the Seller that may arise in connection with Seller's enforcement of its rights under this contract.
- e. The Seller has undertaken no responsibility for learning about the end purpose for which the goods are to be used, and Buyer shall undertake to conduct whatever tests or examinations are necessary to confirm that goods are suitable for such end use.

12. RETENTION OF TITLE

- a. Notwithstanding delivery and the passing of risk in the goods or any other provision of these conditions, the property in the goods shall not pass to the Buyer until the Seller has received in cash (or cleared funds) payment in full of the price of the goods and all other goods agreed to

- be sold by the Seller to the Buyer for which payment is then due.
- b. Until such time as the property in the goods passes to the Buyer, the Buyer shall hold the goods as the Seller's fiduciary agent and bailee, and shall keep the goods separate from those of the Buyer and third parties and properly stored, protected and insured and identified as the Seller's property. Until that time the Buyer shall be entitled to resell or use the goods in the ordinary course of its business, but shall account to the Seller for the proceeds of the sale or otherwise of the goods, whether tangible or intangible, including insurance proceeds, and shall keep all such proceeds separate from any monies or property of the Buyer and third parties and, in the case of tangible proceeds, properly stored, protected and insured.
- c. Until such time as the property in the goods passes to the Buyer (and provided the goods are still in existence and have not been resold), the Seller shall be entitled at any time to require the Buyer to deliver up the goods to the Seller and, if the Buyer fails to do so forthwith, to enter upon any premises of the Buyer or any third party where the goods are stored and repossess the goods.
- d. The Buyer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the goods which remain the property of the Seller, but if the Buyer does so, all monies owing by the Buyer to the Seller shall (without prejudice to any other right or remedy of the Seller) forthwith become due and payable.

13. CUSTOMER CANCELLATION OF ORDERS

Contracts and orders and parts thereof may be cancelled only by the Seller's written acceptance of such cancellation. Where the Seller accepts such cancellation, the Seller reserves the right to charge the Buyer with the amount of any losses or expenses directly or indirectly resulting from such cancellation. Where the Seller does not accept such cancellation, the Seller, reserves the right to recover the invoice price from the Buyer and to charge the Buyer with additional losses both direct and indirect resulting from such cancellation. In any case where the Seller were required to place a deposit with a manufacturer or supplier in respect of an order, the Seller may require the Buyer to reimburse such sum in the event of cancellation.

14. CUSTOMERS RETURNING GOODS

- a. The Seller will only accept goods being returned by customers if prior consent has been given by the seller. In the event of wishing to return goods customers must contact the seller to obtain a 'goods return note number' that must then be attached in an appropriate manner to the goods. The seller reserves the right to refuse to accept goods being returned by a buyer. In cases where the seller does agree to accept a return the seller reserves the right to charge a handling fee not exceeding 50% based on the invoice price of the goods.
- b. Excluding circumstances where goods are being returned for the reason of damage or are subject to warrantee claim, goods being returned to the seller must arrive in a condition that allows them to be re-sold. In the event that returned goods are not in good condition the seller reserves the right to withdraw any agreement for credit with the buyer or to charge a handling fee.

15. CONSENTS

The obtaining of any necessary consents for the installation of the goods, whether from local or other authorities or for ensuring that the installation of the goods is in accordance with the provisions of any by-laws, regulations or statutes shall not be the responsibility of the Seller.

16. FORCE MAJEURE

The Seller shall not be liable to the Buyer or be deemed to be in breach of contract by reason of any delay in performing, or any failure to perform, any of the Seller's obligations in relation to the goods, if the delay or failure was due to any cause beyond the Seller's reasonable control. Without prejudice to the generality of the foregoing, the following shall be regarded as causes beyond the Seller's control:

- a. Act of God, explosion, flood, tempest, fire or accident;
- b. War or threat of war, sabotage, insurrection, civil disturbance or requisition;
- c. Acts, restrictions, regulations, by-laws, prohibitions or measures of any kind on the part of any governmental, parliamentary or local authority;
- d. Import or export regulations or embargoes;
- e. Strikes, lock-outs or other industrial actions or trade disputes (whether involving employees of the Seller's or of a third party);
- f. Difficulties in obtaining raw materials, labour, fuel, parts or machinery;
- g. Power failure or breakdown in machinery.

17. INSOLVENCY

The Seller shall have the right to terminate the contract forthwith where the buyer becomes insolvent or bankrupt or makes arrangements with its creditors or suffers a receiver to be appointed or being a body corporate enters into liquidation (other than in connection with a reconstruction or amalgamation) in any of which cases the Seller shall have no further obligation hereunder and the price for all goods delivered and work done shall become immediately due and payable.

18. LAW APPLICABLE

These conditions shall be governed and construed in accordance with English law and all disputes arising in connection therewith shall be submitted to the jurisdiction of the English courts.

19. GENERAL

- a. No provision hereof shall be deemed waived and no breach or default excused unless such waiver or excuse is in writing signed by an authorised officer of the party making the writing.
- b. If any provision or part of a provision of this Agreement shall be, or found by any authority or court of competent jurisdiction to be, invalid or unenforceable, such invalidity or unenforceability shall not affect the other provisions or parts of such provisions of this Agreement, all of which shall remain in full force and effect.
- c. The headings in this document are inserted for convenience only and shall not constitute a part of or are referred to in its interpretation.

© Bainbridge International Limited 2014 Bainbridge® is a registered trademark of Bainbridge International Limited. Bainbridge Sail & Cover is a trademark of Bainbridge International Limited. Aqua-Marine is a trademark of Aqua-Marine International Limited Bainbridge International Ltd. 8 Flanders Park, Hedge End, Southampton, Hampshire, SO30 2FZ England
Tel: +44 (0)1489 776030 • Fax: +44 (0)1489 776035
Email: info@bainbridgeint.co.uk • www.bainbridgeint.com



International Distributors:

AUSTRALIA

Bainbridge International Pty. Ltd

273 Harbour Road, Brookvale, NSW 2100

T: +61 (0) 2 9938 1788 F: +61 (0) 2 9938 2459

E: info@bainbridgeint.com.au

W: www.bainbridgeaus.com.au

DENMARK

Columbus Marine

Svejsegangen 3, DK-2690, Karlslunde

T: +45 4619 1166 F: +45 4619 1353

E: info@columbus-marine.dk

W: www.columbus-marine.dk

FRANCE, SPAIN & NORTH AFRICA

VMG Soromap

Z.A. de Béligon, 17300 Rochefort / Mer, France

T: +33 (0) 5 46 87 84 80 F: +33 (0) 5 46 87 88 89

E: contact@vmgsoromap.com

W: www.vmgisoromap.com

GERMANY

Herman Gotthardt GmbH

Leunastrasse 50, D-22761 Hamburg

T: +44 40 85150550 F: +44 40 8509133

E: info@gotthardt-yacht.de

W: www.gotthardt-yacht.de

GREECE, BULGARIA, ROMANIA & CROATIA

Takis Kokkotas Co. Ltd.

80 Mezonos Str, 104 38, Athens

T: +30 210 52 28 540 F: +30 210 52 47 225

E: info@kokkotas.gr

W: www.kokkotas.gr

HONG KONG & CHINA

Sky International

Room 703, 7/F, Henan Building, 90 Jaffe Road, Wanchai

T: +852 2827 5876 F: +852 2827 7120

E: web@sky-international.com

W: www.sky-international.com

ITALY & SLOVENIA

Boat Rigging s.r.l

Via San Gallo 23, 50028, Tavarnelle Val di Pesa Loc.,
Sambuca(FI)

T: +39 055 8071964 F: +39 055 8091541

E: luca@boatrigging.it

W: www.boatrigging.it

ITALY

Sacloma S.a.s

Via Cisa Sud 125, 19037, S. Stefano di Magra (SP)

T: +39 0187 630603 F: +39 0187 633264

E: sacloma@sacloma.com

W: www.sacloma.com

NETHERLANDS

On Deck BV

Leimuiderdijk 478A, 2156 MX Weteringburg,
Netherlands

T: +31 71 331 33 66 F: +31 71 331 33 87

E: allhands@on-deck.nl

W: www.on-deck.nl

NEW ZEALAND

Q C D Limited

8 Taylors Road, Sandringham, 1025, Auckland

T: +64 (0) 9 815 7500 F: +64 (0) 9 849 6648

E: sales@qcd.co.nz

W: www.qcd.co.nz

RUSSIA

Fordewind-Regatta Ltd

Petrovskaya Kosa 7, 197110, St. Petersburg

T: +7 812 327 4580 F: +7 812 323 9563

E: office@fordewind-regatta.ru

W: www.fordewind-regatta.ru

SWEDEN & NORWAY

Aspero Handels AB

PO Box 5009, Traneredsvagen 112, SE-426 05 V. Frolunda

T: +46 31 299 190 F: +46 31 691 965

E: info@aspero.se

W: www.aspero.se

TURKEY

SORG Yelken Promosyon ve

Acibadem Mh. Umut Sk. Akpak Apt. 10/A

Kadikoy - Istanbul

T: +90 (216) 3177575 F: +90 (216) 3172725

E: info@sailmaker.org

W: www.sailmaker.org

USA, CANADA, SOUTH AMERICA & CARIBBEAN

Bainbridge International Inc.

255 Revere Street, Canton 02021, Massachusetts

T: +1 781 821 2600 F: +1 781 821 2609

E: info@bainbridgeintusa.com

W: www.bainbridgeintusa.com

ALL SALES ENQUIRIES

Bainbridge International Ltd. 8 Flanders Park, Hedge End, Southampton,
Hampshire SO30 2FZ UK

T: +44 (0) 1489 776000 F: +44 (0) 1489 776005 E: info@bainbridgeint.co.uk

W: www.bainbridgemarket.com



Bainbridge

AQUAMARINE