



CHANDLERY

Contents

	Carded Hardware - 4
	Anchoring - 17
	Fending - 21
	Deck Hardware - 24
	Ladders - 29
	Canopy & Rail Fittings - 30
	Sail & Cover - 36
	Deck Filler & Cockpit Accessories - 43
	Hatches - 46
	Storage Solutions - 53
	Vents - 61
	Dinghy & Rib - 66
	Battery Boxes - 72
	Tanks - 74

Contents

	Fuel Lines & Accessories - 79
	Outboard Accessories - 83
	Anodes - 86
	Rowlocks & Oars - 88
	Fishing Accessories - 93
	Boat & Trailer Accessories - 96
	Electrical - 99
	Pumps & Fittings - 101
	Showers, Connectors & Hose - 105
	Marine Cookers - 116
	Navigation Lights & Visual Signals - 121
	Clothing - 128
	Safety Equipment - 131
Index by Product - 143	

AQUA MARINE **CARDED HARDWARE**



AQM053960



AQM053295

Bow Shackle - Bar Type

Bar diameter mm	Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
4	16	8-14	4	320	700	AISI 316 Stainless	Euroslot Carded	5056228202820	AQM053960
5	19	10-16	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228202837	AQM053961
6	25	13-26	6	600	1500	AISI 316 Stainless	Euroslot Carded	5056228202288	AQM053535
8	32	16-24	8	1000	2700	AISI 316 Stainless	Euroslot Carded	5056228202844	AQM053963
10	38	19-32	10	1520	4300	AISI 316 Stainless	Euroslot Carded	5056228202851	AQM053964
12	51	25-38	12	2080	6000	AISI 316 Stainless	Euroslot Carded	5056228202868	AQM053965
16	64	32-56	16	3400	10000	AISI 316 Stainless	Euroslot Carded	5056228201526	AQM023966
5	20	10-14	5	250	1500	Hot Dipped Galvanised	Euroslot Carded	5056228201977	AQM053295
6	24	12-17	6	330	1980	Hot Dipped Galvanised	Euroslot Carded	5056228201984	AQM053296
8	32	16-22	8	500	3000	Hot Dipped Galvanised	Euroslot Carded	5056228201991	AQM053297
10	40	20-29	10	750	4500	Hot Dipped Galvanised	Euroslot Carded	5056228202004	AQM053298
11	45	22-32	11	1000	6000	Hot Dipped Galvanised	Euroslot Carded	5056228202011	AQM053299
12	49	25-34	12	1400	840	Hot Dipped Galvanised	Euroslot Carded	5056228202028	AQM053300
14	59	28-41	14	1700	10200	Hot Dipped Galvanised	Euroslot Carded	5056228202035	AQM053301
16	64	32-46	16	2000	12000	Hot Dipped Galvanised	Euroslot Carded	5056228202042	AQM053302
20	80	38-59	20	3250	19500	Hot Dipped Galvanised	Euroslot Carded	5056228202059	AQM053303
22	85	44-63	22	4750	28500	Hot Dipped Galvanised	Euroslot Carded	5056228202066	AQM053304



Twisted Shackle - Bar Type

Bar diameter mm	Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
5	30	10	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228202295	AQM053576
6	36	12	6	600	1500	AISI 316 Stainless	Euroslot Carded	5056228202301	AQM053577
8	48	16	8	1300	2700	AISI 316 Stainless	Euroslot Carded	5056228202318	AQM053578
10	60	20	10	2100	4300	AISI 316 Stainless	Euroslot Carded	5056228202325	AQM053579



Long D Shackle - Bar Type

Bar diameter mm	Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
4	32	8	4	320	700	AISI 316 Stainless	Euroslot Carded	5056228202240	AQM053510
5	40	10	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228202257	AQM053511
6	48	12	6	600	1600	AISI 316 Stainless	Euroslot Carded	5056228202264	AQM053512
8	64	16	8	1000	2700	AISI 316 Stainless	Euroslot Carded	5056228202271	AQM053513
10	80	20	10	1520	4300	AISI 316 Stainless	Euroslot Carded	5056228202875	AQM053975
12	96	24	12	3000	6000	AISI 316 Stainless	Euroslot Carded	5056228202882	AQM053976

AQUA MARINE **CARDED HARDWARE**



AQM053862



AQM053280

D Shackle - Bar Type

Bar Diameter mm	Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
4	16	8	4	320	700	AISI 316 Stainless	Euroslot Carded	5056228202400	AQM053862
5	19	10	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228202417	AQM053863
6	25	13	6	600	1600	AISI 316 Stainless	Euroslot Carded	5056228202424	AQM053864
8	32	16	8	1000	2500	AISI 316 Stainless	Euroslot Carded	5056228202431	AQM053865
10	38	19	10	1520	4300	AISI 316 Stainless	Euroslot Carded	5056228202448	AQM053866
12	51	25	12	3000	6000	AISI 316 Stainless	Euroslot Carded	5056228202455	AQM053867
16	64	32	16	3400	10000	AISI 316 Stainless	Euroslot Carded	5056228201281	AQM023499
5	19	10	5	250	1500	Hot Dipped Galvanised	Euroslot Carded	5056228201878	AQM053280
6	24	12	6	330	1980	Hot Dipped Galvanised	Euroslot Carded	5056228201885	AQM053281
8	25	13	8	500	3000	Hot Dipped Galvanised	Euroslot Carded	5056228201892	AQM053282
10	40	20	10	750	4500	Hot Dipped Galvanised	Euroslot Carded	5056228201908	AQM053283
11	44	22	11	1000	6000	Hot Dipped Galvanised	Euroslot Carded	5056228201915	AQM053284
12	48	25	12	1400	840	Hot Dipped Galvanised	Euroslot Carded	5056228201922	AQM053285
14	56	28	14	1700	10200	Hot Dipped Galvanised	Euroslot Carded	5056228201939	AQM053286
16	64	32	16	2000	12000	Hot Dipped Galvanised	Euroslot Carded	5056228201946	AQM053287
20	76	38	20	3250	19500	Hot Dipped Galvanised	Euroslot Carded	5056228201953	AQM053288
22	85	44	22	4750	28500	Hot Dipped Galvanised	Euroslot Carded	5056228201960	AQM053289



Shackle with Bar and Double Captive Pin

Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
39	12.5	5	400	1000	AISI 316 Stainless	Euroslot Carded	5056228203704	AQM054798
45	14.5	6	600	1500	AISI 316 Stainless	Euroslot Carded	5056228203711	AQM054799
64	19	8	1300	2700	AISI 316 Stainless	Euroslot Carded	5056228203728	AQM054800



Shackle with Sink Pin

Length mm	Gap mm	Pin mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
24	12	6	600	1600	AISI 316 Stainless	Euroslot Carded	5056228203667	AQM054794
32	16	8	1300	2700	AISI 316 Stainless	Euroslot Carded	5056228203674	AQM054795
40	20	10	2100	4300	AISI 316 Stainless	Euroslot Carded	5056228203681	AQM054796
48	24	12	3000	6000	AISI 316 Stainless	Euroslot Carded	5056228203698	AQM054797

AQUA MARINE **CARDED HARDWARE**



Shackle Key

Type	For Shackles mm	Length mm	Width mm	Barcode	Part No:
Tear Drop	8, 10 & 13	100	32	5056228203216	AQM054749



Fixed Snap Shackle

Length mm	Gap mm	Eye mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
52	12	9	160	400	AISI 316 Stainless	Euroslot Carded	5056228201434	AQM023873
66	16	12	960	2000	AISI 316 Stainless	Euroslot Carded	5056228201441	AQM023874



Eye Swivel Snap Shackle

Length mm	Gap mm	Eye mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
70	12	12	160	400	AISI 316 Stainless	Euroslot Carded	5056228201458	AQM023877
87	16	16	960	2000	AISI 316 Stainless	Euroslot Carded	5056228201465	AQM023878
128	22	22	1280	3000	AISI 316 Stainless	Euroslot Carded	5056228201472	AQM023879



AQM054722/
AQM054723



AQMB610/
AQMB611



AQMB610S/
AQMB611N

Fast Rigid Snap Hook

Length mm	Eye mm	Break Load kg	Material	Format	Barcode	Part No:
55	10	130	AISI 316 Stainless	Euroslot Carded	5056228203117	AQM054722
73	16	160	AISI 316 Stainless	Euroslot Carded	5056228203124	AQM054723
53	10	-	Brass	Euroslot Carded	5056228214236	AQMB610
72	15	-	Brass	Euroslot Carded	5056228214250	AQMB611
53	10	-	AISI 304 Stainless Steel	Euroslot Carded	5056228214243	AQMB610S
72	15	-	Nickel plated brass	Euroslot Carded	5056228214267	AQMB611N



Fast Rigid Snap Hook for Webbing

Length mm	Eye mm	For webbing diameter mm	Material	Format	Barcode	Part No:
50	25	Up to 25.4	AISI 304 Stainless Steel	Euroslot Carded	5056228214298	AQMB617S

AQUA MARINE **CARDED HARDWARE**




AQM054726/ AQM054727 AQMB632 AQMB611SW

Fast Swivel Snap Hook

Length mm	Eye mm	Break Load kg	Material	Format	Barcode	Part No:
86	6	150	AISI 316 Stainless	Euroslot Carded	5056228203131	AQM054726
100	20	250	AISI 316 Stainless	Euroslot Carded	5056228203148	AQM054727
64	10	-	Bronze	Euroslot Carded	5056228214304	AQMB632
81	15	-	Bronze	Euroslot Carded	5056228214274	AQMB611SW



AQM053854



AQMB615

Swivel Snap Eye Bolt

Length mm	Gap mm	Eye mm	Material	Format	Barcode	Part No:
62	7	9	AISI 316 Stainless	Euroslot Carded	5056228202363	AQM053854
75	8	12	AISI 316 Stainless	Euroslot Carded	5056228202370	AQM053855
87	9	16	AISI 316 Stainless	Euroslot Carded	5056228202387	AQM053856
90	9	19	AISI 316 Stainless	Euroslot Carded	5056228202394	AQM053857
75	8	10	Bronze	Euroslot Carded	5056228214281	AQMB615

Swivel Snap Eye Bolt for Webbing

Length mm	Gap mm	Eye mm	Material	Format	Barcode	Part No:
75	8	25	Bronze	Euroslot Carded	5056228214311	AQMB637



Asymmetric Snap Carabiner / Carbine Hook with Eye - Sprung Wire Close

Bar Diameter mm	Length mm	Width mm	Eye mm	Material	Format	Barcode	Part No:
6	60	35	9	AISI 316 Stainless	Euroslot Carded	5056228203049	AQM054715
8	80	46	11	AISI 316 Stainless	Euroslot Carded	5056228203056	AQM054716
10	100	58	15	AISI 316 Stainless	Euroslot Carded	5056228203063	AQM054717
12	120	70	18	AISI 316 Stainless	Euroslot Carded	5056228203070	AQM054718



AQUA MARINE **CARDED HARDWARE**



Snap Carabiner / Carbine Hook with Eye - Sprung Wire Close

Length mm	Width mm	Eye mm	Break Load kg	Material	Format	Barcode	Part No:
50	25	6	200	AISI 316 Stainless	Euroslot Carded	5056228203087	AQM054719
70	31	9	450	AISI 316 Stainless	Euroslot Carded	5056228203094	AQM054720
100	50	12	800	AISI 316 Stainless	Euroslot Carded	5056228203100	AQM054721



Snap Carabiner / Carbine Hook - Sprung Bar Close

Bar mm	Length mm	Width mm	Gap mm	Break Load kg	DIN Standard	Material	Format	Barcode	Part No:
5	50	25	7	280	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201755	AQM053130
6	60	30	8	370	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201762	AQM053131
7	70	35	8	460	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201779	AQM053132
8	80	40	9	580	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201786	AQM053133
10	100	50	10	880	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201793	AQM053135
11	120	57	11	1000	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201809	AQM053136



Snap Carabiner / Carbine Hook with Eye - Sprung Bar Close

Bar mm	Length mm	Width mm	Gap mm	Break Load kg	DIN Standard	Material	Format	Barcode	Part No:
5	50	25	7	280	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201816	AQM053139
6	60	30	8	370	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201823	AQM053140
7	70	35	8	460	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201830	AQM053141
8	80	40	9	580	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201847	AQM053142
10	100	50	10	880	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201854	AQM053144
11	120	57	11	1000	5299-A	AISI 316 Stainless	Euroslot Carded	5056228201861	AQM053145



Stenhouse Hook

Type	Length mm	Secures by	Material	Format	Barcode	Part No:
Slip Hook	50	Sliding flat ring	AISI316 Stainless Steel	Euroslot Carded	5056228214700	AQM010050

AQUA MARINE **CARDED HARDWARE**



Snap Carabiner / Carbine Hook with Screw Lock - Sprung Bar Close

Bar mm	Length mm	Width mm	Gap mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
5	50	25	7	140	280	AISI 316 Stainless	Euroslot Carded	5056228203759	AQM054803
6	60	30	8	185	370	AISI 316 Stainless	Euroslot Carded	5056228203766	AQM054804
7	70	35	8	230	460	AISI 316 Stainless	Euroslot Carded	5056228203773	AQM054805
8	80	40	9	250	500	AISI 316 Stainless	Euroslot Carded	5056228203780	AQM054806
9	90	45	9	290	580	AISI 316 Stainless	Euroslot Carded	5056228203797	AQM054807
10	100	50	10	440	880	AISI 316 Stainless	Euroslot Carded	5056228203803	AQM054808
11	120	57	11	500	1000	AISI 316 Stainless	Euroslot Carded	5056228203810	AQM054809
12	140	67	14	600	1200	AISI 316 Stainless	Euroslot Carded	5056228203827	AQM054810
13	160	74	20	700	1400	AISI 316 Stainless	Euroslot Carded	5056228203834	AQM054811



S Hook

Bar mm	Material	Format	Barcode	Part No:
3	AISI 316 Stainless	Euroslot Carded	5056228203841	AQM054812
3.5	AISI 316 Stainless	Euroslot Carded	5056228203858	AQM054813
4	AISI 316 Stainless	Euroslot Carded	5056228203865	AQM054814
5	AISI 316 Stainless	Euroslot Carded	5056228203872	AQM054815
6	AISI 316 Stainless	Euroslot Carded	5056228203889	AQM054816
7	AISI 316 Stainless	Euroslot Carded	5056228203896	AQM054817
8	AISI 316 Stainless	Euroslot Carded	5056228203902	AQM054818
9	AISI 316 Stainless	Euroslot Carded	5056228203919	AQM054819
10	AISI 316 Stainless	Euroslot Carded	5056228203926	AQM054820



Snap Hook - Sprung Plate Close

Length mm	Width mm	Gap mm	Break Load kg	Material	Format	Barcode	Part No:
95	45	15	3500	Hot Dipped Galvanised	Euroslot Carded	5056228201090	AQM023128



Pelican Hook

Length mm	Width mm	Eye mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
73	6	12	520	1000	AISI 316 Stainless	Euroslot Carded	5056228203735	AQM054801
98	8	15	640	1200	AISI 316 Stainless	Euroslot Carded	5056228203742	AQM054802

AQUA MARINE **CARDED HARDWARE**



Rigging Screw - Fork to Fork

Thread	Length mm	Jaw mm	Pin mm	Break Load kg	Material	Format	Barcode	Part No:
M5	130-190	6	5.2	800	AISI 316 Stainless	Euroslot Carded	5056228201380	AQM023821
M6	150-220	7.5	6.2	1000	AISI 316 Stainless	Euroslot Carded	5056228201397	AQM023822
M8	180-225	10	8.4	2200	AISI 316 Stainless	Euroslot Carded	5056228201403	AQM023823
M10	220-300	12	9.4	3500	AISI 316 Stainless	Euroslot Carded	5056228201410	AQM023824
M12	270-385	14	12.3	5100	AISI 316 Stainless	Euroslot Carded	5056228201427	AQM023825



Fork to Swage

For wire mm	Jaw mm	Pin mm	Break Load kg	Material	Format	Barcode	Part No:
2.5	7	5	900	AISI 316 Stainless	Euroslot Carded	5056228203506	AQM054778
3	7	5	900	AISI 316 Stainless	Euroslot Carded	5056228203513	AQM054779
4	9	6	1000	AISI 316 Stainless	Euroslot Carded	5056228203520	AQM054780
5	11	8	2200	AISI 316 Stainless	Euroslot Carded	5056228203537	AQM054781
6	12	9.5	3500	AISI 316 Stainless	Euroslot Carded	5056228203544	AQM054782
7	14	12	5100	AISI 316 Stainless	Euroslot Carded	5056228203551	AQM054783
8	14	12	5100	AISI 316 Stainless	Euroslot Carded	5056228203568	AQM054784
10	22	16	9400	AISI 316 Stainless	Euroslot Carded	5056228203575	AQM054785
12	22	19	12000	AISI 316 Stainless	Euroslot Carded	5056228203582	AQM054786



Toggle Eye to Pin

Length mm (centre pin to centre eye)	Jaw mm	Pin mm	Break Load kg	Material	Format	Barcode	Part No:
25	7	5	800	AISI 316 Stainless	Euroslot Carded	5056228203599	AQM054787
27	7	6.5	1000	AISI 316 Stainless	Euroslot Carded	5056228203605	AQM054788
31	8	8	1600	AISI 316 Stainless	Euroslot Carded	5056228203612	AQM054789
36	10	9.5	3500	AISI 316 Stainless	Euroslot Carded	5056228203629	AQM054790
37	12	11	5100	AISI 316 Stainless	Euroslot Carded	5056228203636	AQM054791
50	14	12.7	6900	AISI 316 Stainless	Euroslot Carded	5056228203643	AQM054792
60	16	12.7	6900	AISI 316 Stainless	Euroslot Carded	5056228203650	AQM054793

AQUA MARINE **CARDED HARDWARE**



Turnbuckle Eye to Eye

Thread	Length mm	Break Load kg	Material	Format	Barcode	Part No:
M5	120-160	900	AISI 316 Stainless	Euroslot Carded	5056228202332	AQM053828
M6	150-220	1000	AISI 316 Stainless	Euroslot Carded	5056228202349	AQM053829
M8	200-290	2200	AISI 316 Stainless	Euroslot Carded	5056228202356	AQM053830



Wire Rope Grips

Thread	For wire mm	Length mm	Width mm	DIN Standard	Material	Format	Barcode	Part No:
M3	2	15	6.6	741	AISI 316 Stainless	Euroslot Carded	5056228202165	AQM053400
M4	3	16	9	741	AISI 316 Stainless	Euroslot Carded	5056228202172	AQM053401
M4	4	18.5	9	741	AISI 316 Stainless	Euroslot Carded	5056228202189	AQM053402
M5	5	19	11	741	AISI 316 Stainless	Euroslot Carded	5056228202196	AQM053403
M5	6	23	13	741	AISI 316 Stainless	Euroslot Carded	5056228202202	AQM053404
M6	8	28	16	741	AISI 316 Stainless	Euroslot Carded	5056228202219	AQM053405
M8	10	34	19	741	AISI 316 Stainless	Euroslot Carded	5056228202226	AQM053406
M12	16	51	29	741	AISI 316 Stainless	Euroslot Carded	5056228202233	AQM053408



Thimble for Wire Rope

For wire mm	Length mm	Eye Length mm	Eye Width mm	Material	Format	Barcode	Part No:
3	25	18	10	AISI 304 Stainless Steel	Euroslot Carded	5056228202653	AQM053928
4	28	20	11	AISI 304 Stainless Steel	Euroslot Carded	5056228202660	AQM053929
5	32	21	13	AISI 304 Stainless Steel	Euroslot Carded	5056228202677	AQM053930
6	39	27	15	AISI 304 Stainless Steel	Euroslot Carded	5056228202684	AQM053931
8	51	38	22	AISI 304 Stainless Steel	Euroslot Carded	5056228202691	AQM053932
10	65	48	27	AISI 304 Stainless Steel	Euroslot Carded	5056228202707	AQM053933
12	70	53	29	AISI 304 Stainless Steel	Euroslot Carded	5056228202714	AQM053934
14	79	57	32	AISI 304 Stainless Steel	Euroslot Carded	5056228202721	AQM053935
16	90	67	40	AISI 304 Stainless Steel	Euroslot Carded	5056228202738	AQM053936
18	102	75	45	AISI 304 Stainless Steel	Euroslot Carded	5056228202745	AQM053937
20	115	84	52	AISI 304 Stainless Steel	Euroslot Carded	5056228202752	AQM053938
4	-	16	11	Hot Dipped Galvanised	Euroslot Carded	5056228202073	AQM053311
6	-	26	19	Hot Dipped Galvanised	Euroslot Carded	5056228202080	AQM053313
8	-	34	24	Hot Dipped Galvanised	Euroslot Carded	5056228202097	AQM053315
10	-	42	32	Hot Dipped Galvanised	Euroslot Carded	5056228202103	AQM053316
12	-	51	38	Hot Dipped Galvanised	Euroslot Carded	5056228202110	AQM053317
14	-	57	40	Hot Dipped Galvanised	Euroslot Carded	5056228202127	AQM053318
16	-	60	42	Hot Dipped Galvanised	Euroslot Carded	5056228202134	AQM053319
18	-	67	45	Hot Dipped Galvanised	Euroslot Carded	5056228202141	AQM053320
20	-	76	51	Hot Dipped Galvanised	Euroslot Carded	5056228202158	AQM053321



CARDED HARDWARE



Swivel Fork to Fork

Bar mm	Length mm	Break Load kg	Material	Format	Barcode	Part No:
6	66	1000	AISI 316 Stainless	Euroslot Carded	5056228201311	AQM023806
8	90	1700	AISI 316 Stainless	Euroslot Carded	5056228201328	AQM023807



Swivel Eye to Eye

Bar mm	Length mm	Break Load kg	Material	Format	Barcode	Part No:
6	65	1080	AISI 316 Stainless	Euroslot Carded	5056228201335	AQM023813
8	90	1700	AISI 316 Stainless	Euroslot Carded	5056228201342	AQM023814
10	115	3000	AISI 316 Stainless	Euroslot Carded	5056228201359	AQM023816
13	154	4500	AISI 316 Stainless	Euroslot Carded	5056228201366	AQM023817
16	188	7700	AISI 316 Stainless	Euroslot Carded	5056228201373	AQM023818



Round Ring - Welded

Bar mm	Diameter mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
3	20	100	500	AISI 316 Stainless	Euroslot Carded	5056228202547	AQM053900
4	25	200	800	AISI 316 Stainless	Euroslot Carded	5056228202554	AQM053901
5	25	300	1600	AISI 316 Stainless	Euroslot Carded	5056228202561	AQM053903
4	40	500	1600	AISI 316 Stainless	Euroslot Carded	5056228202578	AQM053906
4	45	300	1300	AISI 316 Stainless	Euroslot Carded	5056228202585	AQM053907
6	50	900	2100	AISI 316 Stainless	Euroslot Carded	5056228202592	AQM053910
8	65	700	2700	AISI 316 Stainless	Euroslot Carded	5056228202608	AQM053913



D Ring - Welded

Bar mm	Diameter mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
3	20	100	500	AISI 316 Stainless	Euroslot Carded	5056228202615	AQM053916
4	25	200	800	AISI 316 Stainless	Euroslot Carded	5056228202622	AQM053918
5	25	300	1600	AISI 316 Stainless	Euroslot Carded	5056228202639	AQM053919
6	50	900	2100	AISI 316 Stainless	Euroslot Carded	5056228202646	AQM053925



Ring, Bolt, Nut & Washer

Thread	Length mm	Thread Length mm	Ring Bar mm	Ring Diameter mm	Material	Format	Barcode	Part No:
M6	75	50	6	35	AISI 316 Stainless	Euroslot Carded	5056228202516	AQM053895
M8	75	50	8	45	AISI 316 Stainless	Euroslot Carded	5056228202523	AQM053896
M10	100	75	10	50	AISI 316 Stainless	Euroslot Carded	5056228202530	AQM053897



CARDED HARDWARE



Lifting Eye Bolt, Nut & Washer

Thread	Length mm	Thread Length mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part No:
M6	60	54	5	16	1200	AISI 316 Stainless	Euroslot Carded	5056228203155	AQM054738
M6	80	70	5	16	1200	AISI 316 Stainless	Euroslot Carded	5056228203162	AQM054739
M8	80	70	6	19	2200	AISI 316 Stainless	Euroslot Carded	5056228203179	AQM054740
M8	100	90	6	19	2200	AISI 316 Stainless	Euroslot Carded	5056228203186	AQM054741
M10	100	88	7	25	3500	AISI 316 Stainless	Euroslot Carded	5056228203193	AQM054742
M12	120	105	8	25	4500	AISI 316 Stainless	Euroslot Carded	5056228203209	AQM054743



Lifting Eye Bolt

Thread	Length mm	Thread Length mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part No:
M8	49	13	6	20	1800	AISI 316 Stainless	Euroslot Carded	5056228201533	AQM024729
M10	62	17	7	25	2300	AISI 316 Stainless	Euroslot Carded	5056228201540	AQM024730
M10	65	20	7	25	2300	AISI 316 Stainless	Euroslot Carded	5056228201083	AQM020500
M12	74	21	8	30	3000	AISI 316 Stainless	Euroslot Carded	5056228201557	AQM024731



Lifting Eye Nut

Thread	Length mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part No:
M6	30	6	16	1100	AISI 316 Stainless	Euroslot Carded	5056228201564	AQM024732
M8	36	8	20	1800	AISI 316 Stainless	Euroslot Carded	5056228201571	AQM024733
M10	45	10	25	2300	AISI 316 Stainless	Euroslot Carded	5056228201588	AQM024734
M12	53	12	30	3000	AISI 316 Stainless	Euroslot Carded	5056228201595	AQM024735



Square Eye Plate with Ring

Type mm	Shape	Plate Dimensions mm	Ring Bar mm	Ring Diameter mm	Break Load kg	Material	Format	Barcode	Part No:
5	Square	30 x 35	5	30	600	AISI 316 Stainless	Euroslot Carded	5056228202899	AQM054700
6	Square	35 x 40	6	40	850	AISI 316 Stainless	Euroslot Carded	5056228202905	AQM054701
8	Square	40 x 50	8	50	1400	AISI 316 Stainless	Euroslot Carded	5056228202912	AQM054702

AQUA MARINE **CARDED HARDWARE**



Square Eye Plate

Type mm	Shape	Plate Dimensions mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part No:
5	Square	30 x 35	5	14	600	AISI 316 Stainless	Euroslot Carded	5056228202929	AQM054703
6	Square	35 x 40	6	18	850	AISI 316 Stainless	Euroslot Carded	5056228202936	AQM054704
8	Square	40 x 50	8	20	1400	AISI 316 Stainless	Euroslot Carded	5056228202943	AQM054705



Lozenge Eye Plate

Type mm	Shape	Plate Dimensions mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part No:
5	Lozenge	45 x 15	5	14	600	AISI 304 Stainless Steel	Euroslot Carded	5056228202950	AQM054706
6	Lozenge	60 x 20	6	18	850	AISI 304 Stainless Steel	Euroslot Carded	5056228202967	AQM054707
8	Lozenge	80 x 26	8	20	1400	AISI 304 Stainless Steel	Euroslot Carded	5056228202974	AQM054708
9	Lozenge	100 x 32	9	22	1800	AISI 304 Stainless Steel	Euroslot Carded	5056228202981	AQM054709



Eye Strap Stirrup

Type mm	Legth mm	Width mm	Eye Bar mm	Eye Diameter mm	Break Load kg	Material	Format	Barcode	Part No:
5	50	18	5	20	1800	AISI 316 Stainless	Euroslot Carded	5056228202998	AQM054710
6	60	22	6	26	2400	AISI 316 Stainless	Euroslot Carded	5056228203001	AQM054711
8	38	13	8	15	3500	AISI 316 Stainless	Euroslot Carded	5056228203025	AQM054713
8	63	24	8	27	3500	AISI 316 Stainless	Euroslot Carded	5056228203018	AQM054712
10	75	28	10	28	7000	AISI 316 Stainless	Euroslot Carded	5056228203032	AQM054714



AQM053941 - 51

U Bolt

Thread	Length mm	Gap mm	SWL kg	Break Load kg	Material	Format	Barcode	Part No:
M4	64	30	350	750	AISI 316 Stainless	Euroslot Carded	5056228202769	AQM053941
M5	60	30	400	900	AISI 316 Stainless	Euroslot Carded	5056228202776	AQM053942
M6	90	30	650	1250	AISI 316 Stainless	Euroslot Carded	5056228202783	AQM053943
M8	64	30	900	1750	AISI 316 Stainless	Euroslot Carded	5056228202790	AQM053944
M8	80	35	900	1750	AISI 316 Stainless	Euroslot Carded	5056228202806	AQM053946
M8	100	35	900	1750	AISI 316 Stainless	Euroslot Carded	5056228202813	AQM053948
M10	90	50	1700	3500	AISI 316 Stainless	Euroslot Carded	5056228201496	AQM023949
M10	130	50	1700	3500	AISI 316 Stainless	Euroslot Carded	5056228201502	AQM023950
M12	150	60	2500	5100	AISI 316 Stainless	Euroslot Carded	5056228201519	AQM023951

AQUA MARINE **CARDED HARDWARE**



Folding Pad Eye

Type	Length mm	Width mm	Eye Diameter mm	Material	Format	Barcode	Part No:
Small	50	45	28	AISI 316 Stainless	Euroslot Carded	5056228215486	AQM054744
Large	65	59	40	AISI 316 Stainless	Euroslot Carded	5056228215493	AQM054745



Block

Type	Length mm	Size mm	Material	Format	Barcode	Part No:
Swivel	60	19	Nickel Plated Zinc Alloy	Euroslot Carded	5056228201601	AQM024736



AQM054920

AQM054919

AQM054918

Mini Pulley

Type	Rope Diameter mm	Length mm	Sheave Diameter mm	SWL kg	Material	Format	Barcode	Part No:
Solid Shaft	8	45	25	350	AISI316 Stainless Steel	Euroslot Carded	5056228204787	AQM054920
Without Shackle	8	45	25	350	AISI316 Stainless Steel	Euroslot Carded	5056228204770	AQM054919
With Shackle & Removable Pin	8	60	25	350	AISI316 Stainless Steel	Euroslot Carded	5056228204763	AQM054918



Titanium Low Friction Ring

Bore Diameter mm	Overall Diameter mm	Overall Width mm	SWL kg	Material	Format	Barcode	Part No:
7	16	6	740	Titanium	Euroslot Carded	5056228205081	AQM5107
10	22	8	4300	Titanium	Euroslot Carded	5056228205098	AQM5110
15	35	11	4800	Titanium	Euroslot Carded	5056228205104	AQM5115
20	44	17	5700	Titanium	Euroslot Carded	5056228205111	AQM5120

AQUA MARINE **CARDED HARDWARE**



Quick Link

Type mm	Length mm	Width mm	Opening mm	Break Load kg	Material	Format	Barcode	Part No:
3.5	36.5	17	5	990	AISI316 Stainless Steel	Euroslot Carded	5056228202462	AQM053881
4	40	19.5	5.5	1250	AISI316 Stainless Steel	Euroslot Carded	5056228202479	AQM053882
5	49	23	6.5	2000	AISI316 Stainless Steel	Euroslot Carded	5056228202486	AQM053883
6	58	26.5	7.5	2900	AISI316 Stainless Steel	Euroslot Carded	5056228202493	AQM053884
8	75	33.5	10.5	4900	AISI316 Stainless Steel	Euroslot Carded	5056228202509	AQM053886
12	105	52	13	11000	AISI316 Stainless Steel	Euroslot Carded	5056228201298	AQM023527



Anchor Swivel

For chain mm	Length mm	Gap mm	SWL kg	Material	Format	Barcode	Part No:
6-10	90	8 / 15	1250	AISI316 Stainless Steel	Euroslot Carded	5056228201731	AQM042405
10-12	110	12 / 20	2500	AISI316 Stainless Steel	Euroslot Carded	5056228201748	AQM042406
8-12	120	18 / 21	-	AISI316 Stainless Steel	Euroslot Carded	5056228204336	AQM054865



Anchor Shackle

Bar Diameter mm	Length mm	Gap mm	Pin mm	Material	Format	Barcode	Part No:
20	85	42 - 60	20	AISI316 Stainless Steel	Euroslot Carded	5056228201304	AQM023540



AQM054862



AQM054861

Chain Pipe

Type	Length mm	Width mm	Chain opening mm	Material	Format	Barcode	Part No:
Flush Mount	140	78	34	AISI316 Stainless Steel	Header & Bag	5056228204329	AQM054862
Flanged	125	60	30	AISI316 Stainless Steel	Header & Bag	5056228204312	AQM054861

AQUA MARINE



Calibrated Chain for European Windlasses

Type mm	Length m	DIN Standard	ISO Standard	Grade	Material	Format	Barcode	Part No:
7	30	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210641	AQM07030G
7	60	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210658	AQM07060G
8	30	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210665	AQM08030G
8	60	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210689	AQM08060G
10	30	-	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210702	AQM10030G
10	60	-	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210726	AQM10060G
12	30	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210740	AQM12030G
12	60	766	4565	High Strength 4	Hot Dipped Galvanised	Drum	5056228210757	AQM12060G
8	30	766	4565	High Strength 4	AISI316 Stainless Steel	Drum	5056228210672	AQM08030S
8	60	766	4565	High Strength 4	AISI316 Stainless Steel	Drum	5056228210696	AQM08060S
10	30	-	4565	High Strength 4	AISI316 Stainless Steel	Drum	5056228210719	AQM10030S
10	60	-	4565	High Strength 4	AISI316 Stainless Steel	Drum	5056228210733	AQM10060S



Uncalibrated Short Link Chain

Type mm	Length m	Material	Format	Barcode	Part No:
6	50	AISI316 Stainless Steel	Drum	5056228213604	AQM06050SU
6	50	Hot Dipped Galvanised	Drum	5056228201243	AQM023265
8	50	Hot Dipped Galvanised	Drum	5056228201250	AQM023266
10	50	Hot Dipped Galvanised	Drum	5056228201267	AQM023267
13	50	Hot Dipped Galvanised	Drum	5056228201274	AQM023268



Anchor Rope with Calibrated Chain for Windlasses

Rope mm	Chain mm	Rope Length m	Chain Length m	DIN Standard	ISO Standard	Material	Format	Barcode	Part No:
12	6	50	5	766	4565	Hot Dipped Galvanised	Drum	5056228204299	AQM054859
14	8	50	10	766	4565	Hot Dipped Galvanised	Drum	5056228204305	AQM054860



D - Type Anchor

- ◆ High holding power anchor
- ◆ Has a unique shank profile and ballasted tip to make it self-launching
- ◆ Low centre of gravity provides a self-righting ability which helps it set in most types of bottom
- ◆ Eye for trip line
- ◆ Stows easily on a bow roller

Weight kg	Boat length m	Chain size mm	Material	Format	Barcode	Part No:
5	7.5	6	AISI316 Stainless Steel	Plasticard ID Tag	5056228215516	AQM133818
7.5	9	8	AISI316 Stainless Steel	Plasticard ID Tag	5056228215523	AQM133819
10	12	10	AISI316 Stainless Steel	Plasticard ID Tag	5056228215530	AQM133820
5	7.5	6	Hot Dipped Galvanised	Plasticard ID Tag	5056228215547	AQM133824
7.5	9	8	Hot Dipped Galvanised	Plasticard ID Tag	5056228215554	AQM133825
10	12	10	Hot Dipped Galvanised	Plasticard ID Tag	5056228215561	AQM133826
16	14	10	Hot Dipped Galvanised	Plasticard ID Tag	5056228215578	AQM133827
20	16	12	Hot Dipped Galvanised	Plasticard ID Tag	5056228215585	AQM133828
30	18	13	Hot Dipped Galvanised	Plasticard ID Tag	5056228215592	AQM133829



Grip High-tensile Anchor

- ◆ Fast setting in the hardest of sea beds thanks to sharp flukes
- ◆ High-tensile shank cast in one piece for strong lateral pull performance
- ◆ Right angle shank pivot angles flukes downward to dig in on sea bed
- ◆ One of the most popular designs of anchor in France and the UK
- ◆ Flat design makes for easy stowing when not in use

Weight kg	Boat length m	Chain size mm	Material	Format	Barcode	Part No:
2.5	4	Rope	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204152	AQM054845
4	4	Rope	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204169	AQM054846
5	6	6	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204176	AQM054847
7	6	6	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204183	AQM054848
9	8	8	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204190	AQM054849
10	11	8	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204206	AQM054850
12	11	10	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204213	AQM054851
15	13	10	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204220	AQM054852
20	16	12	High-tensile Hot Dipped Galvanised	Plasticard ID Tag	5056228204237	AQM054853



Claw Anchor

- ◆ Very effective for a variety of sea beds - ideal for mud, sand and rocky bottoms
- ◆ Remains stable under a wide range of tide and wind conditions
- ◆ Stows easily on a bow roller
- ◆ Quick set and reset
- ◆ Eye for trip line

Weight kg	Boat length m	Chain size mm	Material	Format	Barcode	Part No:
1	3	Rope	Hot Dipped Galvanised	Plasticard ID Tag	5056228201106	AQM023228
2	4	Rope	Hot Dipped Galvanised	Plasticard ID Tag	5056228201113	AQM023229
5	8	6	Hot Dipped Galvanised	Plasticard ID Tag	5056228201120	AQM023230
7.5	10	8	Hot Dipped Galvanised	Plasticard ID Tag	5056228201137	AQM023231
10	13	10	Hot Dipped Galvanised	Plasticard ID Tag	5056228201144	AQM023232
15	15	10	Hot Dipped Galvanised	Plasticard ID Tag	5056228201151	AQM023233
20	18	12	Hot Dipped Galvanised	Plasticard ID Tag	5056228201168	AQM023234
30	20	13	Hot Dipped Galvanised	Plasticard ID Tag	5056228201175	AQM023235



Plough Anchor

- ◆ Good holding power in all bottom types
- ◆ Easily stowed over a bow roller
- ◆ Hinged shank allows the anchor to turn in the tide as opposed to dislodging

Weight kg	Boat length m	Chain size mm	Material	Format	Barcode	Part No:
15	13	10	Hot Dipped Galvanised	Plasticard ID Tag	5056228204138	AQM054843
22	16	12	Hot Dipped Galvanised	Plasticard ID Tag	5056228204145	AQM054844

NOTE: Boat and chain size information should only to be used as a guide. Boat weight and anchor winch gypsy size also need consideration.



Weighted End Grapnel Anchor

- ◆ Weighted end improves holding power
- ◆ Fold down flukes allow compact storage
- ◆ Flukes lock open by engaging bayonet collar at base of shaft
- ◆ Eye for trip line
- ◆ Popular for small day boats, tenders, sailing dinghies and fishing kayaks

Weight kg	Boat length m	Chain size mm	Material	Format	Barcode	Part No:
0.7			Hot Dipped Galvanised	Plasticard ID Tag	5056228215370	AQM023244
1.5			Hot Dipped Galvanised	Plasticard ID Tag	5056228201182	AQM023245
2.5			Hot Dipped Galvanised	Plasticard ID Tag	5056228201199	AQM023246
3.2			Hot Dipped Galvanised	Plasticard ID Tag	5056228201205	AQM023247
4			Hot Dipped Galvanised	Plasticard ID Tag	5056228201212	AQM023248
6			Hot Dipped Galvanised	Plasticard ID Tag	5056228201229	AQM023249
8			Hot Dipped Galvanised	Plasticard ID Tag	5056228201236	AQM023250




Mooring Spike with Ring

- ◆ Ideal for creating temporary mooring at suitable riverside locations
- ◆ Perfect for small craft, river cruisers etc.
- ◆ Strong stake with heavy duty ring
- ◆ Sharpened end for easier driving into soft river banks

Length mm	Material	Format	Barcode	Part No:
300	Hot Dipped Galvanised	Plasticard ID Tag	5056228204244	AQM054854
350	Hot Dipped Galvanised	Plasticard ID Tag	5056228204251	AQM054855
425	Hot Dipped Galvanised	Plasticard ID Tag	5056228204268	AQM054856
500	Hot Dipped Galvanised	Plasticard ID Tag	5056228204275	AQM054857
550	Hot Dipped Galvanised	Plasticard ID Tag	5056228204282	AQM054858

- Unique, superior quality fenders
- Exclusive Italian design and patterned boat fenders
- Made from flexible integral skin foam technology
- Unrivalled shock absorption and life performance
- Cannot deflate!



Heavy Duty Cylindrical Fender

- ◆ Made from plastisol PVC with rotational moulding procedure
- ◆ UV resistant
- ◆ Made as one piece with no joins and consistent wall thickness
- ◆ Simple valve makes for easy inflation
- ◆ Suitable for any kind of boat from 10 - 50ft
- ◆ Inflation pressure: 2.1lbs / 0.15bar at 68°F / 20°C

Model	Colour	A x B Dims mm	D Eye Dia mm	Volume per product: lt	Weight: kg	Boat Size: m / ft	Format	Barcode	Part No:
H2	White w/blue end	140 x 500	13	6.3	0.7	3-6 / 10-20	Plasticard ID Tag	5056228221241	AQM055102
H3	White w/blue end	160 x 560	18	9.1	1.2	5-9 / 15-30	Plasticard ID Tag	5056228221258	AQM055103
H4	White w/blue end	190 x 640	18	14.5	1.75	6-11 / 20-35	Plasticard ID Tag	5056228221265	AQM055104
H5	White w/blue end	220 x 640	22	18.6	2	8-12 / 25-40	Plasticard ID Tag	5056228221272	AQM055105
H6	White w/blue end	220 x 760	22	23.2	2.3	9-14 / 30-45	Plasticard ID Tag	5056228221289	AQM055106
H7	White w/blue end	280 x 760	24	35.1	3	11-15 / 35-50	Plasticard ID Tag	5056228221296	AQM055107




Cylindrical Fender

- ◆ Made from plastisol PVC with rotational moulding procedure
- ◆ Made as one piece with no joins and consistent wall thickness
- ◆ High gloss finish
- ◆ Suitable for any kind of boat from 10 - 40ft

Model	Colour	A x B Dims mm	D Eye Dia mm	Volume per product: lt	Weight: kg	Boat Size: m / ft	Format	Barcode	Part No:
U1	White	120 x 400	16	3.6	0.52	3-6 / 10-20	Plasticard ID Tag	5056228221302	AQM055201
U2	White	140 x 500	19	6.3	0.8	5-8 / 15-25	Plasticard ID Tag	5056228221319	AQM055202
U3	White	160 x 560	19	9.1	1	5-9 / 15-30	Plasticard ID Tag	5056228221326	AQM055203
U4	White	190 x 640	19	14.5	1.55	6-11 / 20-35	Plasticard ID Tag	5056228221333	AQM055204
U5	White	220 x 640	22	18.6	2	8-12 / 25-40	Plasticard ID Tag	5056228221340	AQM055205

Ball Fender

- ◆ Made from plastisol PVC with rotational moulding procedure
- ◆ Made as one piece with no joins and consistent wall thickness
- ◆ Heavy duty, with a rib reinforced ropehold to provide extra strength and durability
- ◆ Suitable for commercial fishing, as well as marking gear and for recreational boats
- ◆ Suitable for any kind of boat from 20 - 70ft
- ◆ Inflation pressure: 2.1lbs / 0.15bar at 68°F / 20°C



Model	Colour	A x B Dims mm	D Eye Dia mm	Volume per product: lt	Weight: kg	Boat Size: m / ft	Format	Barcode	Part No:
R2	White w/blue end	380 x 500	25	30.9	2	6-11 / 20-35	Plasticard ID Tag	5056228221203	AQM055002
R3	White w/blue end	440 x 580	25	49	3	8-12 / 25-40	Plasticard ID Tag	5056228221210	AQM055003
R4	White w/blue end	520 x 680	25	82.6	4	11-14 / 35-45	Plasticard ID Tag	5056228221227	AQM055004
R5	White w/blue end	680 x 900	30	179.1	6.2	12-17 / 40-55	Plasticard ID Tag	5056228221234	AQM055005

Bow/Dock Fender – Solid

- ◆ Made with flexible intergral PU skin foam technology
- ◆ The fender that cannot deflate
- ◆ High shock absorption and lifetime performance
- ◆ Exception boat protection and durability
- ◆ Suitable for any kind of boat
- ◆ Ideal for bow berthing, protection of swim platform and dock fending
- ◆ Fits all bow shapes



Model	Colour	L x H x W Dimensions: mm	Weight: kg	Format	Barcode	Part No:
PVM1 Bow	White	600 x 250 x 170	3.2	ID Sticker	5056228221371	AQM055401
PVM2 Corner	White	430 x 240 x 250	2.5	ID Sticker	5056228221388	AQM055402

Blade Solid - Cruiser/Racer Bow Fender

- ◆ Made with flexible intergral PU skin foam technology
- ◆ Unique bow fender for 90° bow shape
- ◆ The fender that cannot deflate
- ◆ High shock absorption and lifetime performance
- ◆ Exceptional boat protection and durability
- ◆ Suitable for yachts and designed to stay fixed in place
- ◆ Ideal for bow berthing, protection of swim platform and dock fending



Colour	L x H x W Dimensions: mm	Weight: kg	Format	Barcode	Part No:
White	1040 x 160 x 120	2.7	ID Sticker	5056228221395	AQM055405

Dock Fender

- ◆ Convenient solution to bumpers
- ◆ Exceptional dock and boat protection
- ◆ Easy and safe installation
- ◆ Fits perfectly in every dock



Model	Colour	Dimensions: mm L x H x W	Weight: kg	Format	Barcode	Part No:
½ Empty	White	640 x 220 x 132	2.5	ID Sticker	5056228221357	AQM055305
½ Foam filled	White	640 x 220 x 132	4	ID Sticker	5056228221364	AQM055306

Mooring Rubber Compensators

- ◆ Designed to prevent uncomfortable motions when boat is moored
- ◆ Compensators absorb shocks from mooring lines
- ◆ Eliminating unnecessary strains and help preserve line
- ◆ Can reduce unnecessary rubbing noise
- ◆ Made of UV and sea water resistant rubber



For boat size: m	Line Diameter: mm	Overall dimensions: mm L x W	Thickness: mm	Format	Barcode	Part No:
4.5	16	220 x 40	33	Euroslot Carded	5056228217664	AQM029122
7	20	270 x 45	33	Euroslot Carded	5056228217688	AQM029127
10	20	330 x 50	36	Euroslot Carded	5056228217701	AQM029133

Fender Hooks

- ◆ Designed to make procedure of attaching and adjusting boat fenders easier
- ◆ Placing onto boat rail
- ◆ Made of polyamide



For boat size: m	Colour	Overall dimensions: mm L x W	Eye Size: mm	Format	Barcode	Part No:
For installation on Ø6mm cable	White	86 x 25	7	Header & Bag	5056228218531	AQM048011
For installation on Ø6mm cable	Black	86 x 25	7	Header & Bag	5056228218548	AQM048012
For installation on Ø20-22mm rail	White	85 x 38	21	Header & Bag	5056228218555	AQM048021
For installation on Ø20-22mm rail	Black	85 x 38	21	Header & Bag	5056228218562	AQM048022



Open Base Herreshoff Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part No:
125	40	28	AISI316 Stainless Steel	Euroslot Carded	5056228201656	AQM042390
150	44	30	AISI316 Stainless Steel	Euroslot Carded	5056228201663	AQM042391
200	54	42	AISI316 Stainless Steel	Euroslot Carded	5056228201670	AQM042392
300	65	50	AISI316 Stainless Steel	Euroslot Carded	5056228204404	AQM054880



Heavy Duty Herreshoff Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part No:
200	52	39	AISI316 Stainless Steel	Euroslot Carded	5056228201694	AQM042396
305	71	50	AISI316 Stainless Steel	Euroslot Carded	5056228201687	AQM042394



Open Base Low Profile Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part No:
125	71	50	AISI316 Stainless Steel	Euroslot Carded	5056228204398	AQM054873
150	56	28	AISI316 Stainless Steel	Euroslot Carded	5056228201700	AQM042400
200	62	32	AISI316 Stainless Steel	Euroslot Carded	5056228201717	AQM042401
250	64	40	AISI316 Stainless Steel	Euroslot Carded	5056228201724	AQM042402



Handed Cast Fairlead

Length mm	Width mm	Height mm	Material	Format	Barcode	Part No:
150	26	24	AISI316 Stainless Steel	Euroslot Carded	5056228201649	AQM042389
150	34	32	AISI316 Stainless Steel	Euroslot Carded	5056228201625	AQM042386
200	38	38	AISI316 Stainless Steel	Euroslot Carded	5056228201632	AQM042387



Open Base Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part No:
64	10	12	Black Nylon	Bulk pack of 100	5056228205890	AQM523



Horn Cleat

Length mm	Width mm	Material	Format	Barcode	Part No:
144	35	Black Nylon	Euroslot Carded	5056228210955	AQM30250
170	30	Black Reinforced Nylon	Euroslot Carded	5056228210962	AQM30251
211	48	Black Reinforced Nylon	Euroslot Carded	5056228211013	AQM34200



Horn Cleat

Length: mm	Width: mm	Material	Format	Barcode	Part No:
60	19	Black Polyamide	Header & Bag	5056228218180	AQM042612
80	22	Black Polyamide	Header & Bag	5056228218197	AQM042614
110	28	Black Polyamide	Header & Bag	5056228218203	AQM042616
145	35	Black Polyamide	Header & Bag	5056228218210	AQM042618
60	19	White Polyamide	Header & Bag	5056228218142	AQM042602
80	22	White Polyamide	Header & Bag	5056228218159	AQM042604
110	28	White Polyamide	Header & Bag	5056228218166	AQM042606
145	35	White Polyamide	Header & Bag	5056228218173	AQM042608



Solid Base Cleat

Length mm	Width mm	Height mm	Material	Format	Barcode	Part No:
75	12	15	Black Nylon	Euroslot Carded	5056228204411	AQM054881
100	13	19	Black Nylon	Euroslot Carded	5056228204428	AQM054882
125	17	25	Black Nylon	Euroslot Carded	5056228204435	AQM054883



Jam Cleat

Length mm	Width mm	Material	Format	Barcode	Part No:
120	20	Black Nylon	Euroslot Carded	5056228210924	AQM30120
150	25	Black Nylon	Euroslot Carded	5056228212997	AQM30121



Cross Bollard

Width mm	Depth mm	Secures by	Material	Format	Barcode	Part No:
80	80	4 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204367	AQM054870
120	95	4 x screws/bolts	AISI316 Stainless Steel	Bagged with ID Sticker	5056228204374	AQM054871
135	135	4 x screws/bolts	AISI316 Stainless Steel	Bagged with ID Sticker	5056228204381	AQM054872

Stanchion

Type	Fits	Pipe Diameter mm	Height mm	Material	Format	Barcode	Part No:
PVC Top	AQM054898	25	500	AISI316 Stainless Steel	Header & Bag	5056228204534	AQM054892
Straight Top	AQM054898	25	500	AISI316 Stainless Steel	Header & Bag	5056228204572	AQM054896
Round Top	AQM054898	25	500	AISI316 Stainless Steel	Header & Bag	5056228204558	AQM054894
PVC Top	AQM054898	25	610	AISI316 Stainless Steel	Header & Bag	5056228204541	AQM054893
Straight Top	AQM054898	25	610	AISI316 Stainless Steel	Header & Bag	5056228204589	AQM054897
Round Top	AQM054898	25	610	AISI316 Stainless Steel	Header & Bag	5056228204565	AQM054895




Stanchion Socket

Length mm	Width mm	Height mm	Secures by	Material	Format	Barcode	Part No:
85	85	75	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204596	AQM054898



Sail Defender - Clip-on

- ◆ Made with flexible intergral PU skin foam technology
- ◆ Unique design and easy to fit
- ◆ Can be applied to any kind of pulpit with coaxial lifeline
- ◆ Protection for all head sails
- ◆ Prevent chafing from constant rubbing
- ◆ Supplied with 5 nylon fitting clips



Model	Colour	L x H x W Dimensions: mm	Weight: kg	Format	Barcode	Part No:
Lifeline cover	White	320 x 70 x 45	0.21	Header & Bag	5056228221449	AQM077503
Stanchion cover	White	100 x 70 x 34	0.06	Header & Bag	5056228221456	AQM077505

Cross-tree Spreader Boot

- ◆ Flexible cross-tree cover
- ◆ Fits all cross-trees from 100mm to 360mm circumference
- ◆ Provides protection for all sails
- ◆ Flexible integral skin technology
- ◆ Easy to fit and supplied with 3m of ployester line



Colour	Dimensions: mm L x H x W	Weight: kg	Format	Barcode	Part No:
White	200 x 100 x 110	0.2	Header & Bag	5056228221432	AQM077502

Oval Handrail



Length: mm	Heigh: mm	Fixing Plate Diameter mm	Secures by	Material	Format	Barcode	Part No:
200	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204602	AQM054900
300	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204619	AQM054901
400	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204626	AQM054902
500	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204633	AQM054903
600	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204640	AQM054904
800	70	50	6 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204657	AQM054905

Hand and Foot Rail

- ◆ Stainless steel



Description	Diameter: mm	Overall Dimensions: mm	Format	Barcode	Part No:
Hand	22	475 x 80	Euroslot Carded	5056228217374	AQM019047
Hand	22	625 x 120	Euroslot Carded	5056228217381	AQM019062
Foot	22	440 x 120	Euroslot Carded	5056228217398	AQM019544



Streamline Grab Handle

Colour	Length mm	Width mm	Secures by	Material	Format	Barcode	Part No:
Grey	283	50	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228211044	AQM35220
White	283	50	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228211037	AQM35210
Black	283	50	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228211020	AQM35200

Small Grab Handle



AQM32180

AQM31180

AQM30180

Colour	Length mm	Width mm	Secures by	Material	Format	Barcode	Part No:
Grey	215	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210993	AQM32180
White	215	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210979	AQM31180
Black	215	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210931	AQM30180
Grey	260	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228211006	AQM32183
White	260	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210986	AQM31183
Black	260	40	4 x 4.5mm screws	Polypropylene	Euroslot Carded	5056228210948	AQM30183


Folding Boarding Step



Length mm	Width mm	Height mm	Secures by	Material	Format	Barcode	Part No:
210	87	146	2 x screws/bolts	Chrome plated brass	Boxed with ID Sticker	5056228215349	AQM008377

Flushmount Safety Rope Ladder


- ◆ Suitable for frequent use or in man overboard situation
- ◆ Can be used unaided from the water
- ◆ Light with easy flush mount, like a thru-hull fitting
- ◆ Transom or skirt mount, just above the waterline
- ◆ Ladder neatly stores in mounting tube with cap
- ◆ Kits contains: 3 polypropylene steps, 1 stainless steel handle, held together with yellow polypropylene line



Description / Type	Dimensions: cm step width x overall length	Format	Barcode	Part No:
3 step safety ladder	13.5 x 110	Euroslot Carded	5056228216124	AQM010038

Aluminium Ladder

- ◆ Ideal for boats of any kind
- ◆ Ensures safe boarding and disembarking
- ◆ Made of 25mm marine grade anodised aluminium tubing
- ◆ Non-slip polypropylene steps
- ◆ Supplied with two stand-off feet to suit contours of most hulls
- ◆ Hooks fold flat for easy storage



Type	Dia: cm H x W	Weight: g	Format	Barcode	Part No:
2 step	55 x 35	950	With ID Sticker	5056228218227	AQM044002
4 step	110 x 35	1550	With ID Sticker	5056228218234	AQM044004

Rope Ladder

- ◆ Ideal for any kind of boat
- ◆ Guaranteed easy storage
- ◆ Made of polyester rope and durable polypropylene plastic steps
- ◆ Ladder can secure around any cleat on deck, no permanent mounting is needed



Type	Dia: cm H x W	Weight: g	Format	Barcode	Part No:
3 Step	80 x 35	400	With ID Sticker	5056228218241	AQM044023



AQM054832 - 90°

AQM054834 - 45°

AQM054836 - 60°

AQM054838 - 30°

Rail fittings

Type	Base diameter mm	Angle	For Tube mm / in	Secures by	Material	Format	Barcode	Part No:
Round straight	67	90°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204053	AQM054832
Rectangular angled	78	90°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228214946	AQM004802
Round straight	70	90°	25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204060	AQM054833
Round angled	67	45°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204077	AQM054834
Round angled	70	45°	25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204084	AQM054835
Round angled	67	60°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204091	AQM054836
Round angled long socket type	67	60°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228214922	AQM004702
Round angled	70	60°	25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204107	AQM054837
Rectangular angled	78	60°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228214939	AQM004801
Round angled	67	30°	22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204114	AQM054838
Round angled	70	30°	25, 1	2 x allen grub screws	AISI316 Stainless Steel	Euroslot Carded	5056228204121	AQM054839

Bainbridge Separating Jaw Slide

- ◆ Mounts without needing to disassemble the rail
- ◆ Ideal for welded rails where taking apart is not possible
- ◆ Fastens by single nut and bolt
- ◆ Eye for taking AQMG25PIN or AQMG627PIN to connect eye end



For Tube mm / in	Secures by	Material	Format	Barcode	Part No:
22, 7/8	1 x allen bolt and nut	AISI316 Stainless Steel	Header & Bag	5056228212539	AQM0820S
25, 1	1 x allen bolt and nut	AISI316 Stainless Steel	Header & Bag	5056228212546	AQM0830S
31, 1 1/4	1 x allen bolt and nut	AISI316 Stainless Steel	Header & Bag	5056228212553	AQM0840S

Bainbridge Jaw Slide

- ◆ Slides onto tubing
- ◆ Holds in place by grub screws
- ◆ Supplied with pin with tapped thread in body



For Tube mm / in	Secures by	Material	Format	Barcode	Part No:
19, 3/4	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228212355	AQM0610S
22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228212393	AQM0620S
25, 1	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228212461	AQM0630SHD



Bainbridge Socket Jaw Slide

For Tube mm / in	Secures by	Material	Format	Barcode	Part No:
22, 7/8	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228212492	AQM0672S
25, 1	2 x allen grub screws	AISI316 Stainless Steel	Header & Bag	5056228214489	AQM0682S

Bainbridge Eye End

- ◆ Slides onto end of tubing
- ◆ Holds in place by grub screw
- ◆ Eye to fit in with Bainbridge Jaw Slides



AQM0611S/ AQMG621S

AQM0631SHD

For Tube mm / in	Secures by	Material	Format	Barcode	Part No:
19, 3/4	1 x allen grub screw	AISI316 Stainless Steel	Header & Bag	5056228212362	AQM0611S
22, 7/8	1 x allen grub screw	AISI316 Stainless Steel	Header & Bag	5056228212409	AQM0621S
25, 1	1 x allen grub screw	AISI316 Stainless Steel	Header & Bag	5056228212478	AQM0631SHD

Bainbridge End Plug

- ◆ White nylon injection moulding around 3mm stainless steel bar
- ◆ Plug can be secured in the tube by gluing, self tapping screw or by a dowel pin



For Tube mm / in	Fits Tube Gauge mm	Material	Secures by	Format	Barcode	Part No:
19, 3/4	1.2	AISI316 Stainless Steel	Glue / Self Tapping Screw / Dowel Pin	Header & Bag	5056228214441	AQM0676
22, 7/8	1.5	AISI316 Stainless Steel	Glue / Self Tapping Screw / Dowel Pin	Header & Bag	5056228212508	AQM0675
25, 1	1.2	AISI316 Stainless Steel	Glue / Self Tapping Screw / Dowel Pin	Header & Bag	5056228214465	AQM0679

Bainbridge Tube Clamp

- ◆ Slides onto end of tubing



For Tube mm / in	Material	Format	Barcode	Part No:
19, 3/4	AISI316 Stainless Steel	Header & Bag	5056228212485	AQM0655

Bainbridge Side Mount 4-Hole Fixing

- ◆ Designed to accept all sizes of eye end
- ◆ Supplied with hex bolt for fixing eye to plate



Type	Secures by	Material	Format	Barcode	Part No:
Mounting plate with eye bolt	Screw or bolt through 4 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212430	AQM0624S

Bainbridge Universal Deck Hinges


- ◆ Deck hinges compensate for different angles of decks and coaming
- ◆ Concave base versions for firm mounting to tube profile



Type	Secures by	Material	Format	Barcode	Part No:
Raised body with Quick Release Pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212386	AQM615SQP
Raised body with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212379	AQM615S
Circular folding with screw pin	Screw or bolt through 3 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212348	AQM607S
Concave Base with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212454	AQM626S
Flat plate with quick release pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212447	AQM625SQP
Flat plate angled base with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212423	AQM623S
Flat plate with screw pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212416	AQM622S
Flat plate with removable drop nose pin	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228214380	AQM625S

Bainbridge Deck Hinge Ball & Socket Systems

- ◆ Neater system than traditional arrangements
- ◆ Compact and streamlined



Type	For Tube mm / in	Material	Format	Barcode	Part No:
Socket	22, 7/8	AISI316 Stainless Steel	Header & Bag	5056228212515	AQM675S
Ball Eye End	25, 1	AISI316 Stainless Steel	Header & Bag	5056228214472	AQM681S
Ball & Socket 90° Eye End	22, 7/8	AISI316 Stainless Steel	Header & Bag	5056228214458	AQM678S

Bainbridge Streamlined Quick Release Deck Mount

- ◆ Spring-loaded release button ejects eye for almost instant frame removal
- ◆ Stylish and unique design
- ◆ For use with Bainbridge eye ends



Type	Secures by	Material	Format	Barcode	Part No:
Streamlined body	Screw or bolt through 2 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228212331	AQM605S

Bainbridge Quick Release Deck Mount

- ◆ Spring-loaded release button ejects eye for almost instant frame removal
- ◆ Round smooth design
- ◆ For use with Bainbridge eye ends



Type	Secures by	Material	Format	Barcode	Part No:
Round domed base	Screw or bolt through 3 countersunk holes	AISI316 Stainless Steel	Header & Bag	5056228214373	AQM604S

Bainbridge Tube Hinge

- ◆ Heavy duty design and construction
- ◆ Allows for folding the frame
- ◆ With quick release pin



Type	For Tube mm / in	Material	Format	Barcode	Part No:
Quick Release	22, 7/8	AISI316 Stainless Steel	Header & Bag	5056228212522	AQM6747S
Quick Release	25, 1	AISI316 Stainless Steel	Header & Bag	5056228214502	AQM6744S

Bainbridge Canopy Hand Clamp

- ◆ Large nylon tensioning knob allows a firm grip for quick and simple adjustment
- ◆ Clamp comes with spacer and screw to use with end plugs
- ◆ Clamp fits over tube and allows movement of the plug space end fitting



For Tube mm / in	Material	Format	Barcode	Part No:
19, 3/4	Stainless Steel & Nylon	Euroslot Carded	5056228214403	AQM650WT
20, 25/32	Stainless Steel & Nylon	Euroslot Carded	5056228214410	AQM651WT
22, 7/8	Stainless Steel & Nylon	Euroslot Carded	5056228214427	AQM652WT
25, 1	Stainless Steel & Nylon	Euroslot Carded	5056228214434	AQM653WT

Bainbridge Sunblocker Clip

- ◆ Self insulated protective clip which eliminates contact between metal tubular top frame and the clear plastic window
- ◆ 2 or 3 Sunblocker clips on metal frame tubing can give maximum protection
- ◆ Reduces singeing, scorching and heat cracking



Type	For Tube mm / in	Material	Format	Barcode	Part No:
Single	25, 1	White Nylon	Header & Bag	5056228214397	AQM6639
Twin Clip	22, 7/8	White Nylon	Header & Bag	5056228214496	AQM6738



YKK® SNAD® Stud & Socket

- ◆ Will not snag clothing or deteriorate from exposure to sunlight, sand or dirt
- ◆ Can be walked on pain free thanks to its domed shape
- ◆ Simple self adhesive installation
- ◆ No tool, no waiting, no splits, no holes!

Type	Colour	Secures by	Material	Format	Barcode	Part No:
25mm Flexible Stud	White	Self Adhesive backing	Nylon	Header & Bag	5056228212263	AQMG192WT
25mm Flexible Stud	Black	Self Adhesive backing	Nylon	Header & Bag	5056228212256	AQMG192BK
25mm Flexible Stud	Clear	Self Adhesive backing	Nylon	Header & Bag	5056228212294	AQMG196CL
25mm Dome Stud	White	Self Adhesive backing	Nylon	Header & Bag	5056228212287	AQMG194WT
25mm Dome Stud	Black	Self Adhesive backing	Nylon	Header & Bag	5056228212270	AQMG194BK
40mm Dome Socket	White	Self Adhesive backing	Nylon	Header & Bag	5056228212249	AQMG191WT
40mm Dome Stud	White	Self Adhesive backing	Nylon	Header & Bag	5056228212232	AQMG190WT
40mm Dome Stud	Black	Self Adhesive backing	Nylon	Header & Bag	5056228212225	AQMG190BK



Bainbridge Webbing Bridge

Type	Colour	Secures by	Material	Format	Barcode	Part No:
For 25/30mm webbing	White	Screw or bolt through 2 countersunk holes	Nylon	Header & Bag	5056228211907	AQMA095WT
For 25/30mm webbing	Black	Screw or bolt through 2 countersunk holes	Nylon	Header & Bag	5056228211891	AQMA095BK
For 50mm webbing	White	Screw or bolt through 2 countersunk holes	Nylon	Header & Bag	5056228211921	AQMA097WT
For 50mm webbing	Black	Screw or bolt through 2 countersunk holes	Nylon	Header & Bag	5056228211914	AQMA097BK



Bainbridge Webbing Adjuster Buckle

Type	Material	Format	Barcode	Part No:
For 25mm webbing	Stainless Steel	Header & Bag	5056228212300	AQMG210S
For 25mm webbing	Stainless Steel	Header & Bag	5056228212317	AQMG211S



Bainbridge Sliding Bar Buckle

Type	Material	Format	Barcode	Part No:
For 25mm webbing	Stainless Steel with Nylon Slide	Header & Bag	5056228212324	AQMG221



Bainbridge Snap Buckle

- ◆ Two part male and female buckles in flexible nylon

Type	Material	Format	Barcode	Part No:
White for 25mm webbing	Nylon	Header & Bag	5056228211884	AQMA089WT
Black for 25mm webbing	Nylon	Header & Bag	5056228211877	AQMA089
Black for 50mm webbing	Nylon	Header & Bag	5056228211860	AQMA085



Bainbridge Heavy Duty Ladderlock Buckle

- ◆ Heavy duty version
- ◆ Has over 3 times the strength of a standard ladderlock buckle

Type	Material	Format	Barcode	Part No:
Black for 25mm webbing	Heavy Duty Nylon	Header & Bag	5056228211853	AQMA076HD

Bainbridge H+B Dabond 2000 UVR Thread

- ◆ High strength and controlled stretch
- ◆ Resistant to abrasion and salt water
- ◆ Stability in sunlight and resistance to mildew
- ◆ Bonding and resistance to needle heat
- ◆ Continuous thread with no knots or breaks



Colour	Spool Length	Dabond Size	Nearest Metric Size	Format	Barcode	Part No:
White	1lb / 450g	V69	NM40	Spool	5056228212195	AQMET069WT1

Bainbridge Sailmakers Needles



Type	Format	Barcode	Part No:
Assorted Needles # 13-19	Header & Bag	5056228212133	AQMC005
7 Assorted All purpose Needles	Header & Bag	5056228212140	AQMC007
10 Assorted Sail-makers Needles	Header & Bag	5056228212157	AQMC021
20 Assorted Sail-makers Needles	Header & Bag	5056228212164	AQMC022

Bainbridge Sailmakers Palm



Type	Format	Barcode	Part No:
No.3 Seaming	Header & Bag	5056228212171	AQMC024
No.3 Seaming Left Hand	Header & Bag	5056228212188	AQMC025

Bainbridge Hot Knife & Blade

- ◆ Cuts and weld rope ends, cord and webbing
- ◆ Seals edges with minimum smoke and no singed edges
- ◆ Effortless cutting - no mess, no fuss
- ◆ Spring loaded safety trigger on/off switch
- ◆ Quick heating
- ◆ Pack contains Bainbridge Hot Knife C857 and blade C857B, plus brass wire cleaning brush, element tensioner key and instruction manual




Voltage	Watts	Format	Barcode	Part No:
230	60	Boxed	5056228209140	C857D

Bainbridge Sail Repair Patches

- ◆ Heavy duty PSA self-adhesive sail repair patches
- ◆ A selection of sizes suit most small to medium repairs
- ◆ Radiused edge helps reduce peel
- ◆ 10 patches per pack
- ◆ Suitable for all types of sailcloth including laminate, polyester and nylon
- ◆ Great for emergency repairs for sails, foul weather gear, seat cushions and boat covers
- ◆ Ideal for repairing batten pockets and also for use as a chafing patch



AQM514BU AQM514RD AQM514WT



AQM514BK AQM514GY

Type	Format	Barcode	Part No:
White	Header & Bag	5056228204909	AQM514WT
Red	Header & Bag	5056228204893	AQM514RD
Black	Header & Bag	5056228211471	AQM514BK
Blue	Header & Bag	5056228204886	AQM514BU
Grey	Header & Bag	5056228213864	AQM514GY

AQM Tell Tales

- ◆ Self adhesive oval insignia patch with wool tell tale
- ◆ Easy application



Description	UOM	Part No.
4 x red 4 x green	EACH	AQMTT01

Bainbridge Double Sided Tape

- ◆ Acrylic adhesive double sided tape
- ◆ Tissue carrier
- ◆ Good initial tack
- ◆ High long-term adhesion
- ◆ Low shrink
- ◆ For use with all types of cloth



Width mm	Length mm	Format	Barcode	Part Number
9	50	Header & Bag	5056228212560	AQMJ422
12	50	Header & Bag	5056228212577	AQMJ423
25	50	Header & Bag	5056228212584	AQMJ426

Swedish Fid

Type	Format	Barcode	Part No:
Small	Header & Bag	5056228221036	AQM051007
Large	Header & Bag	5056228221043	AQM051009



Braid on Braid Fids

Type	Size	Format	Barcode	Part No
Set of 4	4 - 10mm	Header & Bag	5056228221012	AQM051004
Set of 5	4 - 13mm	Header & Bag	5056228221029	AQM051005



Mouse Line

- ◆ Braided polyester
- ◆ Ideal cost for general use on board



Colour	Dia: mm	Reel length: m	Format	Barcode	Part Number
White	3	100	Reel	5056228221098	AQM051153



Twisted Whipping Twine

- ◆ Waxed and ideal for all whipping requirements

Colour	Dia: mm	Format	Barcode	Part Number
White	Small	Header & Bag	5056228221135	AQM051271
White	Medium	Header & Bag	5056228221142	AQM051281
Blue	Medium	Header & Bag	5056228221159	AQM051282
Red	Medium	Header & Bag	5056228221166	AQM051283
Tan	Medium	Header & Bag	5056228221173	AQM051284
Black	Medium	Header and Bag	5056228221180	AQM051285
White	Large	Header and Bag	5056228221197	AQM051291

Sail Tie with Speedclip

Width mm	Length mm	Format	Barcode	Part No:
5	550	Header & Bag	5056228204831	AQM054925
6	750	Header & Bag	5056228204848	AQM054926
8	800	Header & Bag	5056228204855	AQM054927



8 Plait Mini Spools

- ◆ Handy small spools
- ◆ Narrow diameter, performance ropes
- ◆ Ideal for many applications on board

Colour	Dia: mm	Reel length: m	Format	Barcode	Part Number
Blue	3	17	Header & Bag	5056228221074	AQM051122
Red	3	17	Header & Bag	5056228221081	AQM051123
White	3	17	Header & Bag	5056228221050	AQM051120
Black	3	17	Header & Bag	5056228221067	AQM051121

Tarred Marlin Twine


- ◆ Used for whipping on classic projects
- ◆ Treated natural fibre cord



Colour	Dia: mm	Spool: g	Format	Barcode	Part Number
Natural	1.5	250	Header & Bag	5056228221104	AQM051215
Natural	2.5	250	Header & Bag	5056228221111	AQM051225
Natural	3	250	Header & Bag	5056228221128	AQM051230

Sail Tie with 2 Balls

Width mm	Length mm	Format	Barcode	Part No:
4	300	Header & Bag	5056228204794	AQM054921
4	400	Header & Bag	5056228204800	AQM054922
4	500	Header & Bag	5056228204817	AQM054923
4	600	Header & Bag	5056228204824	AQM054924



Cover Tie

Colour	Format	Barcode	Part No:
White	Header & Bag	5056228212218	AQM06040WT
Black	Header & Bag	5056228212201	AQM06040BK



Bainbridge Swedish Brass Piston Jib Hank

- ◆ Renowned world-wide for quality, reliability and ease of fitting
- ◆ Forged from marine quality brass and fitted with internal stainless steel spring



Type	Number	Length mm	Material	Format	Barcode	Part No:
Knock-on	#0	44	Brass	Header & Bag	5056228212096	AQMB510
Knock-on	#1	52	Brass	Header & Bag	5056228212102	AQMB511
Knock-on	#2	65	Brass	Header & Bag	5056228212119	AQMB512
Knock-on	#3	74	Brass	Header & Bag	5056228212126	AQMB513

Bainbridge Plastic Jib Hank

- ◆ Ideal for dinghies, dayboats and sportsboats up to 25ft



Type	Application	Length mm	Material	Format	Barcode	Part No:
Small Twist-on	For 3.5mm wire	30	Nylon	Header & Bag	5056228211792	AQMA038
Twist-on	For 5mm wire	30	Nylon	Header & Bag	5056228211808	AQMA039

Bainbridge Batten Box for Round Batten

- ◆ Manufactured in reinforced nylon
- ◆ AISI316 stainless steel screws
- ◆ Backplate, attaching screw/nuts and compression screw included



AQMA305WT



AQMA305BK

Type	Colour	Application	Length mm	Width mm	Material	Format	Barcode	Part No:
Up to 12mm	White	For Bainbridge battens 06R - 12R	97	44	Reinforced Nylon	Header & Bag	5056228212089	AQMA305WT
Up to 12mm	Black	For Bainbridge battens 06R - 12R	97	44	Reinforced Nylon	Header & Bag	5056228212072	AQMA305BK

Bainbridge Batten Box for Flat Batten

- ◆ Manufactured in reinforced nylon
- ◆ AISI316 stainless steel screws
- ◆ Can be used as a leech fitting or luffbox with Allslip slides
- ◆ Attaches to slide with webbing
- ◆ Sold complete as two halves with screws and nuts



AQMA300WT



AQMA300BK



AQMA303WT



AQMA303BK

Type	Colour	Max Cavity Depth mm	Material	Format	Barcode	Part No:
For max batten width 30 x 6.5mm	White	40	Reinforced Nylon	Header & Bag	5056228212034	AQMA300WT
For max batten width 30 x 6.5mm	Black	40	Reinforced Nylon	Header & Bag	5056228212027	AQMA300BK
For max batten width 45 x 7mm	White	47	Reinforced Nylon	Header & Bag	5056228212065	AQMA303WT
For max batten width 45 x 7mm	Black	47	Reinforced Nylon	Header & Bag	5056228212058	AQMA303BK

Bainbridge Pocket Protectors for Batten

- ◆ Semi-circular seat permits wide range of batten angles
- ◆ Includes screws



For Batten	Fixing Type	Colour	Width mm	Format	Barcode	Part No:
Up to 15mm	Screws	15	14	Header & Bag	5056228211488	AQMA001
Up to 30mm	Screws	30	25	Header & Bag	5056228211495	AQMA002
Up to 30mm	Hi Lo Screws	30	20	Header & Bag	5056228212041	AQMA302
Up to 40mm	Nuts & Bolts	40	25	Header & Bag	5056228211518	AQMA006
Up to 60mm	Screws	60	30	Header & Bag	5056228211501	AQMA005

Bainbridge Round Batten Endcap

- ◆ To suit Bainbridge Pultruded Round Battens
- ◆ Can also fit other round battens of same diameter
- ◆ Manufactured in Nylon 66
- ◆ Fish tail shape allows the load to be spread evenly to webbings reducing wear and chafe



For Batten	For Batten Diameter mm	Colour	Width mm	Format	Barcode	Part No:
06R	6	Black	20	Header & Bag	5056228211372	AQM06REC
08R	8	Black	20	Header & Bag	5056228211389	AQM08REC
10R	10	Black	32.5	Header & Bag	5056228211396	AQM10REC
12R	12	Black	32.5	Header & Bag	5056228211402	AQM12REC
14R	14	Black	50	Header & Bag	5056228211419	AQM14REC
16R	16	Black	50	Header & Bag	5056228211426	AQM16REC
20R	20	Black	50	Header & Bag	5056228211433	AQM20REC

Bainbridge Batten Endcap

- ◆ Spreads the load at the end of sail pocket
- ◆ Use these endcaps for untapered batten styles
- ◆ Manufactured in soft thermoplastic



For Batten	For Batten Diameter mm	Colour	Width mm	Format	Barcode	Part No:
30CT0xx	30	Blue	30	Header & Bag	5056228211457	AQM30CTEC

Bainbridge Aquabatten Endcap

- ◆ Spreads the load at the end of sail pocket
- ◆ Use these endcaps for untapered batten styles
- ◆ Manufactured in soft thermoplastic



For Batten	For Batten Diameter mm	Colour	Width mm	Format	Barcode	Part No:
Aquabatten 30mm	30	Black	30	Header & Bag	5056228211440	AQM30CEC
Aquabatten 40mm	40	Black	40	Header & Bag	5056228211464	AQM40CEC

Snap Hook with Eye

- ◆ Suitable for light weight use only



Colour	Length: mm	Eye Diameter: mm	Max shock cord Diameter: mm	Format	Barcode	Part No:
Black	42	10	4	Header & Bag	5056228218593	AQM048342
Black	49	10	6	Header & Bag	5056228218616	AQM048362
Black	58	12	8	Header & Bag	5056228218630	AQM048382
White	42	10	4	Header & Bag	5056228218586	AQM048341
White	49	10	6	Header & Bag	5056228218609	AQM048361
White	58	12	8	Header & Bag	5056228218623	AQM048381

Spinnaker Hook



Colour	Length: mm	Max Rope Diameter: mm	Format	Barcode	Part No:
Black	55	6	Header & Bag	5056228218579	AQM048242

Multi-purpose Hook



Colour	Length: mm	Max Rope Diameter: mm	Format	Barcode	Part No:
Black	30	4	Header & Bag	5056228218685	AQM048984

Bainbridge Shock Cord Hook



Type	Length: mm	Material	Format	Barcode	Part No:
White for cord 3-6mm	36	Nylon	Header & Bag	5056228211938	AQMA101
White for cord 8-10mm	63	Nylon	Header & Bag	5056228211945	AQMA102

Internal Slug Slides - Plastic

- ◆ Injection moulded from nylon 66



Dia (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part No:
7.5	3	27	10	5056228211600	AQMA016
9	3	27	10	5056228211624	AQMA017
12	3	27	10	5056228211648	AQMA018

Internal Flat Slides - Plastic

- ◆ Injection moulded from nylon 66



Width (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part No:
15.8	6.8	30	10	5056228211525	AQMA007
19	9	33	10	5056228211532	AQMA008
22	11	35	10	5056228211549	AQMA009

Selden Mast Slides - Plastic



A011 / A012

A013 / A014 / A015

Width (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part No:
20	8.5	30	10	5056228211556	AQMA011
20	8.5	40	10	5056228211563	AQMA012
11	3	22	10	5056228211570	AQMA013
14	4	30	10	5056228211587	AQMA014
15	4	40	10	5056228211594	AQMA015

Slug Slides with Welded Stainless Steel Bail

- ◆ Moulded-in welded bail gives maximum strength



Dia (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part No:
6.9	2.5	27	10	5056228211617	AQMA016S
8	2.5	27	10	5056228211631	AQMA017S
10	3.2	30	10	5056228211679	AQMA019S
11	3.4	30	10	5056228211655	AQMA018S

Heavy Duty Slug Slides with Moulded in Bail

- ◆ Injection moulded in low-friction nylon, with captive stainless steel bail
- ◆ Also used as a floating tack to give close-in attachment of sail to mast



Width (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part No:
8	3	50	10	5056228211754	AQMA031
9	3	50	10	5056228211761	AQMA032
12	4	73	10	5056228211778	AQMA033

Bainbridge Sail Shackle

- ◆ To be used with Bainbridge sail slides
- ◆ In anti-jamming plastic
- ◆ Designed for ease of use, high strength and able to absorb shock loads
- ◆ Screw attachment is the strongest and allows for easy detachment and re-attachment
- ◆ AQMA035BK specifically designed for connecting regular and allslip slides to full batten sails including Sailman 3000 systems

Allslip Low Friction Slide

- ◆ Seven profiles to fit most modern spars
- ◆ Precision moulded from glass fibre reinforced plastic with a PTFE impregnation
- ◆ Integral compression pad transfers loads on to aft face of spar
- ◆ AQMA114 is designed for use in Selden sections fitted with flush gates



Width (mm)	Waist (mm)	Length (mm)	Pack Qty	Barcode	Part No:
15.8	7	45	10	5056228211952	AQMA107
19	9	45	10	5056228211969	AQMA108
22	11	45	10	5056228211976	AQMA109
15.5	4.4	45	10	5056228211983	AQMA114
7.5	4	45	10	5056228211990	AQMA116
8.5	4	45	10	5056228212003	AQMA117
11.5	4	45	10	5056228212010	AQMA118



AQMA023 / 24

AQMA027 / 26 / 28



AQMA035BK

Use with Bainbridge Sail Slide	Attachment	Colour	Length mm	Width mm	Format	Barcode	Part No:
AQMA007/008/013/016/017	Push together/Snap In	White	39	10	Header & Bag	5056228211709	AQMA023
AQMA009/014/018	Push together/Snap In	White	45	11	Header & Bag	5056228211716	AQMA024
AQMA007/008/013/016/017/018/019/006M	Screw	White	45	10	Header & Bag	5056228211730	AQMA027
AQMA009/014/018	Screw	White	47	11	Header & Bag	5056228211723	AQMA026
AQMA009/014/018	Screw	White	47	11	Header & Bag	5056228211747	AQMA028
AQMA007/008/009/017/018	Screw	Black	61	11	Header & Bag	5056228211785	AQMA035BK

Bainbridge Cover Eyelet

- ◆ Injection moulded-in nylon sew through plastic with a straight stitch sewing machine
- ◆ Can be used as an eyelet or with lacing and shockcord



AQMA068WT



AQMA068BK

Type	Colour	Material	Format	Barcode	Part No:
Flat tab with eyelet	White	Sew through nylon	Header & Bag	5056228211822	AQMA068WT
Flat tab with eyelet	Black	Sew through nylon	Header & Bag	5056228211815	AQMA068BK

Bainbridge Cover Hook

- ◆ Injection moulded in nylon sew through plastic with a straight stitch sewing machine
- ◆ Can be used as a hook or with lacing and shockcord



AQMA069WT



AQMA069BK

Type	Colour	Material	Format	Barcode	Part No:
Flat tab with hook	White	Sew through nylon	Header & Bag	5056228211846	AQMA069WT
Flat tab with hook	Black	Sew through nylon	Header & Bag	5056228211839	AQMA069BK

Soft Shackle

- ◆ Made out of HMPE
- ◆ Will not rust or corrode
- ◆ Light and easy to handle
- ◆ Will not damage soft surfaces around it
- ◆ No tools needed to use it



Description	Dimensions mm	Pack qty	Format	Barcode	Part No:
Grey Soft Shackle HMPE	3 x 40	2	Euroslot Carded	5056228215646	AQM027403
Grey Soft Shackle HMPE	4 x 55	2	Euroslot Carded	5056228215653	AQM027554
Grey Soft Shackle HMPE	5 x 75	2	Euroslot Carded	5056228215660	AQM027755
Grey Soft Shackle HMPE	6 x 90	2	Euroslot Carded	5056228215677	AQM027906

Track

- ◆ Stainless steel
- ◆ Supplied in 300mm lengths



Type	Material	Format	Barcode	Part No:
16mm x 300mm	Stainless Steel	With ID Sticker	5056228215608	AQM026016
End	Nylon	Header & Bag	5056228215615	AQM026116

Bow Roller



Length mm	Width mm	Height mm	Material	Format	Barcode	Part No:
167	50	60	AISI304 Stainless Steel	Header & Bag	5056228204343	AQM054866

Bow Roller with Pivot Roller



Length mm	Width mm	Height mm	Material	Format	Barcode	Part No:
575	80	160	AISI316 Stainless Steel	Boxed with ID Sticker	5056228204350	AQM054867

Deck Fillers



Type	Head diameter mm	For Hose Diameter mm - inch	Secures by	Material	Format	Barcode	Part No:
Fuel	60	38, 1 1/2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204718	AQM054913
Waste	60	38, 1 1/2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204701	AQM054912
Water	60	38, 1 1/2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204695	AQM054911
Diesel	60	38, 1 1/2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204688	AQM054910
Fuel	70	50, 2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204756	AQM054917
Waste	70	50, 2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204749	AQM054916
Water	70	50, 2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204732	AQM054915
Diesel	70	50, 2	3 x screws/bolts	AISI316 Stainless Steel	Header & Bag	5056228204725	AQM054914
Fuel - no key required	-	38, 1 1/2	3 x screws/bolts	Black Nylon with captive cap	Boxed with ID Sticker	5056228215042	AQM006535
Water - no key required	-	38, 1 1/2	3 x screws/bolts	Black Nylon with captive cap	Boxed with ID Sticker	5056228215059	AQM006536
Water- no key required	-	50, 2	3 x screws/bolts	Black Nylon with captive cap	Boxed with ID Sticker	5056228215110	AQM006741



Angled Fuel Filler

Type	For Hose Diameter mm - inch	Secures by	Material	Format	Barcode	Part No:
Filler body only	50, 2	3 x screws/bolts	Black Nylon	Header & Bag	5056228214717	AQM001001
Locking Cap with barrel & keys			Black Nylon	Header & Bag	5056228214724	AQM001002

Plastic Deck Fillers

- ◆ Flip top and screw cap



Description	Colour	Hose diameter: mm / ins	Dimensions: mm										Format	Barcode	Part No:
			A	ØB	ØC	D	E	F	G	ØN	K	J			
Water - blue screw cap	White	38 / 1½	85	55	48	33	26	72	46	38	-	-	Header & Bag	5056228215790	AQM006552
Fuel - red screw cap	White	38 / 1½	85	55	48	33	26	72	46	38	-	-	Header & Bag	5056228215806	AQM006553
Water - blue screw cap with flip top cover	White	38 / 1½	80 x 93	55	48	33	26	72	46	38	84	98	Header & Bag	5056228215820	AQM006572
Fuel - red screw cap with flip top cover	White	38 / 1½	81 x 93	55	48	33	26	72	46	38	84	98	Header & Bag	5056228215837	AQM006573
Diesel - red screw cap with flip top cover	White	38 / 1½	82 x 93	55	48	33	26	72	46	38	84	98	Header & Bag	5056228215844	AQM006575
Fuel - red screw cap	White	51 / 2	85	55	48	33	26	72	46	50	-	-	Header & Bag	5056228215813	AQM006563
Fuel - red screw cap with flip top cover	White	51 / 2	83 x 93	55	48	33	26	72	46	50	84	98	Header & Bag	5056228215851	AQM006583
Diesel - red screw cap with flip top cover	White	51 / 2	84 x 93	55	48	33	26	72	46	50	84	98	Header & Bag	5056228215868	AQM006585



Winch Handle Pocket

Length mm	Width mm	Depth mm	Secures by	Material	Format	Barcode	Part No:
298	88	54	4 x Phillips screws and washer (included)	Soft PVC	Bagged with ID sticker	5056228214816	AQM002267

Drink Holder

- ◆ With raised outer lip
- ◆ Integrated drain hole with spigot for connecting to drain hose



Type	Outer Diameter mm	Inner Diameter mm	Depth mm	Secures by	Material	Format	Barcode	Part No:
Grey	95	67	65	Adhesive sealant	UV resistant ABS plastic	Header & Bag	5056228211075	AQM40202
White	95	67	65	Adhesive sealant	UV resistant ABS plastic	Header & Bag	5056228211068	AQM40201
Black	95	67	65	Adhesive sealant	UV resistant ABS plastic	Header & Bag	5056228211051	AQM40200

Drinks Tray

- ◆ Made with flexible intergral PU skin foam technology
- ◆ Non-slip and cups, glasses or bottles held firmly
- ◆ Easy to clean using only soap and water



Colour	L x H x W Dimensions: mm	Weight: kg	Format	Barcode	Part No:
Blue	270 x 230 x 50	0.3	ID sticker	5056228221401	AQM077001

Can Holder

- ◆ Made with flexible intergral PU skin foam technology
- ◆ Non-slip and cups, glasses or bottles held firmly
- ◆ Easy to clean using only soap and water
- ◆ Can be used to hold mobile phone, portable VHF or GPS
- ◆ Can be clipped to the guardrails, pulpit and stanchions
- ◆ Keeps temperature levels of drink



Colour	L x H x W Dimensions: mm	Weight: kg	Format	Barcode	Part No:
White	130 x 100 x 90	0.25	Header & Bag	5056228221425	AQM077003
Blue	131 x 100 x 90	1.25	Header & Bag	5056228221418	AQM077002

STORM

DECK HATCHES

Storm Classic Hatches

- ◆ Designed to last whatever you or the elements throw at them
- ◆ Storm Classic hatches fit the standard cutout sizes of most production boats - power and sail
- ◆ Direct replacement for Europe's most popular hatch
- ◆ Self supporting lid up to 90°
- ◆ Lid sits flat at 180°
- ◆ CE approved
- ◆ Lockable venting position
- ◆ Smoked acrylic
- ◆ Anodised aluminium

Hatch Specifications

Base	Size	Overall Length X: mm	Overall Width Y: mm	Overall Height Z: mm	Overall Height Z1: mm	Overall Radii R: mm	Cut out Length X1: mm	Cut out Width Y1: mm
Flanged	Classic 30	415	546	50	74	78	329	458
Flat Base	Classic 30	415	546	48	-	78	328	457
Flanged	Classic 50	466	596	50	74	78	379	509
Flat Base	Classic 50	466	596	48	-	78	378	508
Flanged	Classic 60	598	598	50	74	78	509	509
Flat Base	Classic 60	598	598	48	-	78	508	508



Classic 30


Classic 50



Tri-lingual retail display box



Cut out Radii R1: mm	Hatch Weight Kg	Acrylic Thickness Window mm	Barcode	Part No:
41	6.5	10	5056228205982	BM301001
41	7.25	10	5056228205999	BM302001
41	9.75	12	5056228206002	BM501001
41	8	12	5056228206019	BM502001
41	10.5	12	5056228206026	BM601001
41	9	12	5056228206033	BM602001



Hatch Dimensions



Classic 60

Replacement Handles

Hand	Format	Barcode	Part No:
Left	Header & Bag	5056228206040	BM9136LHKIT
Right	Header & Bag	5056228206057	BM9136RHKIT



Marine Neoprene Tape

Description	Colour	Dimensions: mm	Format	Barcode	Part No:
Hatchseal	Black	3 x 19 x 3	Header & Bag	5056228220091	AQM010328

Round Inspection Hatch

- ◆ Screw down type
- ◆ Grip bowls recessed into the deck plate
- ◆ Simple design
- ◆ Quick and easy to fit



Colour	With seal	Cut out mm	Diameter mm	Opening mm	Material	Format	Barcode	Part No:
White	-	114	145	103	Nylon	Header & Bag	5056228214984	AQM006048
White with check strap	Yes	138	180	127	Nylon	Header & Bag	5056228214823	AQM002268
White	-	165	205	155	Nylon	Header & Bag	5056228214991	AQM006050



Round Lock-Handle Access Hatch

- ◆ With flip up and turn locking handle
- ◆ Handle folds flush with deck plate surface when not in use

Colour	With seal	Cut out mm	Diameter mm	Opening mm	Material	Format	Barcode	Part No:
White	Yes	215	265	190	Nylon	Header & Bag	5056228214748	AQM002135




Rectangular Lock-Handle Access Hatch

- ◆ With flip up and turn locking handle
- ◆ Handle folds flush with deck plate surface when not in use
- ◆ Splash-proof cover with neoprene gasket
- ◆ Hinged with 160° opening
- ◆ Textured anti-slip surface

Colour	Outside Diameter mm	Inside Diameter mm	Opening Degree	Material	Format	Barcode	Part No:
White - Hinged	280 x 380	180 x 280	160°	Nylon	Bagged with ID sticker	5056228214755	AQM002136
White - Hinged	345 x 595	250 x 500	160°	Nylon	Bagged with ID sticker	5056228214762	AQM002137

Finger Release Inspection Hatch

- ◆ Specially designed thread automatically ejects cover after being turned 60° counter clockwise
- ◆ Can be sealed with an O-ring to make watertight




Colour	Diameter: mm		Dimensions: mm		Format	Barcode	Part No:
	A	B	C				
White	104	143	115		Header & Bag	5056228219613	AQM065602
Black	104	143	115		Header & Bag	5056228219644	AQM065612
White	130	170	142		Header & Bag	5056228219620	AQM065604
Black	130	170	142		Header & Bag	5056228219651	AQM065614
White	155	200	168		Header & Bag	5056228219637	AQM065606
Black	155	200	168		Header & Bag	5056228219668	AQM065616

- Ideal for external use on boats of any size
- Made from UV resistant high-grade ASA plastic
- No hinges so cover can be removed completely
- Easy opening
- Designed with a non-skid surface
- Mounted with hidden screws for discrete appearance

T-Handle Round Inspection Hatch

- ◆ Specially designed handle which ejects cover after turning 90° counter clockwise
- ◆ T shaped handle




Description	Colour	Diameter: mm		Dimensions: mm		Format	Barcode	Part No:
		A	B	C	D			
Fully removable hatch, 1 handle	White	185	265	219	205	Header & Bag	5056228219736	AQM065807
Fully removable hatch, 1 handle	White	235	315	265	250	Header & Bag	5056228219743	AQM065808



AQM065202

Inspection Hatch with Removable Cover

- ◆ EPDM rubber gasket provides resistance to water
- ◆ T shapes handle




AQM065204

Description	Colour	Overall Dimensions: mm A x B	Dimensions: mm				Format	Barcode	Part No:
			C	D	H	I			
Standard, Fully removable hatch, 1 handle	White	306 x 356	246	296	255	302	Header & Bag	5056228219590	AQM065202
Standard, Fully removable hatch, 1 handle	White	380 x 380	316	316	325	325	Header & Bag	5056228219606	AQM065204


Star Key Inspection Hatch

- ◆ Specially designed thread automatically ejects cover after being turned 360° counter clockwise



Description	Colour	Diameter: mm		Dimensions: mm		Certification	Format	Barcode	Part No:
		A	B	C					
Finger hold release, star key	White	100	139	114		-	Header & Bag	5056228219705	AQM065802
Finger hold release, star key	White	125	164	139		ISO12216	Header & Bag	5056228219712	AQM065805
Finger hold release, star key	White	150	205	165		ISO12216	Header & Bag	5056228219729	AQM065806


Finger Hold Inspection Hatch



Description	Colour	Diameter: mm		Dimensions: mm		Format	Barcode	Part No:
		A	B	C				
Finger hold release	White	108	162	120		Header & Bag	5056228219675	AQM065702
Finger hold release	White	133	187	145		Header & Bag	5056228219682	AQM065704
Finger hold release	White	168	222	180		Header & Bag	5056228219699	AQM065708

Finger Hold Inspection Hatch with Bag

- ◆ Specially designed thread automatically ejects cover after being turned 360° counter clockwise
- ◆ Ring secures bag in place
- ◆ Bag ideal for storing personal items on board





Description	Colour	Diameter: mm		Dimensions: mm		Format	Barcode	Part No:
		A	B	C				
Finger hold release, w/removable bag	White	108	162	120		Header & Bag	5056228219750	AQM065902
Finger hold release, w/removable bag	White	133	187	145		Header & Bag	5056228219767	AQM065904
Finger hold release, w/removable bag	White	168	222	180		Header & Bag	5056228219774	AQM065908



- Ideal for external use on boats of any size
- Made form UV resistant high-grade ASA plastic
- 180° opening door
- Durable handle(s) for easy opening
- Designed with a non-skid surface
- Can be mounted both horizontally and vertically
- Mounted with hidden screws for discrete appearance
- EPDM rubber gasket, provides resistance to water

Top Line Hatch



Description	Colour	Overall Dimensions:	Dimensions: mm				Certification	Format	Barcode	Part No:
		mm A x B	C	D	H	I				
Standard, 1 handle	White	270 x 375	190	289	196	296	ISO12216	Bagged With ID Sticker	5056228219477	AQM064212
Standard, 2 handles	White	353 x 606	275	520	283	530	ISO12216	Bagged With ID Sticker	5056228219491	AQM064214
Standard, 2 handles	White	315 x 440	237	357	243	363	ISO12216	Bagged With ID Sticker	5056228219484	AQM064213
Standard, 2 handles	White	243 x 607	162	521	173	530	ISO12216	Bagged With ID Sticker	5056228219460	AQM064211
Standard, 2 handles	White	370 x 375	293	293	295	295	ISO12216	Bagged With ID Sticker	5056228219507	AQM064216
Standard, 2 handles	White	460 x 525	382	433	390	445	ISO12216	Bagged With ID Sticker	5056228219514	AQM064217




Top Line Storage Hatch

Description	Colour	Overall Dimensions:	Dimensions: mm							Certification	Format	Barcode	Part No:
		mm A x B	C	D	E	F	G	H	I				
Standard, 1 handle	White	270 x 375	193	293	270	170	160	210	305	ISO12216	Bagged with ID Sticker	5056228219521	AQM064222
Standard w/drawers, 1 handle	White	270 x 375	193	293	270	170	160	210	305	-	Bagged With ID Sticker	5056228219538	AQM064232

Top Line Storage Hatch - Gas Bottle

- ◆ For storage of 3kg gas bottle
- ◆ Fixing strap for securing bottle supplied



Description	Colour	Overall Dimensions:	Dimensions: mm							Format	Barcode	Part No:
		mm A x B	C	D	E	F	G	H	I			
Interrupted gasket, 1 handle	White	370 x 390	289	323	330	300	270	305	338	With ID Sticker	5056228219545	AQM064242


Mid Line Hatch



AQM064102



With Lock - AQM064112



AQM064104
AQM064106



With Lock - AQM064114
With Lock - AQM064116



Description	Colour	Overall Dimensions: mm A x B	Dimensions: mm				Format	Barcode	Part No:
			C	D	H	I			
Standard, 2 handles	White	355x 600	250	500	282	529	Bagged With ID Sticker	5056228219354	AQM064104
With lock, 2 handles	White	355x 600	250	500	282	529	Bagged With ID Sticker	5056228219385	AQM064114
Standard, 1 handle	White	278 x 378	175	275	198	296	Bagged With ID Sticker	5056228219347	AQM064102
With lock, 1 handle	White	278 x 378	175	275	198	296	Bagged With ID Sticker	5056228219378	AQM064112
Standard, 2 handles	White	380 x 380	275	275	298	298	Bagged With ID Sticker	5056228219361	AQM064106
With lock, 2 handles	White	380 x 380	275	275	298	298	Bagged With ID Sticker	5056228219392	AQM064116


Mid Line Storage Hatch



AQM066124



With Lock - AQM064134



AQM064132



With Lock - AQM064132



AQM064142

Description	Colour	Overall Dimensions: mm A x B	Dimensions: mm							Format	Barcode	Part No:
			C	D	E	F	G	H	I			
Standard, 2 handles	White	355x 600	250	500	520	280	320	285	535	Bagged With ID Sticker	5056228219408	AQM064124
With lock, 2 handles	White	355x 600	250	500	520	280	320	285	535	Bagged With ID Sticker	5056228219422	AQM064134
With lock, 1 handle	White	278 x 378	175	275	270	170	160	210	305	Bagged With ID Sticker	5056228219415	AQM064132
Standard, w/drawers, 1 handles	White	278 x 378	175	275	270	170	160	210	305	Bagged With ID Sticker	5056228219446	AQM064142
With lock, w/drawers, 1 handle	White	278 x 378	175	275	270	170	160	210	305	Bagged With ID Sticker	5056228219453	AQM064152
With lock, 2 handles	White	380 x 380	275	275	280	280	250	315	315	Bagged With ID Sticker	5056228219439	AQM064136


Classic Hatch



AQM064002



With Lock - AQM064012



Description	Colour	Overall	Dimensions: mm				Format	Barcode	Part No:
		Dimensions: mm A x B	C	D	H	I			
Standard, 1 handle	White	275 x 375	180	280	198	298	Bagged With ID Sticker	5056228219224	AQM064002
Standard, w/removable cover, 1 handle	White	275 x 375	180	280	198	298	Bagged With ID Sticker	5056228219255	AQM064012
Standard, 2 handles	White	355 x 600	255	500	275	529	Bagged With ID Sticker	5056228219231	AQM064004
Standard, w/removable cover, 2 handles	White	355 x 600	259	506	282	530	Bagged With ID Sticker	5056228219262	AQM064014
Standard, 2 handles	White	463 x 517	362	416	386	442	Bagged With ID Sticker	5056228219248	AQM064006



Classic Storage Hatch



AQM064032



AQM064042






AQM064022



AQM064034




AQM064024



Description	Colour	Overall	Dimensions: mm							Format	Barcode	Part No:
		Dimensions: mm A x B	C	D	E	F	G	H	I			
Standard, 1 handle	White	275 x 375	180	280	270	170	160	210	305	Bagged With ID Sticker	5056228219309	AQM064032
Standard, w/drawers, 1 handle	White	275 x 375	180	280	270	170	160	210	305	Bagged With ID Sticker	5056228219330	AQM064042
Standard, w/storage bag, 1 handle	White	275 x 375	180	280	-	-	220	198	298	Bagged With ID Sticker	5056228219279	AQM064022
Standard, 2 handles	White	355 x 600	255	500	495	245	291	280	535	Bagged With ID Sticker	5056228219316	AQM064034
Standard, w/storage bag, 2 handles	White	355 x 600	250	500	-	-	220	275	524	Bagged With ID Sticker	5056228219286	AQM064024
Standard, 2 handles	White	463 x 517	362	416	410	350	290	395	445	Bagged With ID Sticker	5056228219323	AQM064036
Standard, w/storage bag, 2 handles	White	463 x 517	362	416	-	-	220	386	442	Bagged With ID Sticker	5056228219293	AQM064026

Utility Storage Unit - 1/2 Open

- ◆ Ideal for storing loose items when on board
- ◆ Space saving on deck
- ◆ 1/2 open with protective barrier blocking the lower half
- ◆ Can be placed horizontally on any flat surface
- ◆ Easily mounted using silicone or polyurethane construction adhesive
- ◆ Drilling points marked, in case screws are required
- ◆ Made of highly resistant plastic material



Overall Dimensions		Dimensions: mm									Format	Barcode	Part No:
Description	Colour	H x W x D	A	B	C	D	G	H	I				
1/2 Open	White	170 x 420 x 100	170	420	120	370	100	380	130	With ID Sticker	5056228219781	AQM065985	

Storage Net


- ◆ High quality storage net, ideal for keeping loose items safe
- ◆ Made of UV resistant plastic
- ◆ Easy installation - either screws or stuck
- ◆ Appropriate for inflatable and rigid boats
- ◆ Supplied with adhesive sticker



Overall Dimensions		Format	Barcode	Part No:
Description	Colour			
Black Net	White	120 x 205 x 10	5056228219804	AQM065989

Refuse Bag Holder


- ◆ Ideal for keeping cockpit and cabin tidy and clean
- ◆ Easily mounted on any flat and even surface or on rails
- ◆ Cover prevents contents from falling out of bag
- ◆ Can use common supermarket bags or kitchen refuse bags
- ◆ Not supplied with bags



Overall Dimensions		Format	Barcode	Part No:
Description	Colour			
With cover	White	6.5 x 28 x 13.7	5056228219798	AQM065988

Universal Radio/CD Case Cover


- ◆ Ideal for protecting the radio/CD player
- ◆ Suitable for all 1 DIN (180mm x 50mm) units
- ◆ Includes curved, transparent cover



Overall Dimensions		Format	Barcode	Part No:
Description	Colour			
Transparent	Smoked	110 x 235 x 14	5056228216865	AQM013040

Fire Extinguisher Storage Case

- ◆ Allows safe and protected storage of fire extinguisher in cockpit or on dashboard
- ◆ Impervious to harsh weather, watertight and offers easy and safe access during emergency situations
- ◆ Precise lid/door closure.
- ◆ Made from UV resistant ASA
- ◆ Elimination of metal reduces chance of personal injuries
- ◆ No sharp corners or glass to shatter



Extinguisher		Dimensions: mm									Format	Barcode	Part No:	
Description	Colour	size: kg	A	B	C	D	E	F	G	H				I
With door	White	1	174	424	120	370	105	434	196	124	374	With ID Sticker	5056228219552	AQM064422
With door	White	2	204	474	150	415	120	484	226	154	424	With ID Sticker	5056228219576	AQM064432
With transparent door	White	1	174	424	120	370	105	434	196	124	374	With ID Sticker	5056228219569	AQM064423
With transparent door	White	2	204	474	150	415	120	484	226	154	424	With ID Sticker	5056228219583	AQM064433

Shore Power Case


- ◆ Ideal for controlling high current devices such as winches, capstans, and other equipment
- ◆ ASA outer case impervious to hydrocarbons and temperature fluctuations
- ◆ Hinged cover resistant to shocks and UV-rays
- ◆ Pre-wired for easy installation
- ◆ European plus, comes with a bi-polar residual circuit breaker and LED indicator
- ◆ Max voltage 220V



Overall Dimensions		Current: Voltage	Format	Barcode	Part No:
Description	Colour				
Standard	White	220 16	With ID Sticker	5056228216841	AQM013034
European Plus - circuit breaker and LED indicator	White	220 32	With ID Sticker	5056228216858	AQM013035

Battery Switch Case

- ◆ Ideal for storing and keeping safe the battery switch
- ◆ ASA UV resistant outer case
- ◆ Watertight gasket included



AQM009980



AQM009984 and AQM009988

Dimensions: mm										
Description	Colour	Capacity: A	A	ØB	C	D	ØE	Format	Barcode	Part No:
Case w/watertight lid	White	-	95	68	5	72	75	Header & Bag	5056228215981	AQM009980
Case with switch and watertight lid	White	100 (500A for 10 sec. max)	95	68	5	72	68	Header & Bag	5056228215998	AQM009984
Case with switch and watertight lid	White	200 (1000A for 10 sec. max)	95	68	5	72	68	Header & Bag	5056228216001	AQM009988



AQM005011

AQM005012

Battery Switch

Type	Rating Amp	Format	Barcode	Part No
Key Operation	100	Boxed with ID Sticker	5056228214953	AQM005011
Replacement Key for Q005011	-	Header & Bag	5056228214960	AQM005012

Hinges



Type	Length mm	Width mm	Secures by	Material	Format	Barcode	Part No:
Small Grey	50	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211259	AQM75222
Small White	50	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211235	AQM75212
Small Black	50	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211211	AQM75202
Large Grey	57	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211266	AQM75223
Large White	57	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211242	AQM75213
Large Black	57	40	4 x 5mm screws	Nylon	Euroslot Carded	5056228211228	AQM75203

Spring Stay

- ◆ Simple spring design



Length mm	Secures by	Material	Format	Barcode	Part No:
216	4 x screws	Stainless Steel	Header & Bag	5056228215752	AQM006129

Telescopic Stay

- ◆ Universal stay for hatches, cover lids etc.
- ◆ Opening adjuster clamp
- ◆ One end rotates for horizontal / vertical / angled screw location



Length mm	Extended Length mm	Secures by	Material	Format	Barcode	Part No:
260	470	4 x screws	Chrome plate on brass	Boxed with ID Sticker	5056228215134	AQM007405



Bracket for VHF Microphone

Description	Colour	Dimensions: L x W x H	Format	Barcode	Part No:
Bracket	Black	35 x 35 x 8	Header & Bag	5056228216179	AQM010049



Louvred Vent

Type	Length mm	Width mm	Flange depth mm	Material	Format	Barcode	Part No:
Long Narrow	432	76	13	AISI316 Stainless Steel	Header & Bag	5056228215066	AQM006612



Closable Outlet

Colour	Flange mm	Cut Out mm	Material	Format	Barcode	Part No:
Black	113.5	88.5	Black Nylon	Header & Bag	5056228215509	AQM077055



Round Vent

Colour	For Pipe mm / in	Outer Diameter mm	Inner Diameter mm	Material	Format	Barcode	Part No:
Grey	75 - 3	100	75	HDPE	Header & Bag	5056228211327	AQM90502
White	75 - 3	100	75	HDPE	Header & Bag	5056228211310	AQM90501
Black	75 - 3	100	75	HDPE	Header & Bag	5056228211303	AQM90500



Adapters for Round Vent

◆ For use with round vent AQM90500 / 1 / 2

Colour	For Pipe mm / in	Outer Diameter mm	Inner Diameter mm	Material	Format	Barcode	Part No:
90°	75 - 3	91	76	HDPE	Header & Bag	5056228211358	AQM90602
Straight	75 - 3	91	76	HDPE	Header & Bag	5056228211341	AQM90601
Flange	75 - 3	91	76	HDPE	Header & Bag	5056228211334	AQM90600



Ventilations Shaft Grilles Cover



Description	Diameter: mm	Colour	Format	Barcode	Part No:
Square	85	White	Header & Bag	5056228217428	AQM021005
Square	85	Black	Header & Bag	5056228217435	AQM021006




Ventilations Shaft Grilles Cover

Description	Diameter: L x H	Colour	Format	Barcode	Part No:
Oblong	200 x 100	White	Header & Bag	5056228217459	AQM021011
Oblong	200 x 100	Black	Header & Bag	5056228217466	AQM021012

Ventilation Clam Shell Cover




Description	Diameter: L x W x H	Colour	Format	Barcode	Part No:
Clam Shell	55 x 50 x 12	White	Header & Bag	5056228217473	AQM021015
Clam Shell - extra protection	215 x 180 x 70	White	Header & Bag	5056228217480	AQM021017



Ventilator Connector and Cover

- ◆ Manufactured from polypropylene
- ◆ Made to support hose along bulkhead
- ◆ Louvred to ensure ventilation but prevents heavy water ingress
- ◆ Quick and easy installation:
- ◆ Drill a $\varnothing 76.2$ mm hole. Notches ensure the perfect hold of the adapter in the bulkhead. Secure the adapter with 4 x M4 screws and sealant for waterproofness (compatible with most common sealants). Clip a louvred vent if necessary: moulded-in ribs contribute to the vent's secured position. Fit the hose on the adapter. Two lugs hold the hose, while waiting to be secured with stainless steel hose clips (not supplied).



Description	Diameter: mm	Colour	Hose suitability: mm	Format	Barcode	Part No:
Straight - 3" adapter	76	White	$\varnothing 76.2$ and 70	Header & Bag	5056228217497	AQM021022
Elbow - 90° adapter	76	White	$\varnothing 76.2$ and 70	Header & Bag	5056228217503	AQM021023
Flange - 5mm	76	White	$\varnothing 76.2$ and 70	Header & Bag	5056228217510	AQM021024
Straight	102	White	102	Header & Bag	5056228217527	AQM021025
Louvred cover	76	White	-	Header & Bag	5056228217404	AQM021002
Louvred cover	76	Black	-	Header & Bag	5056228217411	AQM021003
Louvred cover	102	White	-	Header & Bag	5056228217442	AQM021008



Solar Cell and Fan

Description	Voltage	Format	Barcode	Part No:
Blower w/o battery for autonomous fan	12	Euroslot Carded	5056228217565	AQM021042
Blower & battery for autonomous solar powered fan	1.2	Euroslot Carded	5056228217572	AQM021043
Solar Cell for Autonomous Solar Powered Fan	-	Euroslot Carded	5056228217589	AQM021044

Cabin Vent

- ◆ Offering natural ventilation indoors
- ◆ Prevents water leaks from waves and rain
- ◆ Manual opening and closing



Description	Diameter: mm	Colour	Format	Barcode	Part No:
Manual vent	20	White	Euroslot Carded	5056228217541	AQM021032

Solar Vent

- ◆ Provides mechanical ventilation utilising solar energy
- ◆ Solar panel activates fan, allowing air flow
- ◆ Autonomous vents detect water flow from waves and rain
- ◆ Special balls inside vents are pushed by the water to shut ventilation holes and ensure impermeability
- ◆ Two functions; 1. Activates solar function, 2. Modifies fan's function from clockwise to counter clockwise.



Description	Diameter: mm	Colour	Format	Barcode	Part No:
Manual vent	20	White	Euroslot Carded	5056228217534	AQM021031

'24 Hour' Vent

- ◆ Completely automatic, using solar energy on sunny days and batteries, during the night.
- ◆ Forced ventilation controlled through dynamic impeller: clockwise for inflow and counter clockwise to exhaust air
- ◆ User adjusts vent on corresponding function through on/off switches
- ◆ Active air movement absorbs moisture and refreshes the interior
- ◆ Special balls inside vents are pushed by the water to shut ventilation holes and ensure impermeability



Description	Diameter: mm	Colour	Format	Barcode	Part No:
'24 Hour' vent	20	White	Euroslot Carded	5056228217558	AQM021035

Transom Pad - Plastic


- ◆ Offers protection against outboard clamp damage
- ◆ Avoids scratching and marking on transoms
- ◆ Helps to absorb engine vibration
- ◆ Great for reinforcing transoms on dinghies
- ◆ Made from rigid plastic, textured surface to reduce slipping of outboard clamp bolts



Type	Dimensions	Colour	Material	Barcode	Part No:
Small	85 H x 197 L mm	Black	UV resistant polypropylene	5056228211082	AQM50200
Small	85 H x 197 L mm	White	UV resistant polypropylene	5056228211105	AQM51200
Small	85 H x 197 L mm	Grey	UV resistant polypropylene	5056228211112	AQM52200
Large	95 H x 265 L mm	Black	UV resistant polypropylene	5056228211099	AQM50201

Transom Pad - Aluminium

- ◆ Offers protection against outboard clamp damage
- ◆ Avoids scratching and marking on transoms
- ◆ Helps to absorb engine vibration
- ◆ Great for reinforcing transoms on dinghies
- ◆ Made from cast aluminium
- ◆ Features safety ring for engine cable



Type	Dimensions	Colour	Material	Barcode	Part No:
Alloy finish	100 H x 317 L mm	Grey	Alloy	5056228214830	AQM002511

Rail Mounted Outboard Bracket

- ◆ Ideal for permanently mounting outboard on the stern rail
- ◆ Made of rigid, non-slip UV resistant plastic
- ◆ Bracket provides secure and stable mount for engine
- ◆ Designed to fit 25mm diameter rails



Description	Colour	Overall Dimensions: mm W x H x D	Format	Barcode	Part No:
Rail mount	White	228 x 150 x 46	Euroslot Carded	5056228218128	AQM036981

Outboard Transom Pad

- ◆ Offering protection against outboard clamp damage
- ◆ Ideal for most sized transoms
- ◆ Pad made of rigid UV stabilised polypropylene
- ◆ Non-slip surface for secure engine mounting



Description	Colour	Overall Dimensions: mm W x H x D	Format	Barcode	Part No:
Pad	White	270 x 98	Euroslot Carded	5056228218692	AQM050311
Pad	Black	270 x 98	Euroslot Carded	5056228218708	AQM050312
Pad	White	320 x 220	Euroslot Carded	5056228218715	AQM050321
Pad	Black	320 x 220	Euroslot Carded	5056228218722	AQM050322

Transom Drains & Plugs



AQM003220

AQM002792

AQM002786



AQM21114

AQM21115

AQM20114



AQM20115

AQM20215

AQM054821

Type	Flange mm	Length mm	Outer Diameter mm	Inner Diameter mm	Material	Format	Barcode	Part No:
Nylon Drain Tube only - with retaining collar	32	58	25	19	Nylon	Header & Bag	5056228214915	AQM003220
Drain Plug and Sleeve	30	60	26	24	Brass Plug, Stainless Tube	Header & Bag	5056228214854	AQM002792
Drain Plug with Chain	-	96	25	-		Header & Bag	5056228214847	AQM002786
White Transom Drain with Non Return Valve	-	80	80	36	Nylon	Header & Bag	5056228210900	AQM21114
White Transom Drain with Non Return Valve	-	80	80	42	Nylon	Header & Bag	5056228210917	AQM21115
Black Transom Drain with Non Return Valve	-	80	80	36	Nylon	Header & Bag	5056228210870	AQM20114
Black Transom Drain with Non Return Valve	-	80	80	42	Nylon	Header & Bag	5056228210887	AQM20115
Screw In Drain Plug and Body	40	40	-	20	Nylon	Header & Bag	5056228210894	AQM20215
Drain Plug	48	45	26	25	AISI316 Stainless Steel	Header & Bag	5056228203933	AQM054821

Motor Splashwell Witches Hats - for steering cables

♦ Ideally suited for mounting on the transom to splash seal the exit of steering cable from transom



AQM10104

AQM10106

AQM10109

Type	Material	Outer Ring Diameter mm	Inner Diameter mm	Height mm	Barcode	Part No:
Small straight cone type for neat single cable applications	Nylon glass reinforced ring with Dryflex SEPS gaiter	79	51	30	5056228210801	AQM10104
Medium ridged cone type for neat single cable applications	Nylon glass reinforced ring with Dryflex SEPS gaiter	119	86	41	5056228210818	AQM10106
Large ridged cone type for neat single/dual cable applications	Nylon glass reinforced ring with Dryflex SEPS gaiter	139	103	90	5056228210825	AQM10109

Motor Splashwell Grommets/Cable Outlets - for multiple cables

♦ Ideally suited for mounting and routing multiple lines to outboards



AQM10103

AQM10120

Type	Material	Outer Ring Diameter mm	Inner Diameter mm	Height mm	Barcode	Part No:
Small flat type with 3 nipples	Nylon glass reinforced ring with Dryflex SEPS gaiter	79	51	10	5056228210795	AQM10103
Medium drawstring type with cable tie	Nylon glass reinforced ring with Dryflex SEPS gaiter	107	73	70	5056228210832	AQM10120

Motor Splashwell Conduit System

♦ Designed for use as a 3 part system, this enables really neat installations to be made and allows cables, wires and hoses to be hidden from sight in a really neat convoluted tube. This tube allows flex and free movement as the outboard is steered. Tube is designed to screw into the transom socket and then is cut to length with the rubber reducer slipped on the end of the tube

♦ Supplied in individual parts and as a kit



AQM10130

AQM10140


AQM10135

Type	Barcode	Part No:
Transom socket for screwing tube to the transom. Black.	5056228210849	AQM10130
Convoluted tube for steering, control, wires etc. Black 15 metre reel.	5056228210832	AQM10135
Tube end fitting for terminating cables at outboard - push on in Dryflex SEPS material Black	5056228210863	AQM10140
Complete Splashwell Conduit Kit includes: AQM10130, AQM10135 & AQM10140	5056228211365	AQM10141



Cable Boot

Description	Colour	Overall Diameter: mm	Cut-out Diameter: mm	Height: mm	Format	Barcode	Part No:
With screwed ring	Black	105	55	65	Header & Bag	5056228215929	AQM009922
With screwed ring	Black	150	120	110	Header & Bag	5056228215936	AQM009923
Adjustable with screwed ring	Black	105	85	68	Header & Bag	5056228215943	AQM009925



Destroyer Steering Wheel

- ◆ Universal taper hub for SeaStar, Teleflex, Morse and Ultraflex helms

AQM002144

AQM002142

Type	Dished	Glove	Diameter mm	Material	Format	Barcode	Part No:
5 Spoke	Yes	Black Polyurethane	350	AISI316 Stainless Steel	Boxed with ID Sticker	5056228214786	AQM002144
5 Spoke	Yes	Grey Polyurethane	350	AISI316 Stainless Steel	Bagged with ID Sticker	5056228214779	AQM002142

Classic Steering Wheel

- ◆ Highly durable to resist harsh marine environment
- ◆ Corrosion resistant
- ◆ Made of polypropylene
- ◆ Ergonomic design
- ◆ Widely used in yachts, speedboats, fishing boats and larger vessels
- ◆ Easy installation and easy to store



Description	Colour	Diameter: mm	Format	Barcode	Part No:
3 spoke, fits 37mm tapered shafts	Black	350	Euroslot Carded	5056228215783	AQM002153
3 spoke, fits 37mm tapered shafts	White	350	Euroslot Carded	5056228215776	AQM002152

Cables coming soon!



Battery Boxes & Holders

- ◆ Restrains battery movement
- ◆ Collects battery acid
- ◆ Made of polypropylene
- ◆ Acid, UV and heat resistant
- ◆ Side handles to facilitate transportation
- ◆ Lift-off lid for unobstructed inspection
- ◆ Cable ports for untangled, safe cables
- ◆ Mounting equipment: Includes durable hold-down fastening strap and foot clamps that secure the strap onto the supporting surface (screws not included)

Tips to choose the best fit for your battery:

Ideally, choose the internal dimensions to be equal or slightly larger than your battery

Use a spacer where it is needed to prevent the battery from moving within the box

Remember to include the height of the terminals while measuring the battery



AQM009972 AQM009974 AQM009976 AQM009964 & AQM009965

Description	External dimensions: mm h x w x l	Internal dimensions: mm h x w x l	Max battery size: mm	Format	Barcode	Part No:
Up to 80Ah	340 x 230 x 250	280 x 195 x 230	280	With ID Sticker	5056228215950	AQM009972
Up to 100Ah	431 x 257 x 256	339 x 199 x 224	339	With ID Sticker	5056228215967	AQM009974
Up to 120Ah	470 x 225 x 255	385 x 175 x 225	385	With ID Sticker	5056228215974	AQM009976
Black Nylon small	32 x 178 x 280	30 x 179 x 282	282	Header & Bag	5056228215356	AQM009964
Black Nylon large	34 x 178 x 330	32 x 179 x 320	320	Header & Bag	5056228215363	AQM009965

Tank / Battery Box Accessories

- ◆ For secure fixing of fuel tank or battery box
- ◆ Universal bracket and holding straps for use with liferafts and most fixed tanks including Ercole, Sogliola and Diablo tanks - see page 72



AQM010044 AQM010043 AQM010042 AQM009990

Description	Strap length: M	Includes	Exterior dims: mm	Interior dims: mm	Format	Barcode	Part No:
Strap for fuel tank or battery box in place	1.3	Hasps and buckles for strap	-	-	Header & Bag	5056228219958	AQM010044
Bracket for fuel tank or Battery box w/strap	1.5	-	-	-	Header & Bag	5056228219965	AQM010043
Universal base with strap, 485 x 35 x 340mm	-	-	485 x 340 x 35	470 x 320	With Card ID Tag	5056228219972	AQM010042
Universal Bracket & Holding Straps	-	-	-	-	ID sticker	5056228216155	AQM010045
Protection covers for battery terminals	-	-	-	-	Header & Bag	5056228216018	AQM009990

Funnels

- ◆ Extensive range of sizes to suit all applications
- ◆ Ideal for fuelling operations
- ◆ Minimises the risk of spilling fuel - safer and better for the environment
- ◆ Resistant to acids, alkalis and other chemicals



AQM012612 AQM012614 AQM012620 AQM012616

Type	Colour	Opening	Spout Hose	Dims	Temp range	Material	Format	Barcode	Part No:
Small - Standard - Fracture proof polyethylene (HD-PE) - with hanging eyelet	Clear	120mm	None	145.5 x 120mm	-20°C to +70°C	HDPE Polyethylene	With ID Sticker	5056228214670	AQM012612
Medium - Standard, racture proof with hanging eyelet	Clear	140mm	None	166.8 x 140mm	-20°C to +70°C	HDPE Polyethylene	With ID Sticker	5056228214687	AQM012614
Large - Anti-Splash collar, integrated long angled spout, filter and handle, fracture proof	Hi Vis Red	205mm	None	322 x 205mm	-	HDPE Polyethylene	With ID Sticker	5056228214694	AQM012620
Heavy Duty - overflow rim, detachable flexi spout	Bright tin	160mm	300mm tin plated convoluted tube with HD-PE ends	225 x 165 x 200mm	-	Tin & HDPE	With ID Sticker	5056228214540	AQM012616




Funnel with Filter

Description	Dims: mm Ø x H	Format	Barcode	Part No:
Funnel	180 x 240	With ID Sticker	5056228216759	AQM012610

Bailer Funnel


- ◆ Ideal for use in both larger vessels and dinghies



Type	Colour	Dims: mm L x W	Format	Barcode	Part No:
With filter	Red	290 x 110	With ID Sticker	5056228216780	AQM012632
Flexible and floating	Blue	190 x 135	With ID Sticker	5056228216773	AQM012631

Diablo Smart Tank

- ◆ Made of recyclable HDPE material
- ◆ Complies with international standards
- ◆ Can be used for fuels such as gasoline, diesel, ethanol, alternative fuels and organic vegetable oils
- ◆ Easy Switch hatch, can be purchased separately based on the use of the tank, and manually interchangeable.
- ◆ Secured and seated by rotation of the hatch and is held in place by a locking pin, preventing it coming lose
- ◆ To clean tank just lift locking pin and remove hatch by unscrewing it
- ◆ Easy to wash



Description	Capacity: L	Length: mm	Width: mm	Height: mm	Format	Barcode	Part No:
Tank only without plate	37	500	360	230	With ID Sticker	5056228216872	AQM014037
Tank only without plate	48	650	360	230	With ID Sticker	5056228216889	AQM014048
Tank only without plate	60	800	360	230	With ID Sticker	5056228216902	AQM014060
Tank only without plate	70	950	360	230	With ID Sticker	5056228216926	AQM014070
Tank only without plate	82	1100	360	230	With ID Sticker	5056228216940	AQM014082
Tank only without plate	49	500	360	305	With ID Sticker	5056228216896	AQM014049
Tank only without plate	64	650	360	305	With ID Sticker	5056228216919	AQM014064
Tank only without plate	78	800	360	305	With ID Sticker	5056228216933	AQM014078
Tank only without plate	93	950	360	305	With ID Sticker	5056228216957	AQM014083
Tank only without plate	108	1100	360	305	With ID Sticker	5056228216964	AQM014108

Easy Switch Plates

- ◆ Supplied with gasket, connectors and caps



Description	Format	Barcode	Part No:
Fuel - Red	Euroslot	5056228216995	AQM015003
Water - Blue	Euroslot	5056228216988	AQM015002
Waste Tank Height: 230mm - Brown	Euroslot	5056228217008	AQM015004
Waste Tank Height: 305mm - Brown	Euroslot	5056228217015	AQM015005
Blind - White	Euroslot	5056228216971	AQM015001

Easy Switch Fittings



Description	Fuel - Red	Water - Blue	Waste - H230 Brown	Waste - H305 Brown	Blind	Format	Barcode	Part No:
Connector 90°, Ø38mm, 1½" thread 	✓	✓	Requires 2	Requires 2	-	Header & Bag	5056228217091	AQM015026
Cap 1½" thread 	✓	-	-	-	-	Header & Bag	5056228217046	AQM015015
Cap ¾" thread 	Requires 2	-	-	-	-	Header & Bag	5056228217039	AQM015013
Connector 90°, Ø17mm, ¾" thread 	✓	✓	-	-	-	Header & Bag	5056228217077	AQM015024
Cap ½" thread 	✓	-	-	-	-	Header & Bag	5056228217022	AQM015012
Connector 90°, Ø11mm, ½" thread 	✓	-	-	-	-	Header & Bag	5056228217053	AQM015022
Connector 90°, Ø13mm, ¾" thread 	-	✓	-	-	-	Header & Bag	5056228217060	AQM015023
Connector 90°, Ø25mm, 1½" thread 	-	-	Requires 2	Requires 2	-	Header & Bag	5056228217084	AQM015025
Set Connectors, 90° Ø25&20mm 1" thread 	-	-	✓	✓	-	Header & Bag	5056228217107	AQM015028
Internal Gasket diameter 235 x 17,5mm 	✓	✓	✓	✓	✓	Header & Bag	5056228217114	AQM015029

Aquaflow Tanks

- ◆ The ingeniously designed Aquaflow Tanks
- ◆ Moulded in tough, dark blue anti-algae shatterproof polyethylene
- ◆ Supplied with threaded blanks fitted
- ◆ Can be used in any position, even upside-down and provides an inlet, an outlet, provision for a draincock and vent in the right place
- ◆ Made from food grade approved polymer



AQM007708



AQM007715

Capacity	Inlet dimensions BSP	Outlet dimensions BSP	Dims cm	Barcode	Part No
34L (7.50 gal)	1¼-1½" stepped	¾"	23 x 33 x 48	5056228207337	AQM007715
45L (10 gal)	1¼-1½" stepped	¾"	23 x 46 x 48	5056228207306	AQM007708



AQM0077110



AQM007711



AQM007764




AQM007713

Description	Barb	Thread BSP	Material	Format	Barcode	Part No
Hose connector straight adaptor	½"	¾"	Nylon	Header & Bag	5056228215288	AQM007710
Hose connector right angle adaptor	½"	¾"	Nylon	Header & Bag	5056228215295	AQM007711
Y connector	¾"	-	Polyacetal Copolymer	Header & Bag	5056228215318	AQM007764
Tank Plug	¾" BSP	-	Nylon	Header & Bag	5056228215301	AQM007713

Flexible Water Tanks

- ◆ Lightweight and form fitting
- ◆ Strong, reliable, practical and low cost
- ◆ For storage of fresh water
- ◆ Made from non-toxic PVC
- ◆ Eyelets in each corner to secure in yacht
- ◆ Rectangular and triangular options
- ◆ Supplied complete and ready to install
- ◆ Includes: 2 welded fittings, Ø38mm inlet fitting and Ø12mm outlet valve with moveable thread tightening rings for maximum sealing



Description	Capacity: L	Flat dimensions: mm			Full dimensions: mm			Format	Barcode	Part No:
		A	B	C	A	B	Height: mm			
Rectangle, Grey	55	750	740	-	700	715	430	Header & Bag	5056228217121	AQM016055
Rectangle, Grey	75	840	740	-	755	690	440	Header & Bag	5056228217138	AQM016075
Rectangle, Grey	100	1000	740	-	910	685	500	Header & Bag	5056228217145	AQM016100
Rectangle, Grey	120	1250	740	-	1155	700	510	Header & Bag	5056228217152	AQM016120
Rectangle, Grey	150	1500	740	-	1380	700	535	Header & Bag	5056228217169	AQM016150
Rectangle, Grey	200	1700	740	-	1600	680	535	Header & Bag	5056228217176	AQM016200
Triangular, Grey	55	860	930	210	795	800	305	Header & Bag	5056228217183	AQM017055
Triangular, Grey	100	1140	1160	210	1105	1090	420	Header & Bag	5056228217190	AQM017100



AQM016301



AQM016302



AQM015015

Flexible Water Tank Fittings

Description	Colour	Hose Diameter: mm	Thread inch	Format	Barcode	Part No:
Outlet Elbow	Black	12	1½	Header & Bag	5056228221470	AQM016301
Inlet Elbow	Black	38	1½	Header & Bag	5056228221487	AQM016302
Cap	Black	-	1½	Header & Bag	5056228217046	AQM015015



Sensors

- ◆ Stainless Steel 316
- ◆ SAE5

Description	Resistance: OHM	Height: mm	Voltage	Format	Barcode	Part No:
Fuel & water	0-190	150	12/24	Header & Bag	5056228217275	AQM018432
Fuel & water	0-190	250	12/24	Header & Bag	5056228217282	AQM018434
Fresh & waste water	240-33	150	12/24	Header & Bag	5056228217251	AQM018422
Waste water	240-33	233	12/24	Header & Bag	5056228217268	AQM018424



Level Gauge

- ◆ Clear easy to read dials

Description	Resistance: OHM	Diameter: mm	Voltage	Colour	Format	Barcode	Part No:
Water	0-190	52	12/24	Black	Header & Bag	5056228217312	AQM018445
Fuel	0-190	52	12/24	Black	Header & Bag	5056228217299	AQM018442
Waste	0-190	52	12/24	Black	Header & Bag	5056228217336	AQM018448
Water	240-33	52	12/24	Black	Header & Bag	5056228217329	AQM018446
Fuel	240-33	52	12/24	Black	Header & Bag	5056228217305	AQM018443
Waste	240-33	52	12/24	Black	Header & Bag	5056228217343	AQM018449



AQM002258



AQM002259

Tank Vent

- ◆ For use when venting a below deck / built-in fuel tank
- ◆ Allows the tank to vent as temperature and atmospheric conditions change
- ◆ Allows free flow of fuel as the engine requires it
- ◆ Chrome plate on brass
- ◆ Supplied with threaded collar and nut for fixing through the boat structure

Type	For hose	Material	Format	Barcode	Part No:
Straight - Barbed	1/2" Inner Diameter	Chrome plate on brass	Header & Bag	5056228214793	AQM002258
Straight - Threaded	15mm thread	Chrome plate on brass	Header & Bag	5056228214809	AQM002259



Fuel Jerry Can

- ◆ Lightweight and form fitting
- ◆ Made from red odour-free polyethylene
- ◆ Avoids rust and has longer life than equivalent metal tank
- ◆ Top carry handle with large base dimensions for stability
- ◆ Compliant with international standards
- ◆ Supplied with vented cap and seal

Description	Capacity: L	Length: mm	Width: mm	Height: mm	Format	Barcode	Part No:
Portable with spout	5	300	240	185	With ID Sticker	5056228218043	AQM036005
Portable with spout	10	300	240	250	With ID Sticker	5056228218050	AQM036010
Portable with spout	15	300	240	330	With ID Sticker	5056228218067	AQM036015
Portable with spout	22	300	245	440	With ID Sticker	5056228218074	AQM036022

Hulk Portable Fuel Tank

- ◆ Made from red odour-free polyethylene
- ◆ Avoids rust and has longer life than equivalent metal tank
- ◆ Robust rotationally moulded makes tank corrosive free
- ◆ Strong but lightweight, will not crack or dent
- ◆ Compliant with international standards
- ◆ Supplied with vented cap and seal
- ◆ Ø8mm outlet with filter



Description	Capacity: L	Length: mm	Width: mm	Height: mm	Format	Barcode	Part No:
Without fuel gauge	12	410	260	195	With ID Sticker	5056228217220	AQM018212
With fuel gauge	22	460	305	265	With ID Sticker	5056228217237	AQM018222
With fuel gauge	30	510	360	270	With ID Sticker	5056228217244	AQM018230

Portable Fuel Tank with Filler

- ◆ Made from red odour-free polyethylene
- ◆ Avoids rust and has longer life than equivalent metal tank
- ◆ For storage of diesel or petrol
- ◆ Suitable for transport of fuel or hook up to outboard engine
- ◆ Compliant with international standards
- ◆ Supplied with vented cap and seal
- ◆ Ø8mm outlet with filter



Description	Capacity: L	Length: mm	Width: mm	Height: mm	Format	Barcode	Part No:
With filter	10	330	245	135	With ID Sticker	5056228217206	AQM018110
With gauge & filter	25	440	295	210	With ID Sticker	5056228217213	AQM018125

Fuel Line Adaptor for Jerry Cans

- ◆ Quick, safe, practical
- ◆ Ideal for direct supply of fuel to engines and generators
- ◆ Saves additional refuelling by transferring one tank to another
- ◆ Screws in place of the cap on the Jerry can - barb connection for outboard fuel line
- ◆ Hazard-free fuelling



Suitable for:	Material	Format	Barcode	Part No
5, 10 & 20 litre jerry cans	Nylon	Header & Bag	5056228214663	AQM012602

Sump Pump

- ◆ Brass body
- ◆ Nitrile rubber components
- ◆ For hand pumping



Pump Length	Inlet/Outlet Connection	Inlet Tube Length	Outlet Tube Length	Material	Format	Barcode	Part No
180mm	6mm	700mm	270mm	Brass Body, Nitrile Rubber	Bagged with ID Sticker	5056228215073	AQM006622

Siphon Pump

- ◆ Suction pump with PVC tube and shut-off valve for transferring fluids
- ◆ Consists of suction pump, shut-off valve and hose
- ◆ Resistant to acid, chemicals and petrol
- ◆ For hand pumping



Flow	Material	Format	Barcode	Part No
4 litres per minute	PVC tube and body	Header & Bag	5056228214656	AQM012600

Fuel Primer Bulbs



Description	Bulb diameter: mm	Bulb length: mm	Hose diameter: mm	Hose length: m	Format	Barcode	Part No:
PVC Bulb with hose	39	130	8	2	Header & Bag	5056228217954	AQM018110
PVC Bulb with hose	45	150	8	2	Header & Bag	5056228217961	AQM035645
PVC Bulb	39	130	8	-	Header & Bag	5056228217930	AQM035539
PVC Bulb	45	150	8	-	Header & Bag	5056228217947	AQM035545

Fuel Valves




Description	Hose diameter: mm	For engine:	Quantity	Format	Barcode	Part No:
2 way valves	10	OMC / Johnson / Evinrude	each	Header & Bag	5056228217978	AQM035702
2 way valves	10	Yamaha / Mariner / Mercury / Honda	each	Header & Bag	5056228217985	AQM035707
Fuel shut off valve	8	-	-	Header & Bag	5056228218005	AQM035720
Fuel valve holding bracket	-	-	pair	Header & Bag	5056228217992	AQM035715

Suzuki / Chrysler - Fuel Line Connectors



Description	Barb Diameter: mm	NPT	CV	Material	Format	Barcode	Part No:
Female connector	8	-	-	Chromed brass	Header & Bag	5056228217749	AQM035011
Female connector	8	-	→60	Chromed brass	Header & Bag	5056228217763	AQM035015
Male connector	-	¼	→60	Chromed brass	Header & Bag	5056228217817	AQM035110

OMC / Johnston / Evinrude - Fuel Line Connectors



Description	Barb Diameter: mm	NPT	Format	Barcode	Part No:
Female connector	9.5	-	Header & Bag	5056228217770	AQM035017
Male connector	-	¼	Header & Bag	5056228217893	AQM035227
Male connector	10	-	Header & Bag	5056228217862	AQM035120
Male connector	6.5	-	Header & Bag	5056228217824	AQM035112

Mercury 1998→ / Mariner



Description	Barb Diameter: mm	NPT	Format	Barcode	Part No:
Male connector	9.5	-	Header & Bag	5056228217855	AQM035118
Female connector	9.5	-	Header & Bag	5056228217794	AQM035021
Male connector	8.5	-	Header & Bag	5056228217831	AQM035114
Female connector	9.5	-	Header & Bag	5056228217787	AQM035019
Male connector	-	¼	Header & Bag	5056228217886	AQM035225
Male connector, double	10	-	Header & Bag	5056228217879	AQM035122

Tohatsu / Selva




Description	Barb Diameter: mm	Format	Barcode	Part No:
Female connector	8	Header & Bag	5056228217756	AQM035013
Female connector	8	Header & Bag	5056228217848	AQM035116

Honda

Description	Barb Diameter: mm	Format	Barcode	Part No:
Female connector	9.5	Header & Bag	5056228217800	AQM035023

Hydrofoils

- ◆ Torque control system ensures ultimate in precise and effortless steering
- ◆ Lower fuel consumption
- ◆ Straight tracking
- ◆ Excellent steering at low speeds
- ◆ Smoother ride
- ◆ Maximum lift
- ◆ Reduced planing time
- ◆ Increased stability
- ◆ Reduced cavitation
- ◆ Effortless installation
- ◆ Stainless mounting hardware included



Description	Diameter: mm					Format	Barcode	Part No:
	A	B	C	D	E			
4-50	185	180	5	23	61	Header & Bag	5056228218098	AQM036813
50 and over	270	240	7	30	98	Header & Bag	5056228218081	AQM036812



Tiller Extension

Description	Length: mm	Material	Format	Barcode	Part No:
Straight	650	Aluminium	Euroslot Carded	5056228218104	AQM036857
Telescopic	800 - 1110	Aluminium	Euroslot Carded	5056228218111	AQM036858



Kill Switch Keys

Description	Format	Barcode	Part No:
Set of 7	Header & Bag	5056228218135	AQM036998


Oil Measurer

Description	Dims: mm D x H	Format	Barcode	Part No:
Jug	58 x 120	With ID Sticker	5056228216766	AQM012625



Ignition Cut Out Device - Dead Man Switch


- ◆ For RIBs, Ski-boats & Tenders
- ◆ Automatically stops engine should driver be thrown overboard
- ◆ Mounts on dashboard close to the ignition switch or in place of outboard stop button
- ◆ Supplied with nylon lanyard



Type	Termination	For Ignition Type	Material	Format	Barcode	Part No
Through Panel Mount	2 wire leads	Magneto	Chrome Plate on Brass with PVC Sleeve	Header & Bag	5056228215240	AQM007522
Through Panel Mount	2 wire leads	Electronic	Chrome Plate on Brass with PVC Sleeve	Header & Bag	5056228215257	AQM007523

Engine Starter Rope

Description	Colour	Reel Length: m	Format	Barcode	Part No
5mm, polyester	White	200	ID sticker	5056228220220	AQM036865



Outboard Engine Flushers

- ◆ Designed to fit most outboard motor models
- ◆ Sealing facilitated with rotating muffs
- ◆ No tools required, instant application and removal
- ◆ Keep water supply to medium force to prevent damage



Description	Arm length: mm	Muff Dimensions: mm	Garden hose Connection	Material muffs frame	Format	Barcode	Part No:
Oval	230	96 x 119	½	PVC Steel	Header & Bag	5056228217916	AQM035314
Rectangular	255	86 x 129	½	PVC Steel	Header & Bag	5056228217909	AQM035312
Round with double intakes	280	∅95	½	PVC Steel	Header & Bag	5056228217923	AQM035316

Outboard Propeller Bags


- ◆ A legal requirement for anyone towing a boat on the UK highway
- ◆ Boat propellers must be covered by a bag which is made of a reinforced material and provide long service life
- ◆ AquaMarine propeller bags feature a special wavelock material to reinforce them and provide long service life
- ◆ Made from hi-visibility material, they feature a drawstring to keep them in place and a drain outlet
- ◆ They provide protection for the propeller when not in use and the hi-vis colour makes it less likely you will bang into the prop and cut / hurt yourself



Model	For Engine Size	Dimensions mm	Material	Format	Barcode	Part No:
Sml	Up to 6HP	440 W x 400 L	Wavelock PVC	Header & Bag	5056228215004	AQM006521
Med	Up to 40HP	550 W x 470 L	Wavelock PVC	Header & Bag	5056228215011	AQM006522
Large	Up to 40HP & Outdrives	750 W x 670 L	Wavelock PVC	Header & Bag	5056228215028	AQM006523
XL	Over 40HP	1000 W x 910 L	Wavelock PVC	Header & Bag	5056228215035	AQM006524

Outboard Engine Covers

- ◆ Ideal for protection against water, sun and dust
- ◆ Made of extra strong 420D Polyester, 0.15mm thick
- ◆ Provides maximum water resistance and UV protection
- ◆ Suitable for most types of outboard engines, from 2 to 300HP
- ◆ Two different types available
- ◆ Top covers feature elastic cord all around for ideal fit to most types of outboard engines
- ◆ Full body covers feature elastic cord and zipper to ensure best possible engine protection, including shaft
- ◆ Note: Horsepower given is approximate and is not only factor to be taken into consideration



Model	Colour	Horsepower approx	Dimensions: cm			Format	Barcode	Part No:
			A	B	C			
Top cover - size 1	Silver	2-5	40	25	32	Header & Bag	5056228220121	AQM006401
Top cover - size 2	Silver	2-15	48	27	35	Header & Bag	5056228220138	AQM006402
Top cover - size 3	Silver	10-45	55	33	45	Header & Bag	5056228220145	AQM006403
Top cover - size 4	Silver	30-90	63	35	50	Header & Bag	5056228220152	AQM006404
Top cover - size 5	Silver	70-150	73	40	65	Header & Bag	5056228220169	AQM006405
Top cover - size 6	Silver	115-225	75	45	75	Header & Bag	5056228220176	AQM006406
Top cover - size 7	Silver	150-300	90	60	80	Header & Bag	5056228220183	AQM006407
Full body cover - size 1	Silver	2.5-10	75	125	-	Header & Bag	5056228220190	AQM006411
Full body cover - size 2	Silver	8-70	87	157	-	Header & Bag	5056228220206	AQM006412
Full body cover - size 3	Silver	70-150	125	210	-	Header & Bag	5056228220213	AQM006413

- Designed for optimum drag elimination
- Cast in high purity zinc alloy
- Designed in Europe
- Smaller products are retail packed for the best presentation in store
- Please use the table at the end of this section for Imperial equivalent

Conversion Chart mm - inches

Millimeters (mm)	Inches (")
22mm	55/64"
25mm	63/64"
30mm	1 3/16"
31.7mm	1 1/4"
74mm	2 29/32"
35mm	1 3/8"
38mm	1 1/2"
40mm	1 37/64"
45mm	1 49/64"
50mm	1 31/32"
128mm	5 3/64"

Streamline Shaft Anodes

- ◆ Mainly used for the protection of propeller shafts
- ◆ Supplied with complete hardware



Shaft dia: mm	Outer dia: mm	Weight: kg	Format	Barcode	Part No:
31.7	58	0.43	Backing Card	5056228213697	AQM62018
38	69	0.77	Backing Card	5056228213703	AQM62024

Propeller Nut Anodes

- ◆ For the protection of propellers and shafts
- ◆ Supplied with complete hardware



Shaft dia: mm	Length & Outer dia: mm	Weight: kg	Format	Barcode	Part No:
22/25	39 x 33	0.14	Backing Card	5056228213710	AQM62040
30	53 x 42	0.304	Backing Card	5056228213727	AQM62042
35	60 x 47	0.419	Backing Card	5056228213734	AQM62044
40	68 x 51	0.55	Backing Card	5056228213741	AQM62046

Shaped Streamline Anodes

- ◆ For the protection of propellers and shafts
- ◆ Supplied with complete hardware



Shaft dia: mm	Length & Outer dia: mm	Weight: kg	Format	Barcode	Part No:
25	81 x 58	0.81	Backing Card	5056228213789	AQM62091
30	81 x 58	0.688	Backing Card	5056228213796	AQM62092



Button Anodes

- ◆ For the protection of rudders
- ◆ Supplied with complete hardware

Dia: mm	Weight: kg	Format	Barcode	Part No:
50	0.15	Backing Card	5056228213758	AQM62078
74	0.48	Backing Card	5056228213765	AQM62080
128	2.8	Plastic ID Tag	5056228213772	AQM62088

Hull Anodes

- ◆ For the protection of rudders



Dimensions: mm L x H x W	Hole centres: mm	Weight: kg	Fixing Size	Format	Barcode	Part No:
275 x 100 x 37	200	5.5	M16	Plastic ID Tag	5056228213802	AQM62139
300 x 75 x 40	100-210	3	M10	Plastic ID Tag	5056228213819	AQM62142

Hull Pear Anodes

- ◆ For the protection of rudders



Dimensions: mm L x H x W	Hole centres: mm	Weight: kg	Fixing Size	Format	Barcode	Part No:
270 x 90 x 50	230	2.2	M10	Plastic ID Tag	5056228213826	AQM62148

Disc Anode - Vetus Type 8



Dimensions: mm Dia x H	Weight: kg	Fixing Size	Format	Barcode	Part No:
31.7	1.166	M8	Backing Card	5056228213833	AQM62185



PVC Rowlock

- ◆ Supplied individually
- ◆ With locking keyway
- ◆ With eye for keeper cord

Extent	Colour	Jaw opening mm	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Single	Cream	50	62	16	55	142	PVC	Euroslot Carded	5056228204459	AQM054885
Single	Black	50	62	16	55	142	PVC	Euroslot Carded	5056228204442	AQM054884
Single	Cream	60	70	18	55	155	PVC	Euroslot Carded	5056228204473	AQM054887
Single	Black	60	70	18	55	155	PVC	Euroslot Carded	5056228204466	AQM054886



PVC Socket

- ◆ Supplied individually
- ◆ With locking keyway
- ◆ With eye for keeper cord

Extent	Colour	Mounting	Socket Diameter mm	Length mm	Width mm	Height mm	Material	Format	Barcode	Part No
Single	Cream	Side	18	70	45	45	PVC	Euroslot Carded	5056228204510	AQM054891
Single	Black	Side	18	72	50	42	PVC	Euroslot Carded	5056228204527	AQM054874
Single	Cream	Top	18	100	35	45	PVC	Euroslot Carded	5056228204503	AQM054890
Single	Black	Top	18	100	35	45	PVC	Euroslot Carded	5056228204497	AQM054889

Nylon Rowlock

- ◆ Supplied as a pair
- ◆ With inner pivoting oar keeper to prevent oars jumping out



Extent	Colour	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Pair	Black & White	35	12	35	100	Nylon	Euroslot Carded	5056228220992	AQM049921
Pair	Black	44	17	52	135	Nylon	Euroslot Carded	5056228221005	AQM049922



Stainless Rowlock & Socket

- ◆ Supplied as 1 x rowlock and 1 x socket
- ◆ With eye for keeper cord

Extent	Colour	Jaw opening mm	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Single	Polished finish	38	58	14	45	150	Stainless Steel	Header & Bag	5056228204480	AQM054888



Aluminium Rowlock

- ◆ Supplied as a pair
- ◆ With locking keyway
- ◆ Open type features eye for keeper cord

Extent	Type	Jaw opening mm	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Pair	Fixed	-	40-46	17	50	135	Aluminium	Euroslot Carded	5056228220978	AQM049904
Pair	With Bolt	-	46	17	50	132	Aluminium	Euroslot Carded	5056228200659	AQM48804
Pair	Open	50	53	17	50	145	Aluminium	Euroslot Carded	5056228220954	AQM049902

Aluminium Socket

- ◆ Supplied as a pair
- ◆ With locking keyway
- ◆ With pressed in liner inner socket



Extent	Mounting	Socket Diameter mm	Length mm	Width mm	Height mm	Material	Format	Barcode	Part No
Pair	Side	18	93	56	40	Aluminium	Euroslot Carded	5056228220961	AQM049903
Pair	Top	F18	80	32	57	Aluminium	Euroslot Carded	5056228220985	AQM049911



Galvanised Rowlock

- ◆ Supplied as a pair
- ◆ With locking keyway
- ◆ With pressed in liner inner socket

Extent	Colour	Jaw opening mm	Inner Diameter mm	Tap / Shaft Diameter mm	Tap / Shaft Length mm	Total Length mm	Material	Format	Barcode	Part No
Pair	Zinc Galvanised	50	58	12	65	155	Hot Dipped Galvanised	Euroslot Carded	5056228203223	AQM054750
Pair	Zinc Galvanised	57	67	14	90	200	Hot Dipped Galvanised	Euroslot Carded	5056228203230	AQM054751
Pair	Zinc Galvanised	64	78	14	90	200	Hot Dipped Galvanised	Euroslot Carded	5056228203247	AQM054752
Pair	Zinc Galvanised	70	85	14	90	200	Hot Dipped Galvanised	Euroslot Carded	5056228203254	AQM054753
Pair	Zinc Galvanised	75	90	16	95	215	Hot Dipped Galvanised	Euroslot Carded	5056228203261	AQM054754



Galvanised Socket

Extent	Colour	Mounting	Socket Diameter mm	Length mm	Width mm	Height mm	Material	Format	Barcode	Part No
Pair	Zinc Galvanised	Top	For 12mm Rowlock	70	28	40	Hot Dipped Galvanised	Euroslot Carded	5056228203278	AQM054755
Pair	Zinc Galvanised	Top	For 14mm Rowlock	85	28	40	Hot Dipped Galvanised	Euroslot Carded	5056228203285	AQM054756
Pair	Zinc Galvanised	Top	For 17mm Rowlock	90	30	40	Hot Dipped Galvanised	Euroslot Carded	5056228203292	AQM054757



Oar Collar

Length mm	Inner Diameter mm	Material	Format	Barcode	Part No
115	44	Nylon	Header & Bag	5056228220718	AQM049199

Oar without Collar



Length mm	Shaft Diameter mm	Blade Width mm	Blade Length mm	Ave. Weight kg	Material	Format	Barcode	Part No
1500	44	112	530	1.05	Selected timber with waterproof varnish	With ID Sticker	5056228220626	AQM049115
1650	44	112	530	1.08	Selected timber with waterproof varnish	With ID Sticker	5056228220633	AQM049116
1800	44	112	540	1.18	Selected timber with waterproof varnish	With ID Sticker	5056228220640	AQM049118
1950	44	112	540	1.27	Selected timber with waterproof varnish	With ID Sticker	5056228220657	AQM049119
2100	44	112	580	1.4	Selected timber with waterproof varnish	With ID Sticker	5056228220664	AQM049121
2250	44	112	580	1.49	Selected timber with waterproof varnish	With ID Sticker	5056228220671	AQM049122
2400	44	115	600	1.59	Selected timber with waterproof varnish	With ID Sticker	5056228220688	AQM049124
2700	44	115	600	1.86	Selected timber with waterproof varnish	With ID Sticker	5056228220695	AQM049127
3000	45 x 47	120	700	2.19	Selected timber with waterproof varnish	With ID Sticker	5056228220701	AQM049130

Red Tip Oar with Collar



Length mm	Shaft Diameter mm	Blade Width mm	Blade Length mm	Ave. Weight kg	Material	Format	Barcode	Part No
1500	44	112	530	1.15	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220725	AQM049215
1650	44	112	530	1.26	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220732	AQM049216
1800	44	112	540	1.44	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220749	AQM049218
1950	44	112	540	1.49	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220756	AQM049219
2100	44	112	580	1.6	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220763	AQM049221
2250	44	112	580	1.72	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220770	AQM049222
2400	44	115	600	1.83	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220787	AQM049224
2700	44	115	600	2.06	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220794	AQM049227
3000	45 x 47	120	700	2.39	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220800	AQM049230

Red Tip Jointed Oar



Length mm	Shaft Diameter mm	Blade Width mm	Blade Length mm	Ave. Weight kg	Material	Format	Barcode	Part No
1500	35	112	530	1.05	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220817	AQM049315
1650	35	112	530	1.2	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220824	AQM049316
1800	35	112	530	1.25	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220831	AQM049318
1950	35	112	530	1.3	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220848	AQM049319
2100	35	112	530	1.375	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220855	AQM049321

Paddle



Length mm	Shaft Diameter mm	Blade Width mm	Blade Length mm	Ave. Weight kg	Material	Format	Barcode	Part No
1000	28 x 31	155	460	0.58	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220862	AQM049410
1250	28 x 31	155	460	0.65	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220879	AQM049412
1400	28 x 31	155	540	0.75	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220886	AQM049414
1500	28 x 31	155	540	0.78	Clean timber with high gloss waterproof varnish	ID Sticker	5056228220893	AQM049415

Paddle with Boat Hook



Colour	Length mm	Material	Format	Barcode	Part No
Grey	1500	Nylon & Aluminium	With ID Sticker	5056228211273	AQM80241
Grey	1800	Nylon & Aluminium	With ID Sticker	5056228213093	AQM80243

Boathook

- ◆ Laminated pine with chromium-plated brass hook for extra durability and strength
- ◆ Special varnish for minimum maintenance
- ◆ Plastic foot minimises damage to shaft



Shaft Length mm	Shaft diameter mm	Total Length including hook mm	Material	Format	Barcode	Part No
1200	32	1300	Laminated pine, chrome plate on brass	With ID Sticker	5056228200567	AQM20120
1800	32	1900	Laminated pine, chrome plate on brass	With ID Sticker	5056228200574	AQM20180
2400	32	2500	Laminated pine, chrome plate on brass	With ID Sticker	5056228200581	AQM20240
3000	32	3100	Laminated pine, chrome plate on brass	With ID Sticker	5056228200598	AQM20300

Wooden Boat Hook

- ◆ One ended, multiple uses
- ◆ Made from high-quality floating pine wood
- ◆ Plastic hook can be replaced



Description	Hook Colour	Length: cm	Handle diameter: mm	Format	Barcode	Part No:
Non-adjustable hook w/1 end	Black	120	30	With ID Sticker	5056228218647	AQM048512
Non-adjustable hook w/1 end	Black	180	30	With ID Sticker	5056228218654	AQM048518

Telescopic Hook


- ◆ With 2 ends, ideal for multiple uses on board
- ◆ Made from premium anodised aluminium pole
- ◆ Polypropylene hooks, including soft PVC hook cover in orange
- ◆ Telescopic mechanism with a quarter turn locking action, allows expansion to desired length



Description	Hook Colour	Length: cm	Format	Barcode	Part No:
Telescopic hook with 2 ends	Black	67-101	With ID Sticker	5056228218661	AQM048623
Telescopic hook with 2 ends	Black	118-196	With ID Sticker	5056228218678	AQM048625

Boat Cover Supports

- ◆ Anodised aluminium
- ◆ Ideal for wintering
- ◆ Prevents water stagnation in awning



Description	Colour	Height range: cm From To	Format	Barcode	Part No:
Telescopic	Silver	66.5 - 102	Euroslot Carded	5056228217596	AQM022812
Telescopic	Silver	86.5 - 151	Euroslot Carded	5056228217602	AQM022814
Telescopic	Silver	125.5 - 202	Euroslot Carded	5056228217619	AQM022816

Rod Holders



Description	Colour	Height: mm	Internal diameter: mm	Format	Barcode	Part No:
With plastic cap	White	230	40	Header & Bag	5056228219835	AQM075142
With plastic cap	Black	230	40	Header & Bag	5056228219842	AQM075143
Side mount	White	225	40	Header & Bag	5056228219873	AQM075162
Side mount	Black	225	40	Header & Bag	5056228219880	AQM075163
Adjustable	Black	215	40	Header & Bag	5056228219828	AQM075138
Vertical	White	225	43	Header & Bag	5056228219866	AQM075157
Vertical	Black	225	43	Header & Bag	5056228219859	AQM075156



Rod Holder


Type	Length mm	Width mm	Depth mm	Tube Diam mm	Material	Format	Barcode	Part No:
Adjustable surface mount	340	220	55	51	AISI316 Stainless Steel	Header & Bag	5056228203957	AQM000101
45° angle recessed with cover	270	85	110	51	AISI316 Stainless Steel	Header & Bag	5056228203940	AQM054822



Rod Holder Rings

Description	Colour	Format	Barcode	Part No:
Set - top and bottom securing	White	Header & Bag	5056228219811	AQM075130

Gaffs



Description	Length: cm	Diameter A: mm	Diameter B: mm	Hook Width: mm	Format	Barcode	Part No:
Standard, aluminium	790	25	8	70	With ID Sticker	5056228219927	AQM075183
Telescopic, aluminium	80 - 120.5	30	8	100	With ID Sticker	5056228219934	AQM075184

Fishing Rod Storage Rack



Description	Colour	Internal diameter: mm	Height: mm	Format	Barcode	Part No:
2 rod storage	White	222 x 23	63	Bagged With ID Sticker	5056228219897	AQM075172
3 rod storage	White	298 x 23	63	Bagged With ID Sticker	5056228219903	AQM075173
3 rod storage, bulkhead mount	White	300 x ????	225	Bagged With ID Sticker	5056228219910	AQM075175

Aquascope

- ◆ For viewing underwater aquatic life
- ◆ For use to discover underwater worlds of sea, lake or river
- ◆ Can be used to check anchor hold, inspect traps, locate bait, clam beds and schools of fish before casting
- ◆ Can be used for research or as an educational tool for children and adults
- ◆ User can locate lost items in the water before getting wet
- ◆ Mini size makes storage and use easier
- ◆ Made of high quality polystyrene material with tempered glass bottom
- ◆ Soft PVC rubber eyepiece on top



Description	Colour	Diameter: mm L x W	Height: mm	Format	Barcode	Part No:
Underwater viewer	Yellow	200 x 170	410	With ID Sticker	5056228219941	AQM075527

Surface Float

- ◆ Used in a variety of ways, including marking
- ◆ Made of UV resistant polyethylene in cylindrical shape
- ◆ Has smooth surface
- ◆ Centre hole to thread line



Description	Colour	Length: mm	Diameter: mm	Internal diameter: mm	Format	Barcode	Part No:
Cylindrical w/centre hole	White / Red	140	60	10	Header & Bag	5056228215769	AQM002132

Ski Float


- ◆ For ski tows, bridles, buoy markers



Type	Length mm	Width mm	Format	Barcode	Part No
For rope up to 12mm diameter	100	63	Header & Bag	5056228214731	AQM002134

Web Sanding Pads


- ◆ Grey, green and red
- ◆ Ultra fine, very fine, medium
- ◆ Ideal for keying paintwork and de-nibbing
- ◆ Extremely flexible and conformable



Type	Length mm	Width mm	Format	Barcode	Part No
Mixed pack of 3 pads	230	150	Header & Bag	5056228205562	AQM230150

Thru-Flow Boat Brushes

- ◆ Made of dense, medium bristles
- ◆ Bristles retain water and create rich foam
- ◆ Incorporates screw thread to attach telescopic handle
- ◆ Can be used with flow-thru system, allowing attachment the relevant handle
- ◆ Flow-thru allows constant flow of water right at the point you are cleaning
- ◆ Body made of polypropylene body
- ◆ PVC bristles
- ◆ White silicone bumper will protect boat surfaces from damage




Description	Colour	Length: cm	Bristle length: cm	Type of cleaning	Format	Barcode	Part No:
Boat Wash	Yellow	20.3	6.5	For use cleaning surfaces with no persistent dirt	With ID Sticker	5056228220107	AQM008106
Boat Scrub	White	20.3	5	For use where stubborn, persistent dirt exists	With ID Sticker	5056228220114	AQM008105
Telescopic Handle	Aluminium	127 - 300cm	-	-	With ID Sticker	5056228221463	AQM008101



Winch Strap

With Hook	With Nut / Bolt	For Winch Types	Colour	Length m	Format	Barcode	Part No:
Yes	Yes - 6mm	For DL400A	Black	3.3	Bagged with ID Sticker	5056228214892	AQM002848
Yes	Yes - 6mm	DL400A/600A/900A	Black	4.5	Bagged with ID Sticker	5056228214908	AQM002849
Yes	Yes - 10mm	Over 900lb	Black	4.5	Bagged with ID Sticker	5056228214878	AQM002845
Yes	Yes - 10mm	Over 900lb	Black	6	Bagged with ID Sticker	5056228214861	AQM002826
Yes	Yes - 10mm	Over 900lb	Black	7.5	Bagged with ID Sticker	5056228214885	AQM002847

Overcentre Tie Down Strap



Colour	Length m	Webbing mm	Format	Barcode	Part No:
Orange	5	50	Bagged with ID Sticker	5056228215448	AQM052508
Black	7	50	Bagged with ID Sticker	5056228215455	AQM052510

Trailer / PWC Tie Down Strap



Colour	Length m	Webbing mm	Format	Barcode	Part No:
Blue	3	25	Header & Bag	5056228215424	AQM052504
Blue	5	25	Header & Bag	5056228215431	AQM052506

Ratchet Tie Down Strap



Colour	Length m	Webbing mm	Format	Barcode	Part No:
Yellow	7	50	Bagged with ID Sticker	5056228215479	AQM052514
Yellow	5	50	Bagged with ID Sticker	5056228215462	AQM052512

General Purpose Strap



Colour	Length m	Webbing mm	Format	Barcode	Part No:	Part No:
	Light Blue	3	25	Header & Bag	5056228215400	AQM052500
With Buckle	Blue	5	25	Header & Bag	5056228215417	AQM052502

Cable Gland



Type	Diameter mm	For Cables Diameter mm	Material	Format	Barcode	Part No
Chrome Screw type	32	6	Chrome Plate on brass, rubber seal	Header & Bag	5056228215202	AQM007518
Chrome Screw type	32	8	Chrome Plate on brass, rubber seal	Header & Bag	5056228215219	AQM007519
Chrome Screw type	38	10	Chrome Plate on brass, rubber seal	Header & Bag	5056228215226	AQM007520
Chrome Screw type	50	19	Chrome Plate on brass, rubber seal	Header & Bag	5056228215233	AQM007521

Socket & Plug



Type	Diameter mm	Rating Amp	Material	Format	Barcode	Part No
2 pin - waterproof rubber plug type	37	3	Chrome Plate on Brass, Rubber Plug	Boxed with ID Sticker	5056228215271	AQM007652
2 pin - chrome	37	3	Chrome Plate on Brass	Boxed with ID Sticker	5056228215080	AQM006680
4 pin - chrome	37	3	Chrome Plate on Brass	Boxed with ID Sticker	5056228215097	AQM006682
2 pin - chrome	37	5	Chrome Plate on Brass	Boxed with ID Sticker	5056228215103	AQM006685

Switch Panel

- ◆ Anodised aluminium panels
- ◆ Matt black finish
- ◆ Illuminating rocker switches with fuse holders
- ◆ Selection of fuses 3 - 15 Amp
- ◆ Selection of 20 switch labels for identification



Type	Volt Rating	Number of Switchways	Height mm	Width mm	Material	Format	Barcode	Part No
Panel	12	3	165	115	Aluminium, Nylon	Boxed	5056228215141	AQM007449
Panel with Meter and Outlet Plug	12	3	165	115	Aluminium, Nylon	Boxed	5056228215158	AQM007450
Panel with Meter and Horn Push	12	3	165	115	Aluminium, Nylon	Boxed	5056228215165	AQM007451
Replacement Rocker Switch	-	-	32	17	-	Header & Bag	5056228215172	AQM007453
Replacement Fuse Holder	-	-	15	15	-	Header & Bag	5056228215189	AQM007454

Switch

Type	Termination	Rating Amp	Voltage	Material	Format	Barcode	Part No
Horn Push	Screw Tabs	12	12	Brass	Header & Bag	5056228214977	AQM005202

Bilge Pump Control Switch

Type	Height mm	Width mm	Format	Barcode	Part No
Waterproof, Illuminated	63	75	Boxed with ID Sticker	5056228215196	AQM007490





Shorepower Cable

- ◆ 16A Site plug to 16A site socket
- ◆ Heavy duty yellow arctic cable
- ◆ Designed for dockside to yacht connection
- ◆ Arctic grade cable is much tougher and durable than orange 'caravan' type leads
- ◆ Hi-visibility yellow colour for safer use on the quayside

Length m	Rating Amp	Format	Barcode	Part No
10	16A	Bagged with ID Sticker	5056228214519	AQM013010
25	16A	Bagged with ID Sticker	5056228214526	AQM013005

Shorepower Trailing Socket

- ◆ Heavy duty yellow arctic cable
- ◆ Handy converter for site leads to domestic UK three pin socket
- ◆ 16A site plug to 13A 3 pin UK socket



Plug	Socket	Format	Barcode	Part No
16A Blue Site Plug	13A UK 3 pin black socket	Header & Bag	5056228214533	AQM013025

Hand Suction Pump


- ◆ Made from heavy duty plastic with no corroding parts
- ◆ Supplied individually packed with full instructions



Length: cm	Output hose length: cm	Format	Barcode	Part No
55	80	Header and Bag	5056228215264	AQM007593

Hose Pump - Manual Suction

- ◆ Suitable for petrol, diesel and water
- ◆ Easy installation
- ◆ Made from ASA plastic
- ◆ PVC hose



Place bottom end A of hose into tank that requires emptying. Hold top end B upright

Pump A vigorously up and down until liquid rises in hose, continue until liquid passes balance level

Stop pumping and place B into container to be filled and liquid will flow automatically

NOTE: ensure empty container is placed below level of container being emptied

Description	Diameter: mm	Length: cm	Hose Material	Hose wall thickness: mm	Flow Rate: gallons per min	Format	Barcode	Part No:
Manual Suction	12.5	160	PVC	2	3.5	Euroslot Carded	5056228218029	AQM035912
Manual Suction	25	160	PVC	3	10	Euroslot Carded	5056228218036	AQM035925

Diaphragm Hand Bilge Pump

- ◆ Ideal for use where battery power is not available or as a backup to electric pumps
- ◆ Easy to use with capacity of 6,5 gallons at 60 strokes
- ◆ Features a removeable built-in non-return valve
- ◆ Two-position handle
- ◆ Outlet connection allows use of either 3/4" or 1" hose



Description	Flow rate Litres stroke:	Format	Barcode	Part No:
Hand operated	0.4	Euroslot Carded	5056228216797	AQM012633
Service Kit - includes diaphragm, flapper valves, gasket	-	Euroslot Carded	5056228216803	AQM012634


Manual Bilge Pump



Description	Flow	Hose Dia mm	Length mm	Width mm	Height mm	Format	Barcode	Part No
Removeable handle	15 gpm	1 or 1.5" hose	With handle 385 Without 235	160	95	Boxed	5056228215332	AQM007871
Fixed handle 8 positions	0.5 litre per pull	25	275	150	100	With ID Sticker	5056228211297	AQM90190

Automatic Bilge Pump


- ◆ Very simple disassembly for installation and cleaning
- ◆ Features a built-in automatic float switch which activates pump when water rises
- ◆ Float switch allows pump to operate when boat unattended
- ◆ Also has manual button test
- ◆ Made of ASA



Description	Flow rate: GHP	Hose Diameter: mm	Voltage	Fuse	Amps	Format	Barcode	Part No:
Automatic	600	19	12	4A	2.5	Euroslot Carded	5056228218289	AQM044960

Submersible Bilge Pump

- ◆ Made from ASA
- ◆ Snap on strainer base for easy installation and cleaning



Description	Flow rate: GHP	Voltage	Fuse	Dimensions: mm				Format	Barcode	Part No:
				A	B	C	D			
Submersible	500	12	2	60	90	20	15	Euroslot Carded	5056228218258	AQM044050
Submersible	700	12	8	70	105	25	20	Euroslot Carded	5056228218265	AQM044070
Submersible	1000	12	10	70	105	30	25	Euroslot Carded	5056228218272	AQM044100

Water Pump


- ◆ Runs dry without damage
- ◆ Thermal overload, automatic restart
- ◆ Duty Cycle: Intermittent



Description	Flow rate: L/min	Voltage	Amps	Pressure bar / psi	Dimensions: mm		Format	Barcode	Part No:
					L	W x H			
Self priming / cutoff	12.5	12	7	2.45 35	210	110 x 120	Euroslot Carded	5056228216827	AQM012651

Waste Pump with Macerator

- ◆ Runs dry without damage
- ◆ Thermal overload, automatic restart
- ◆ Duty Cycle: Intermittent



Description	Flow rate: L/min	Voltage	Amps	Watts	Dimensions: mm		Format	Barcode	Part No:
					L	W x H			
W/macerator	45	12	12	144	284	121 x 100	Euroslot Carded	5056228216834	AQM012653




Diaphragm Pump

- ◆ Max discharge height - 4m

Description	Flow rate: L/min	Voltage	Dimensions: mm		Format	Barcode	Part No:
			L	W x H			
Diaphragm	19	12	300	160 x 130	Euroslot Carded	5056228216810	AQM012638

Environmental Electronic Level Switch - E.E.L.S.


- ◆ Can be used with any bilge pump up to 20A
- ◆ Operates with an electronic sensor instead of the air pressure or any moving parts
- ◆ Designed to sense the water level with great precision and accuracy
- ◆ E.E.L.S is environmentally friendly as it operates only when it senses water keeping oil and fuel spills in the bilge
- ◆ It has insulated electrical contacts
- ◆ Casing from durable Nylon and ABS plastic
- ◆ 100% impermeability to water



Description	Amps	Voltage	Connection to main circuit	Format	Barcode	Part No:
Level Switch	20	12	Inline	Header & Bag	5056228217350	AQM018522

Automatic Float Switch


- ◆ Designed for the automatic control of electrically driven bilge pumps
- ◆ Designed with a reliable rolling-ball and switch system that prevents rapid on/off cycling
- ◆ Safer than mercury switches
- ◆ When water lifts chamber buoy up 6cm, the switch automatically turns the bilge pump on until bilge is empty
- ◆ Switch has a plastic housing




Description	Voltage	Fuse	Dimensions: mm		Format	Barcode	Part No:
			L	W x H			
Float Switch	12/24	15A	110	7 x 6.5	Header & Bag	5056228217367	AQM018526

Shower Sump System

- ◆ Designed for use on boats with built-in sink, shower or bath
- ◆ LSU 600 will pump all water out of drain and into tank
- ◆ Compact and can be mounted on floor or wall
- ◆ The built-in automatic bilge pump will start operating when float switch senses water
- ◆ Features a filter and a non-return valve at outlet hose
- ◆ 3 inlet hoses and 1 outlet hose



Description	Amps	Voltage	Inlet hoses: Ømm	Outlet hose: Ømm	Format	Barcode	Part No:
LSU600	12/24	15A	2 x 19, 1 x 25.4	19.9 / 25.4	With ID Sticker	5056228218449	AQM047751



Thru Hull Fitting

- ◆ Compatible with most silicone pleasants
- ◆ Made form polyamide


Description	Colour	Thread diameter A: in	Dimensions: mm						Format	Barcode	Part No:
			B	C	ØD	E	ØF				
Flush, flange, threaded	White	1/2	-	75	42.8	70	16	Header & Bag	5056228218333	AQM045275	
Flush, flange, threaded	White	3/4	-	77	44	70	19	Header & Bag	5056228218340	AQM045277	
Flush, flange, threaded	White	3/4	-	81	50.3	75.5	18	Header & Bag	5056228218357	AQM045281	
Flush, flange, threaded	White	1	-	93	62	86.4	24	Header & Bag	5056228218364	AQM045291	
Flush, flange, threaded	White	1 1/2	-	103	76	95.7	35	Header & Bag	5056228218371	AQM045299	
Flush, flange & hose barb	White	5/8	15	75	43	40	-	Header & Bag	5056228218388	AQM045315	
Flush, flange & hose barb	White	3/4	18	80	51	43	-	Header & Bag	5056228218395	AQM045318	
Flush, flange & hose barb	White	1	25	94	62	45	-	Header & Bag	5056228218401	AQM045325	
Flush, flange & hose barb	White	1 1/2	32	102	76	55	-	Header & Bag	5056228218418	AQM045332	
Flush, flange & hose barb	White	1 1/2	32	102	76	65	-	Header & Bag	5056228218425	AQM045333	
Flush, flange & hose barb	White	1 1/2	40	102	76	55	-	Header & Bag	5056228218432	AQM045340	



Thru Hull Easy Mount

- ◆ Compatible with most silicone pleasants
- ◆ Made form polyamide

Description	Colour	Thread diameter A: in	Dimensions: mm					Format	Barcode	Part No:
			B	C	ØD	E	ØF			
Threaded with hose barb	White	3/4	20	45	35	15	16	Header & Bag	5056228218296	AQM045120
Threaded with hose barb	White	7/8	25	80	53	39	19	Header & Bag	5056228218302	AQM045125
Threaded with hose barb	White	1 1/4	28/35	125	61	45	18	Header & Bag	5056228218319	AQM045128
Threaded with hose barb	White	1 1/2	38 or 1 1/4 seacock	121	70	50	24	Header & Bag	5056228218326	AQM045138



Deck Shower Case with Lid

- ◆ Made from ASA with chrome plated parts
- ◆ Easy installation

Description	Lid Colour	Connector	Format	Barcode	Part No:
Seawater outlet w/quick female connector Cold water tap + 'T' connector Stainless steel treaded hose	White	Elbow	Euroslot Carded	5056228218487	AQM047787
Seawater outlet/fresh water inlet w/quick connectors	White	Straight	Euroslot Carded	5056228218494	AQM047791
Seawater outlet/fresh water inlet w/quick connectors	White	Elbow	Euroslot Carded	5056228218500	AQM047793

Shower Kit Flush Mount with 2.5m hose




- ◆ Designed for bathing platforms
- ◆ The hose is concealed under the mounting surface
- ◆ Shower head recesses into the housing when not in use
- ◆ Trigger operation for water economy



Dimensions mm		Hose length m	Hose type	Format	Barcode	Part No
Recess 54mm	Overall Ø 84mm	2.5	Net PVC	Header & Bag	5056228215394	AQM047702

Deck Shower Case with Water Tap and Lid


- ◆ Combines 2 functions in single housing
- ◆ Space saving design
- ◆ Housing fits in any deck or transom
- ◆ Suuplied with drilling template for easy installation



Description	Use	Housing colour	Hose Length: M	Format	Barcode	Part No:
Deck shower + hose + 'T' connector	Cold water	White	3	Euroslot Carded	5056228218463	AQM047782
Deck shower + hose + chrome plated mixer tap 'T' connector	Mixer tap	White	3	Euroslot Carded	5056228218470	AQM047784

Deck Shower with Shower and Mixer Tap


- ◆ Easy installation
- ◆ Made from ASA plastic
- ◆ EPDM gasket
- ◆ PVC hose
- ◆ Chrome plated metal parts



Description	Use	Housing colour	Dimensions: mm										Hose Length: M	Format	Barcode	Part No:
			A	B	C	D	G	H	I	L	M					
Case w/shower & mixer, lid with gasket	Hot & Cold	White	99	170	75	144.5	73.5	75	145.5	177.5	111.5	3	Euroslot Carded	5056228218517	AQM047796	
Case w/shower & mixer, lid with gasket	Hot & Cold	White	99	170	75	144.5	73.5	75	145.5	177.5	111.5	5	Euroslot Carded	5056228218524	AQM047798	

Deck Shower with Spray and Lid

- ◆ Easy installation
- ◆ Made from ASA plastic
- ◆ PVC hose



Description	Housing Colour	Shower Head	Hose Length: M	Format	Barcode	Part No:
Housing, head and hoser	White	White	3	Euroslot Carded	5056228218456	AQM047765

SLX Superflat Cassette Hose

- ◆ Compact for convenient space -saving storage
- ◆ Highly flexible
- ◆ Lightweight and easy to use
- ◆ Easily drained when stowing
- ◆ Compatible with most leading brands of garden hose fittings
- ◆ Silicone-free
- ◆ Made from Cadmium-free materials
- ◆ Supplied with deluxe quick-release fittings - universal tap connector and adjustable spray nozzle
- ◆ RoHS 3 compliant



Hose colour	Internal diameter	External diameter	Maximum working pressure	Minimum burst pressure	Material	Format	Barcode	Part No
Opaque blue	1/2"/12.5mm	5/8"/15.8mm	8bar	24bar	Super flat phthlate free PVC with polyester fibre reinforcement	Boxed	5056228220541	AQM046384

Replacement Bayonet Fitting Hose Connector



Connection BSP	Bayonet BSP	Dims w x h mm	Material	Format	Barcode	Part No
1/2" female	3/4"	45x88	Nylon	Header & Bag	5056228215387	AQM033234

Y, T & L Connectors

- ◆ Y, T & L hose connector made from fracture-proof and food-safe polyethylene (HD-PE)
- ◆ Sleeve connections for hoses
- ◆ Resistant to acids, alkalis and other chemicals
- ◆ Resistant to temperature: -20° to +70°



Size mm	Height mm	Length mm	Connection area outside diameter mm	Colour	Material	Format	Barcode	Part No
Y connector for 13mm pipe	62	59	13	Natural	HDPE Polyethylene	Header & Bag	5056228214557	AQM012513



Size mm	Height mm	Length mm	Connection area outside diameter mm	Colour	Material	Format	Barcode	Part No
T-hose connector for 13mm pipe	40	79	13	Natural	HDPE Polyethylene	Header & Bag	5056228214618	AQM012313
T-hose connector For 19mm pipe	45	89	19	Natural	HDPE Polyethylene	Header & Bag	5056228214625	AQM012319



Size mm	Height mm	Length mm	Connection area outside diameter mm	Colour	Material	Format	Barcode	Part No
L-hose connector for 13mm pipe	46	13	Natural	Natural	HDPE Polyethylene	Header & Bag	5056228214632	AQM012413
L-hose connector for 19mm pipe	54	19	Natural	Natural	HDPE Polyethylene	Header & Bag	5056228214649	AQM012419

Reduction Hose Connector

- ◆ Reduction hose connector made from fracture-proof and food-safe polyethylene (HD-PE)
- ◆ Sleeve connections for hoses
- ◆ Very resistant to acids, alkalis and other chemicals. Resistant to temperature: -20° to +70°



Barb to barb mm	Length: mm	Colour	Material	Format	Barcode	Part No
19-13	74	Natural	HDPE Polyethylene	Header & Bag	5056228214595	AQM012219
13-10	66	Natural	HDPE Polyethylene	Header & Bag	5056228214601	AQM012213

Straight Hose Connector

- ◆ Straight hose connector made from fracture-proof and food-safe polyethylene (HD-PE)
- ◆ Sleeve connections for hoses
- ◆ Very resistant to acids, alkalis and other chemicals
- ◆ Resistant to temperature: -20° to +70°



Barb to barb mm	Length mm	Connection area outside diameter: mm	Colour	Material	Format	Barcode	Part No
Equal	74	13	Natural	HDPE Polyethylene	Header & Bag	5056228214564	AQM012113
Equal	74	19	Natural	HDPE Polyethylene	Header & Bag	5056228214571	AQM012119
Equal	84	25	Natural	HDPE Polyethylene	Header & Bag	5056228214588	AQM012125



Non Return Valve

Barb	Material	Format	Barcode	Part No
Stepped 1/2" - 3/4" - 1"	HDPE Polyethylene	Header & Bag	5056228215325	AQM007789



Non-return Valve

- ◆ Quick release clip, allow quick and easy servicing

Description	Hose Outlet: in	Hose Inlet: in	Angle	Format	Barcode	Part No
Non-return	1	3/4 - 1	90°	Header & Bag	5056228215882	AQM007776
Non-return	3/4 - 1	3/4 - 1	inline	Header & Bag	5056228215905	AQM007787
Non-return	3/4	3/4 - 1	90°	Header & Bag	5056228215875	AQM007774
Non-return	1 1/2	1 1/2 - 1 1/4	90°	Header & Bag	5056228215899	AQM007778
Non-return	1 1/2 - 1 1/4	1 1/2 - 1 1/4	inline	Header & Bag	5056228215912	AQM007788

Heavy-Duty Hose Clamp

- ◆ Designed for secure hose connections, such as exhaust hoses
- ◆ Smooth imperforated band surface and rolled edges, prevents hose damage



Description	Band: mm	Dia: mm	Format	Barcode	Part No
Stainless steel	20	40-43	Header & Bag	5056228216681	AQM011233
Stainless steel	22	44-47	Header & Bag	5056228216698	AQM011244
Stainless steel	22	47-50	Header & Bag	5056228216704	AQM011247
Stainless steel	22	52-55	Header & Bag	5056228216711	AQM011252
Stainless steel	22	56-59	Header & Bag	5056228216728	AQM011256
Stainless steel	22	60-63	Header & Bag	5056228216735	AQM011260
Stainless steel	22	64-67	Header & Bag	5056228216742	AQM011264



Nylon Pipe Holding Clip

For pipe size Ø	Material	Format	No in pack	Barcode	Part No
5/8"/15mm	HDPE Polyethylene	Header & Bag	10	5056228214328	AQM011015
3/4"/19mm	HDPE Polyethylene	Header & Bag	10	5056228214335	AQM011019
1"/25mm	HDPE Polyethylene	Header & Bag	10	5056228214342	AQM011025
1 1/4"/30mm	HDPE Polyethylene	Header & Bag	10	5056228214359	AQM011030
1 1/2"/38mm	HDPE Polyethylene	Header & Bag	10	5056228214366	AQM011038



Rigid Nylon Universal Pipe/Oar/Boat Hook Clips

Colour	For Pipe / Item Diameter mm	Material	Format	Barcode	Part No
Black	20	Nylon	Header & Bag	5056228211129	AQM70200
White	20	Nylon	Header & Bag	5056228211136	AQM70201
Grey	20	Nylon	Header & Bag	5056228211143	AQM70202
Black	25	Nylon	Header & Bag	5056228211150	AQM70210
White	25	Nylon	Header & Bag	5056228211167	AQM70211
Grey	25	Nylon	Header & Bag	5056228211174	AQM70212
Black	30	Nylon	Header & Bag	5056228211181	AQM70300
White	30	Nylon	Header & Bag	5056228211198	AQM70301
Grey	30	Nylon	Header & Bag	5056228211204	AQM70302

Support Clip

- ◆ Can but used to support pipes or hold boat hooks or similar in place



Description	Colour	Dia: mm	Format	Barcode	Part No
Screwed, plastic	Black	20	Header & Bag	5056228217718	AQM029220
Screwed, plastic	Black	25	Header & Bag	5056228217657	AQM029120
Screwed, plastic	Black	30	Header & Bag	5056228217725	AQM029225
Screwed, plastic	White	20	Header & Bag	5056228217671	AQM029125
Screwed, plastic	White	25	Header & Bag	5056228217732	AQM029230
Screwed, plastic	White	30	Header & Bag	5056228217695	AQM029130
Plastic	Black	19	Header & Bag	5056228217626	AQM029019
Plastic	Black	25	Header & Bag	5056228217633	AQM029025
Plastic	Black	30	Header & Bag	5056228217640	AQM029030



Suction & Delivery Hose Transparent Green

- ◆ Lightweight construction for easy handling
- ◆ Optimum flow is maintained by the smooth bore
- ◆ Tough, flexible and extremely durable
- ◆ Retains flexibility, even in cold weather
- ◆ Outstanding resistance to the effects of weather
- ◆ Excellent chemical and abrasion resistance
- ◆ RoHS 3 – restriction of hazardous substances – compliant

Internal diameter	External diameter	Wall thickness mm	Max working pressure	Weight /m kg	Bend radius mm	Vacuum m/H2O	Coil length m	Material	Format	Barcode	No
3/4" / 19mm	1" / 25mm	3.3	9.0bar	0.38	76	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228220589	AQM046545
1" / 25.4mm	1 1/4" / 32mm	3.3	8.0bar	0.33	114	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228220596	AQM046546
1 1/4" / 32mm	1 1/2" / 39.2mm	3.6	7.0bar	0.46	143	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228220602	AQM046547
1 1/2" / 38mm	1 3/4" / 45.4mm	3.7	6.5bar	0.55	171	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228220619	AQM046548



Sanitation Hose White

- ◆ Odour resistant for sanitation purposes
- ◆ Tough flexible and extremely durable
- ◆ Minimum frictional loss is achieved by the smooth bore
- ◆ UV stabilised
- ◆ Excellent chemical and abrasion resistance
- ◆ Hose is resistant to most cleaning chemicals and detergents
- ◆ Flexibility maintained - even under cold weather conditions
- ◆ Suitable for delivery and suction of cleaning chemicals within seawater boats
- ◆ Flat outer profile for easy cleaning
- ◆ RoHS 3 compliant

Internal diameter	External diameter	Wall thickness mm	Max working pressure	Weight /m kg	Bend radius mm	Vacuum m/H2O	Coil length m	Material	Format	Barcode	No
3/4" / 19mm	1" / 25.4mm	3.3	9.0bar	0.38	76	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228220558	AQM046405
1" / 25.4mm	1 1/4" / 32.6mm	3.6	8.0bar	0.39	102	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228220565	AQM046406
1 1/2" / 38mm	1 3/4" / 45.4mm	4	6.5bar	0.56	152	7	30	PVC with PVC reinforcement helix	With ID Sticker	5056228220572	AQM046408



Fuel Hose

Internal diameter	External diameter	Max working pressure	Minimum burst Pressure	Reel length: m	Format	Barcode	No
PVC fiber reinforced	Black	7	13	50	With ID Sticker	5056228218012	AQM035807

Wire Reinforced Food Quality Hose

- ◆ Flexible
- ◆ Resistant to most chemicals and UV
- ◆ Suitable for food contact applications up to +60°C
- ◆ Weather resistant
- ◆ Durable
- ◆ Good abrasion
- ◆ Rot and chemical resistance
- ◆ Good crush and kink resistance
- ◆ Anti - Static through earthing the wire at each end




Internal diameter	Max working pressure	Weight /m kg	Bend radius mm	Vacuum m/H2O	Coil length m	Material	Format	Barcode	No
1 1/4" / 32mm	13bar	0.65	75	9	30	PVC with Wire reinforcement helix	With ID Sticker	5056228220534	AQM046317

Multi Layered Food Quality Hose

- ◆ Will not support microbiological growth
- ◆ WRAS approved construction
- ◆ Cadmium and silicone - free
- ◆ Manufactured using a unique ultra-hygenic heat bonding technology which eradicates the need for chemicals
- ◆ High quality PVC outer extruded with brilliant white 'clinical' finish
- ◆ TPE mirror smooth inner for improved flow
- ◆ Odourless and taint free specialist materials
- ◆ Good flexibility and durability
- ◆ Excellent resistance to abrasion
- ◆ Specially selected high tensile Polyester fibre reinforcement
- ◆ Good kink resistance across a wide temperature range
- ◆ Independently tested in accordance with BS 6920
- ◆ Laser printed for clarity and cleanliness
- ◆ BS 6920 – assessments for suitability of non-metallic materials to ensure integrity of the material
- ◆ RoHS 3 – restriction of hazardous substances - compliant



Internal diameter	External diameter	Max working pressure	Minimum burst Pressure	Weight /m kg	Bend radius mm	Coil length m	Material	Format	Barcode	No
1/4" / 10mm	5/8" / 16mm	10bar	60bar	0.158	40	30	TPE,PVC with Polyester reinforcement fibre	With ID Sticker	5056228220527	AQM046303



Braided PVC Food Hose

- ◆ Clear versions offer excellent glass transparency for clear visibility
- ◆ Also offered in solid red and solid blue colours for Hot/Cold ID in installations
- ◆ Good flexibility for ease of use
- ◆ Resistant to a wide range of chemicals including many acids/alkalis
- ◆ Abrasion resistant. Thicker wall gives medium to heavy duty durability for improved resistance to abrasion
- ◆ Specially selected high tensile Polyester fibre reinforcement creates an effective and balanced pressure hose
- ◆ Manufactured from cadmium and silicone-free materials, using a specialist PVC that can reduce the taint of drinking water
- ◆ Manufactured in accordance with ISO 5774
- ◆ 4:1 safety factor
- ◆ EU no. 10/2011 – compliant for food contact applications
- ◆ RoHS 3 – restriction of hazardous substances – compliant
- ◆ NSF51 & NSF61 – approval for transfer of drinking water

Hose colour	Internal dia	External dia	Max working pressure	Minimum burst Pressure	Weight /m kg	Bend radius mm	Coil length m	Material	Format	Barcode	No
Clear	¼" / 6.3mm	29/64" / 11.5mm	16bar	64bar	0.093	28	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220404	AQM046201
Clear	5/16" / 8mm	17/32" / 13.5mm	16bar	64bar	0.123	29	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220411	AQM046202
Clear	3/8" / 10mm	5/8" / 16mm	15bar	60bar	0.163	40	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220428	AQM046203
Blue	3/8" / 10mm	5/8" / 16mm	15bar	60bar	0.163	40	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220480	AQM046213
Red	3/8" / 10mm	5/8" / 16mm	15bar	60bar	0.163	40	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220503	AQM046223
Clear	½" / 12mm	17/32" / 18mm	15bar	60bar	0.187	55	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220435	AQM046204
Blue	½" / 12.5mm	47/64" / 18.5mm	15bar	60bar	0.187	55	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220497	AQM046214
Red	½" / 12.5mm	47/64" / 18.5mm	15bar	60bar	0.187	55	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220510	AQM046224
Clear	¾" / 19mm	15/16" / 24mm	10bar	40bar	0.310	135	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220442	AQM046205
Clear	1" / 25mm	1 19/64" / 33mm	10bar	40bar	0.432	210	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220459	AQM046206
Clear	1¼" / 32mm	1 21/32" / 42mm	10bar	40bar	0.684	320	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220466	AQM046207
Clear	1½" / 38.75mm	1 29/32" / 48.5mm	10bar	40bar	0.684	420	30	PVC/Polyester reinforcement fibre	With ID Sticker	5056228220473	AQM046208



Clear PVC Food Hose

- ◆ Glass clear transparency for easy visibility
- ◆ Excellent abrasion and corrosion resistant properties for increased durability
- ◆ Good flexibility for ease of use
- ◆ Manufactured from cadmium and silicone-free materials using a special low toxic, odourless PVC formulation that can reduce the taint of drinking water
- ◆ Suitable for use with alcohol, petrol, oils, greases and solvents
- ◆ Highly resistant to a wide range of acids and alkalis
- ◆ Service temperature -15°C to +60°C
- ◆ EU no. 10/2011 – compliant for food contact applications
- ◆ RoHS 3 – restriction of hazardous substances – compliant
- ◆ NSF51 & NSF61 – approval for transfer of drinking water


Hose colour	Internal diameter	External diameter	Weight /m kg	Bend radius mm	Coil length m	Material	Format	Barcode	No
Clear	3/16" / 5mm	5/16" / 8mm	0.035	72	30	PVC	With ID Sticker	5056228220299	AQM046000
Clear	¼" / 6mm	23/64" / 9mm	0.044	81	30	PVC	With ID Sticker	5056228220305	AQM046001
Clear	5/16" / 8mm	7/16" / 11mm	0.065	99	30	PVC	With ID Sticker	5056228220312	AQM046002
Clear	5/16" / 8mm	35/64" / 14mm	0.139	126	30	PVC	With ID Sticker	5056228220329	AQM046003
Clear	3/8" / 10mm	½" / 13mm	0.078	117	30	PVC	With ID Sticker	5056228220336	AQM046004
Clear	3/8" / 10mm	5/8" / 16mm	0.164	144	30	PVC	With ID Sticker	5056228220343	AQM046005
Clear	½" / 12mm	19/32" / 15mm	0.092	135	30	PVC	With ID Sticker	5056228220350	AQM046006
Clear	½" / 12mm	45/64" / 18mm	0.163	162	30	PVC	With ID Sticker	5056228220367	AQM046007
Clear	¾" / 19mm	1" / 25mm	0.151	198	30	PVC	With ID Sticker	5056228220374	AQM046008
Clear	1" / 25mm	1 7/32" / 31mm	0.262	225	30	PVC	With ID Sticker	5056228220381	AQM046009
Clear	1½" / 38mm	1 57/64" / 48mm	1	432	30	PVC	With ID Sticker	5056228220398	AQM046010

Neptune 4500 Series

- ◆ A 450mm marine cooker, designed and manufactured in the UK
- ◆ Features: hob, grill and oven with integrated gimballs and searails
- ◆ Flame failure device on all burners
- ◆ 3KW fast burner standard on all hobs
- ◆ Supplied with grill pan
- ◆ Stainless steel construction 4500 & 4500 Deluxe, stainless steel front, top and fascia – 4500E
- ◆ Vitreous enamelled oven interior for easy cleaning
- ◆ Thermostat controlled oven
- ◆ Spark ignition on all burners (except 4500E model)
- ◆ Stainless steel door with window
- ◆ Awarded PBO Best Buy



Model	Finish	Electric Ignition on all burners	Flame Failure Device	Gimballs & Searails	Gimball Lock	Part No
Neptune 4500 Deluxe	All stainless construction with black and silver door	Yes - controlled by fascia switch	Yes - on all burners	Yes - included as standard	Yes	LE60108D
Neptune 4500	All stainless construction	Yes - controlled by fascia switch	Yes - on all burners	Yes - included as standard	No	LE60108
Neptune 4500 E	Stainless front, top and fascia with zintec sides	No	Yes - on all burners	Yes - included as standard	No	LE60108E



Model range	Key Features	A : Base to fiddle rail mm	B : Base to pan support mm	C : Base to gimbal bracket mm	D : Width without gimballs mm	E : Width with gimballs mm	F: Gimbaling arc mm	G : Back to gimbal fixture mm	Depth mm	Weight kg	Oven Dims mm
Neptune 4500D / 4500 / 4500E	450mm wide 2 burner hob with separate grill and oven	560	505	475	450	470	510	225	420	18.5	360x250x220
Neptune 4500 Hob	450mm wide 2 burner hob with separate grill	245	190	250	450	485	305	210	400	5.8	-
Pacific 4500	450mm wide 2 burner hob and oven (no grill)	485	425	395	450	470	435	225	420	14.7	360x250x220
Gulf 4500	450mm wide 2 burner hob	150	110	178	450	485	255	210	400	2.8	-
Neptune 5000	500mm wide 3 burner hob with separate grill and oven	620	570	550	500	520	590	245	460	28.5	400x256x240
Pacific 5000	500mm wide 3 burner hob and oven (no grill)	485	435	416	500	520	460	240	460	25	400x256x240

Neptune 4500 Hob

- ◆ 2 hob burner with separate grill underneath
- ◆ Ideal for installations where space is a premium
- ◆ Perfect for craft with very small galley
- ◆ 1 x 3kw plus 1 x 2kw burners
- ◆ Stainless steel construction throughout



Model	Key Features	Width mm	Part No
Neptune 4500 Hob	2 hob burner with grill	450	LE60110

Neptune 5000

- ◆ Perfect for craft with a good sized galley
- ◆ Large oven, 500mm wide
- ◆ 3 burner hob provides practical cooking
- ◆ 2 x 2kw burners and 1 x 1kw
- ◆ Oven volume: 24.5litres
- ◆ Electric spark ignition
- ◆ Thermostat controlled oven
- ◆ Integrated gimball lock included
- ◆ Door safety catch prevents door from opening if the boat heels
- ◆ Heavy duty searail and thumbscrew pan clamps included
- ◆ Stainless steel construction throughout



Model	Key Features	Width mm	Part No
Neptune 5000	3 hob burner with separate grill and oven	500	LE60102



Gulf 4500

- ◆ Simple 2 burner hob
- ◆ Ideal for installations where space is a premium
- ◆ Perfect for craft with very small galley
- ◆ 1 x 3kw plus 1 x 2kw burners
- ◆ Stainless steel construction throughout

Model	Key Features	Width mm	Part No
Gulf 4500	2 hob burner	450	LE60111



Neptune / Pacific / Gulf Searails & Gimbal Kits

- ◆ A selection of 'add-on' parts to upgrade your marine cooker

Description	Format	Barcode	Part No
Standard rail/ pan clamp fits LE60108/109	Bagged	5056228206576	LE17464



Pacific 4500 & 5000

- ◆ Popular European model - this layout features a hob with oven underneath
- ◆ Compact height - whilst still providing a standard sized marine oven
- ◆ Flame failure device on all burners
- ◆ 4500 - 1 x 3kw plus 1 x 2kw burners
- ◆ 5000 - 2 x 2kw plus 1 x 1kw burners
- ◆ Stainless steel construction throughout
- ◆ Vitreous enamelled oven interior for easy cleaning

Model	Key Features	Width mm	Part No
Pacific 4500	2 hob burner with oven	450	LE60109
Pacific 5000	3 hob burner with oven	500	LE60104



Fire Blanket in PVC Case

- ◆ Essential in high risk areas
- ◆ Slim fit for easy location

Description / Type	Dimensions: cm W x L	Certificates	Format	Barcode	Part No:
Red rigid case	100 x 100S	EN1869-1997	With Card ID Tag	5056228216667	AQM010382
Red rigid case	120 x 180	EN1869-1997	With Card ID Tag	5056228216674	AQM010385



Atlantic 4500

- ◆ Oven volume: 19 litres
- ◆ Incorporates an internal grill within oven and 2 burner stove with safety valve
- ◆ Searails and gimbal kits included
- ◆ Easy to use handles for carrying or moving
- ◆ Four feet if placed on a surface rather than mounted on gimbals
- ◆ Secure oven door lock
- ◆ Easy to read oven temperature gauge

Description	Dimensions: cm W x D x H	Weight: kg	Barcode	Part No
2 burner hob with oven and internal grill	45 x 31.5 x 48.5	17.5	5056228221500	AQM60208

Ceramic Hobs 2 - 4 Zone

- ◆ Our stylish range of ceramic glass electric hobs and griddles are ideal for luxury vessels with their own AC voltage supply
- ◆ Available in 230v & 100v with a range of heating options including Induction
- ◆ Sleek, modern look for premium galleys
- ◆ Vitroceramic glass makes for easy cleaning
- ◆ Hot hob indicator safety feature
- ◆ Rotary control knobs offer simple ease of use
- ◆ Touch panels offer a flush, unobstructed surface and additional safety lock and slide control



Model	Voltage	Control	Hobs / Zones	Length mm	Width mm	Depth mm	Part No
Ceramic hob 2	230V AC	Rotary knob	2 x 1200watt	490	260	45	LE49463
Ceramic hob 2	110V AC	Rotary knob	2 x 1200watt	490	260	45	LE50359
Ceramic hob 4	230V AC	Rotary knob	1 x 1800, 1 x 1500 & 2 x 1200watt	560	490	45	LE50366
Ceramic hob 2	230V AC	Touch panel	2 x 1200watt	490	290	45	LE50360
Ceramic hob 2	110V AC	Touch panel	2 x 1200watt	490	290	45	LE50361
Ceramic hob 3	230V AC	Touch panel	3 x 1200watt	515	480	45	LE50364
Ceramic compact hob 4	230V AC	Touch panel	4 x 1200watt	533	457	45	LE186329
Ceramic hob 4	230V AC	Touch panel	1 x 1800, 1 x 1500 & 2 x 1200watt	560	490	45	LE49464

Induction Hobs 2 - 3 Zone

- ◆ Stylish and easy to clean
- ◆ Faster and more energy efficient than conventional electric hob
- ◆ Safer to use due to reduced heat on glass
- ◆ Safety lock function



Model	Voltage	Control	Hobs / Zones	Length mm	Width mm	Depth mm	Part No
Induction Hob 2	230V AC	Touch panel	1 x 1600, 1 x 2000watt	510	300	62	LE50362
Induction Hob 3	230V AC	Touch panel	2 x 1600, 1 x 2000watt	510	462	62	LE50363




Ceramic Griddles

- ◆ Cook straight on the glass
- ◆ Built-in spillage tray catches any grease or fat
- ◆ Simple and quick to clean

Model	Voltage	Control	Hobs / Zones	Length mm	Width mm	Depth mm	Part No
Standard	230V AC	Rotary knob	1 x 1300watt ribbed griddle plate	505	295	70	LE60112
High performance	230V AC	Rotary knob	1 x 1600watt ribbed griddle plate	505	295	70	LE60113

Classic LED 12 Navigation Lights

- ◆ Designed for vessels up to 12m
- ◆ Made of tough UV stabilised ABS polycarbonate compound
- ◆ Shatter-proof acrylic lens
- ◆ Stainless steel electrical contacts
- ◆ Waterproof, non corrosive and non magnetic
- ◆ Screw mounted and connected to central or auxillary circuit
- ◆ Supplied with silicon encapsulated LED bulb
- ◆ Bulb lifetime: 50,000 hours



AQM061318

Description / Type	Light Colour	Housing colour	Dimensions: mm H x W x D	Voltage	Visible Distance: nm	Certificates	Format	Barcode	Part No:
Starboard 112.5° light	green	black	70 x 60 x 55	12-24	1	COLREG 72 MSC 253(83) EN14744:2005	Header & Bag	5056228218937	AQM061202
Port 112.5° light	red	black	70 x 60 x 55	12-24	1		Header & Bag	5056228218920	AQM061201
Stern 135° light	white	black	70 x 60 x 55	12-24	2		Header & Bag	5056228218944	AQM061203
Masthead 225° light	white	black	70 x 60 x 55	12-24	2		Header & Bag	5056228218951	AQM061204
Bi-colour 225° light	bi-colour	black	70 x 60 x 55	12-24	1		Header & Bag	5056228218968	AQM061205
Bulb kit	-	-	-	12-24	-		Header & Bag	5056228219217	AQM061318

Classic LED 12 All-Round Navigation Lights


- ◆ Designed for vessels up to 12m
- ◆ Made of tough UV stabilised ABS polycarbonate compound
- ◆ Shatter-proof acrylic lens
- ◆ Stainless Steel electrical contacts
- ◆ Waterproof, non corrosive and non magnetic
- ◆ Screw mounted and connected to central or auxillary circuit
- ◆ Supplied with silicon encapsulated LED bulb
- ◆ Bulb lifetime: 50,000 hours



Description / Type	Light Colour	Housing colour	Dims: mm H x Ø	Voltage	Visible Distance: nm	Certificates	Format	Barcode	Part No:
All-Round light	white	black	75 x 55	12-24	2	COLREG 72 MSC 253(83) EN14744:2005	Header & Bag	5056228218982	AQM061207
All-Round light	tri-colour	black	75 x 55	12-24	2		Header & Bag	5056228218975	AQM061206
Bulb for all-Round lights	-	-	-	12-24	-		Header & Bag	5056228219200	AQM061317

Classic 12 Navigation Lights

- ◆ Designed for vessels up to 12m
- ◆ Made from tough UV stabilised ABS
- ◆ Shatterproof acrylic lens
- ◆ Non metallic stainless steel electrical contacts
- ◆ Waterproof, non corrosive and non magnetic




Description / Type	Light Colour	Housing colour	Dimensions: mm H x W	Voltage	Visible Distance: nm	Format	Barcode	Part No:
Starboard 112.5° light	green	black	70 x 60 x 55	12	1	Header & Bag	5056228219002	AQM061222
Port 112.5° light	red	black	70 x 60 x 55	12	1	Header & Bag	5056228218999	AQM061221
Stern 135° light	white	black	70 x 60 x 55	12	2	Header & Bag	5056228219019	AQM061223
Masthead 225° light	white	black	70 x 60 x 55	12	2	Header & Bag	5056228219026	AQM061224
Bi-colour light	bi-colour	black	70 x 60 x 55	12	1	Header & Bag	5056228219040	AQM061226
Starboard 112.5° light	green	white	70 x 60 x 55	12	1	Header & Bag	5056228219088	AQM061232
Port 112.5° light	red	white	70 x 60 x 55	12	1	Header & Bag	5056228219071	AQM061231
Stern 135° light	white	white	70 x 60 x 55	12	2	Header & Bag	5056228219095	AQM061233
Masthead 225° light	white	white	70 x 60 x 55	12	2	Header & Bag	5056228219101	AQM061234
Bi-colour light	bi-colour	white	70 x 60 x 55	12	1	Header & Bag	5056228219118	AQM061236
Bulb 12V, T18 BA15S, 18 LEDs	cool white	-	39 x 15	12	1	Header & Bag	5056228219187	AQM061315

Classic 12 All-Round Navigation Lights



Description / Type	Light Colour	Housing colour	Dimensions: mm H x W	Voltage	Visible Distance: nm	Format	Barcode	Part No:
All-Round combination light - Port & Starboard	white / red / green	black	170 x 125	12	1 / 2	Header & Bag	5056228219057	AQM061227
All-Round combination light - Stern & Bi-colour	white / red / green	black	170 x 125	12	1 / 2	Header & Bag	5056228219064	AQM061228
All-Round combination light - Port & Starboard	white / red / green	white	170 x 125	12	1 / 2	Header & Bag	5056228219125	AQM061237
All-Round combination light - Stern & Bi-colour	white / red / green	white	170 x 125	12	1 / 2	Header & Bag	5056228219132	AQM061238
Bulb 12V, T18 BA15S, 18 LEDs	cool white	-	39 x 15	12	-	Header & Bag	5056228219187	AQM061315

Classic 12 Masthead and Deck Lights



Description / Type	Light Colour	Housing colour	Dimensions: mm L x W	Voltage	Visible Distance: nm	Format	Barcode	Part No:
Masthead & Deck 225° lights	white	black	140 x 170	12	2	Header & Bag	5056228219033	AQM061225

Junior 7 Navigation Lights

- ◆ Waterproof, non corrosive and non magnetic
- ◆ For craft under 7m but approved by DOT for vessels up to 12m
- ◆ Vertical mounted
- ◆ Shatterproof plexiglass lens
- ◆ Small but without compromise on style or function
- ◆ Provided with a two sided adhesive tape and flange to aid fitting
- ◆ Brass contacts



Description / Type	Light Colour	Housing colour	Dimensions: mm H x W x D	Voltage	Visible Distance: nm	Format	Barcode	Part No:
Starboard 112.5° light	green	black	60 x 50 x 40	12	1	Header & Bag	5056228218791	AQM060722
Port 112.5° light	red	black	60 x 50 x 40	12	1	Header & Bag	5056228218784	AQM060721
Stern 135° light	white	black	60 x 50 x 40	12	2	Header & Bag	5056228218807	AQM060723
Masthead 225° light	white	black	60 x 50 x 40	12	2	Header & Bag	5056228218814	AQM060724
Bi-colour 225° light	bi-colour	black	60 x 50 x 40	12	1	Header & Bag	5056228218821	AQM060725
Starboard 112.5° light	green	white	60 x 50 x 40	12	1	Header & Bag	5056228218869	AQM060732
Port 112.5° light	red	white	60 x 50 x 40	12	1	Header & Bag	5056228218852	AQM060731
Stern 135° light	white	white	60 x 50 x 40	12	2	Header & Bag	5056228218876	AQM060733
Masthead 225° light	white	white	60 x 50 x 40	12	2	Header & Bag	5056228218883	AQM060734
Bi-colour 225° light	bi-colour	white	60 x 50 x 40	12	1	Header & Bag	5056228218890	AQM060735
Bulb 5W, BA9S, C2R	white	-	10 x 29	12	-	Header & Bag	5056228219156	AQM061312
Bulb LED, BA9S, 4SMDs+1LED	cool white	-	9 x 25.5	12	-	Header & Bag	5056228219163	AQM061313

Junior 7 All Round Navigation Lights

- ◆ Pedestal lights
- ◆ For craft under 7m but approved by DOT for vessels up to 12m
- ◆ Durable design offering longevity
- ◆ Small but without compromise on style or function




Description / Type	Light Colour	Housing colour	Dimensions: mm H x Ø	Voltage	Visible Distance: nm	Format	Barcode	Part No:
Pedestal, 360° light, 5 watt	white	black	82 x 40	12	2	Header & Bag	5056228218845	AQM060727
Pedestal, tri-colour light	tri-colour	black	82 x 40	12	2	Header & Bag	5056228218838	AQM060726
Pedestal, 360° light, 5 watt	white	white	82 x 40	12	2	Header & Bag	5056228218913	AQM060737
Pedestal, tri-colour light	tri-colour	white	82 x 40	12	2	Header & Bag	5056228218906	AQM060736
Bulb 5 watt, BA9S, C2R	white	-	10 x 29	12	-	Header & Bag	5056228219156	AQM061312
Bulb LED, BA9S, 4SMDs+1LED	cool white	-	9 x 25.5	12	-	Header & Bag	5056228219163	AQM061313

Emergency Navigation Lights

- ◆ Ideal of use on small crafts, inflatable boat, kayaks, or as emergency lighting in larger vessels
- ◆ Portable and waterproof
- ◆ All round light for use when fixed lights are not working
- ◆ Available with external light reflectors
- ◆ Use standard D-cell batteries (not included)
- ◆ 9 hours of continuous use



AQM061311



Description / Type	Light Colour	Housing colour	Dimensions: mm H x W x D	Visible Distance: nm	Format	Barcode	Part No:
360° Battery powered	green	black	130 x 54	1	Header & Bag	5056228218746	AQM060102
360° Battery powered	red	black	130 x 54	1	Header & Bag	5056228218739	AQM060101
360° Battery powered	white	black	130 x 54	2	Header & Bag	5056228218753	AQM060103
360° Battery powered	set of all 3	black	130 x 54	1 / 2	Header & Bag	5056228218760	AQM060104
Bulb pack - 1.1V / 0.33W	white	-	-	-	Header & Bag	5056228219149	AQM061311

Compact LED Emergency Navigation Lights

- ◆ 12 hour battery life
- ◆ Quick clip-on installation
- ◆ 3 light settings
- ◆ Easy set up
- ◆ Water Resistant
- ◆ Suitable for sailboats, fishing boats, inflatable tenders, kayaks and diving buoys



Description / Type	Light Colour	Housing colour	Visible Distance: nm	Format	Barcode	Part No:
Set of 3 lights	Red / White / Green	Red / White / Green	3	Header & Bag	5056228218777	AQM060105

Anchor Ball

- ◆ Internationally recognised sign for 'boat at anchor'
- ◆ Made from tough polypropylene
- ◆ Folds for easy storage



Description / Type	Dimensions: mm	Format	Barcode	Part No:
Black	300	Header & Bag	5056228216438	AQM010142
Black	350	Header & Bag	5056228216445	AQM010143

Anchor Cone


- ◆ Internationally recognised sign for 'boat at anchor'
- ◆ Made from tough polypropylene
- ◆ Folds for easy storage



Description / Type	Dimensions: mm	Format	Barcode	Part No:
Black	350 x 340	Header & Bag	5056228216452	AQM010146
Black	470 x 330	Header & Bag	5056228216469	AQM010147

Signalling Mirror

- ◆ Simple way to attract attention using sunlight
- ◆ Simple 5 step instructions for use:
 1. Hold foresight in left hand, arm fully extended
 2. Hold signalling mirror in right hand toward sunlight
 3. Align the holes of foresight and the mirror on the target
 4. Move mirror until reflection of sun from mirror is seen on foresight and a shadow point appears in its hole
 5. The ray is now directed at the target to draw attention



Description / Type	Dimensions: mm	Format	Barcode	Part No:
White	70 x 70	Header & Bag	5056228216421	AQM010133

Signalling Mirror with Red Dot

- ◆ One of the most effective signalling devices
- ◆ Features an aiming spot to assist in flashing in the right direction



Description / Type	Diameter: mm	Format	Barcode	Part No:
Mirror with red dot	86	Header & Bag	5056228216414	AQM010132

Radar Reflector

- ◆ Made from light alloy
- ◆ Protective covering of joint
- ◆ Folding for easy storage when not required



Description / Type	Dimensions: mm	Format	Barcode	Part No:
Standard 12"	215 x 125 x 300	Header & Bag	5056228216360	AQM010112
RORC 16"	300 x 300 x 470	Header & Bag	5056228216377	AQM010116
RORC 18"	340 x 340 x 470	Header & Bag	5056228216384	AQM010118

Tube Radar Reflector


- ◆ Lightweight and compact
- ◆ 2 designs for sail and powerboats
- ◆ Fits to shroud on sailing boat
- ◆ Deck mounted on power boat
- ◆ Made from aluminium elements crossed at 90° angles in plastic casing
- ◆ Very high reflecting rate



Description / Type	Length: cm	Ø : cm	Format	Barcode	Part No:
Sail boat	58	5	Euroslot Carded	5056228216407	AQM010122
Powerboats	58	5	Euroslot Carded	5056228216391	AQM010121

Anchor Marking Buoy

- ◆ Used for infrequent open sea mooring to mark exact position of anchor
- ◆ Supplied with self-adjusting lead counterweight the line length between 4 and 10m
- ◆ SOLAS approved reflective tape on top of buoy to help show location at night
- ◆ Helps with retrieval a fouled anchor by allowing lift from the anchor crown
- ◆ Made of UV high-density polyethylene
- ◆ Conical shape
- ◆ Easy to store



Description	Line length: m	Overall Diameter: mm H x Ø	Dimensions Deck fixing to rest: mm	Format	Barcode	Part No:
Buoy with reflective tape	11	507 x 200	2	With ID Sticker	5056228216148	AQM010041

Marine Multi Tool


- ◆ Tool features:
Long Nose Pliers
Wire Cutter
Clip Point Knife
Scale
Phillips screwdriver
Bottle Opener
Metal File
Serrated Drop Point Knife
Screwdriver
Can Opener



Format	Barcode	Part No:
Euroslot Carded	5056228220008	AQM010403

Sailing Knife


- ◆ Stainless Steel



Blade length: cm	Format	Barcode	Part No:
9.5	Header & Bag	5056228220022	AQM010409

Sailing Knife


- ◆ Stainless Steel



Blade length: cm	Format	Barcode	Part No:
11	Header & Bag	5056228220015	AQM010411

Buoyant Deck Cushions

- ◆ Made with waterproof outer material and filled with polyethylene foam
- ◆ Integral straps around cushions, making them easy to carry
- ◆ Cushions can lock to your boat through nylon hook on back
- ◆ Single or double available
- ◆ White cushions made of PVC
- ◆ Red and blue cushions made of polyester with PVC overlay
- ◆ Recommendation: clean cushions with fresh cold water



Description	Colour	Dimensions: cm L x W x D	Weight: kg	Material	Buoyancy: kg	Format	Barcode	Part No:
Single	White	40 x 40 x 6.5	0.6	PVC	9.5	With Card ID Tag	5056228220039	AQM330111
Single	Red	40 x 40 x 6.5	0.55	Polyester	9	With Card ID Tag	5056228220046	AQM330113
Single	Blue	40 x 40 x 6.5	0.55	Polyester	9	With Card ID Tag	5056228220053	AQM330112
Double	White	83 x 40 x 6.5	1.25	PVC	19.5	With Card ID Tag	5056228220060	AQM330121
Double	Red	84 x 40 x 6.5	1.2	Polyester	19	With Card ID Tag	5056228220077	AQM330123
Double	Blue	85 x 40 x 6.5	1.2	Polyester	19	With Card ID Tag	5056228220084	AQM330122



AQUA MARINE

15K-Offshore

◆ Specially aimed at use in Coastal and Offshore conditions, it has added comfort features to enhance your sailing experience - whether you are cruising or racing.

◆ JACKET & TROUSERS - TECHNICAL

- Shell Fabric: 100% Polyamide
- Lining: 100% Polyester, PU coating
- Waterproof: 15,000mm
- Breathability: 6,000g/m² 24hr, YKK zips.

◆ HI-FIT TROUSERS - FEATURES

- Fully lined
- Ankle tightening with Velcro style closures
- Elasticated arm pits
- Wide adjustable braces
- Knee pads reinforced with removable neoprene




Hi visibility hood - rolls away into collar



Adjustable outer and inner cuff



Retro reflective tape on arms and shoulders



Snug collar with anti-pill soft touch neck liner



Zipped 'Nelson' pocket



Inner mesh pocket



Lined two way pockets on outer of jacket

15K0 Jacket

Size	Format	Barcode	Part No
Small	Bagged with Retail Swing Tag	5056228205487	AQM15KOJGSML
Med	Bagged with Retail Swing Tag	5056228205470	AQM15KOJGMED
Large	Bagged with Retail Swing Tag	5056228205463	AQM15KOJGLRG
XL	Bagged with Retail Swing Tag	5056228205494	AQM15KOJGXL
XXL	Bagged with Retail Swing Tag	5056228205500	AQM15KOJGXXL

15K0 Hi Fit Trousers

Size	Format	Barcode	Part No
Small	Bagged with Retail Swing Tag	5056228205432	AQM15KOGSML
Med	Bagged with Retail Swing Tag	5056228205425	AQM15KOGMED
Large	Bagged with Retail Swing Tag	5056228205418	AQM15KOGLRG
XL	Bagged with Retail Swing Tag	5056228205449	AQM15KOGXL
XXL	Bagged with Retail Swing Tag	5056228205456	AQM15KOGXXL

AQUA MARINE



15K-Offshore Suit



6K-Crew

◆ JACKET - TECHNICAL

- Colour matched to Offshore trousers for regatta / day sailing use
- Shell fabric: 100% Polyamide
- Lining: 100% Polyester, PU coating
- Waterproof: 5,000mm
- Breathability: 3,000g/m² 24hr



Integrated roll away hood




Mesh lining and fleece lined collar



Flush zips for minimum snagging



Inner mesh pocket



Elasticated waist adjustment



Adjustable cuff with Velcro style closure

Size	Format	Barcode	Part No
Small	Bagged with Retail Swing Tag	5056228205531	AQM6KCGSML
Med	Bagged with Retail Swing Tag	5056228205524	AQM6KCGMED
Large	Bagged with Retail Swing Tag	5056228205517	AQM6KCGLRG
XL	Bagged with Retail Swing Tag	5056228205548	AQM6KCGXL
XXL	Bagged with Retail Swing Tag	5056228205555	AQM6KCGXXL

Bosun's Chair

- ◆ Allow work in comfort and safety
- ◆ Well balanced
- ◆ Made from tough Nylon 210D with PVC backing
- ◆ Comes complete with safety straps for added security, side pockets for tools and padded wooden seat



Professional Bosun's Chair

- ◆ Designed to highest quality standards
- ◆ Making the professional's life easier and more comfortable



Format	Barcode	Part No:
With Card ID Tag	5056228219996	AQM003007

Format	Barcode	Part No:
With Card ID Tag	9401908090	AQM003005

- Designed for comfort and durability in all weather
- Wrapped palm protection
- Race ready with proven flexibility and comfort
- Pre-shaped construction fits your natural hand shape
- Improved abrasion resistance and grip
- Water repellent



Long Fingered Gloves

- ◆ 3 long fingers and 2 short fingers
- ◆ Gives both protection while allowing dexterity

Size	Format	Barcode	Part No:
Small	Euroslot carded	5056228214168	AQMSG051S
Medium	Euroslot carded	5056228214151	AQMSG051M
Large	Euroslot carded	5056228214144	AQMSG051L
Extra Large	Euroslot carded	5056228214175	AQMSG051XL



Short Fingered Gloves

- ◆ 5 short fingers

Size	Format	Barcode	Part No:
Small	Euroslot carded	5056228214205	AQMSG321S
Medium	Euroslot carded	5056228214199	AQMSG321M
Large	Euroslot carded	5056228214182	AQMSG321L
Extra Large	Euroslot carded	5056228214212	AQMSG321XL

Marina Buoyancy Aid

- ◆ Rated to 50 Newton CE EN ISO12402-5

- 1 Heavy gauge zip with pull keeper at top
- 2 Concealed zip safety pocket on left hand outer side for compass etc.
- 3 Velcro closure pocket on right hand outer side
- 4 Whistle on lanyard located in inner right hand side pocket
- 5 Enclosed elasticated under arms and shoulder straps for comfort fit
- 6 Heavy duty nylon buckle with fully adjustable webbing and one handed release
- 7 Enclosed elasticated waist hem



Size / Weight	Format	Barcode	Part No
XS-S 30-50kg	Bagged with Retail Swing Tag	5056228220268	AQM010292
M-L 50-70kg	Bagged with Retail Swing Tag	5056228220282	AQM010294
L-XXL +70kg	Bagged with Retail Swing Tag	5056228220275	AQM010293

Jive Buoyancy Aid

- ◆ Rated to 50 Newton CE EN ISO12402-5

- A Slip over design ideal for kayaking and action sports
- B Fully adjustable 2 x webbing adjusters on both sides of jacket
- C Front mesh pocket with hook & loop closure
- D Includes whistle with lanyard in front mesh pocket
- E Fleece lined front handwarmer pockets behind front mesh pocket
- F Reflective piping along top of front pocket and chest level of jacket
- G Reflective strips on either side of chest
- H Zipped pocket under chest with plenty of room for compasses etc.
- I Enclosed elasticated under arms
- J Zipped pocket on back for further storage/hydration packs
- K Reflective tape runs down back on both sides
- L Shoulder straps with neoprene padding and webbing adjusters



Size / Weight	Format	Barcode	Part No
XS-S 30-50kg	Bagged with Retail Swing Tag	5056228220237	AQM010282
M-L 50-70kg	Bagged with Retail Swing Tag	5056228220251	AQM010284
L-XXL +70kg	Bagged with Retail Swing Tag	5056228220244	AQM010283

Pet Buoyancy Aid

- ◆ Lightweight and available in 4 sizes
- ◆ Strong lifting loop
- ◆ Suitable for both dogs and cats



Description / Type	Size	Weight: kg	Chest circumference min-max : cm	Format	Barcode	Part No:
Foam floatation	XS	<8	25-48	With Card ID Tag	5056228216599	AQM010231
Foam floatation	S	8-15	30-60	With Card ID Tag	5056228216605	AQM010232
Foam floatation	M	15-40	43-84	With Card ID Tag	5056228216612	AQM010233
Foam floatation	L	40→	46-95	With Card ID Tag	5056228216629	AQM010234

Buoyancy Aid

- ◆ Basic and economic, ideal for water sports
- ◆ Covers waist and back
- ◆ Comfortable fit
- ◆ Webbing fastener and plastic zip
- ◆ Raw materials certified to ISO12402-7 ans ISO12402-8 for strength, quality and durability



Description / Type	Size	Weight: kg	Chest size: cm	Buoyancy: N	Certificates	Format	Barcode	Part No:
Foam floatation	Child	30-50	60-80	40	ISO12402-5	With Card ID Tag	5056228216551	AQM010221
Foam floatation	Adult	50-70	80-100	45	ISO12402-5	With Card ID Tag	5056228216568	AQM010222
Foam floatation	Adult	70-90	100-130	50	ISO12402-5	With Card ID Tag	5056228216575	AQM010223
Foam floatation	Adult	90+	130-160	55	ISO12402-5	With Card ID Tag	5056228216582	AQM010224

Nautical Whistle

- ◆ Commercial grade
- ◆ Pea-less
- ◆ Manufactured in accordance with SOLAS 74/83



Description / Type	Certificates	Format	Barcode	Part No:
Orange	ISO 12402-8 & 7 Parts PRS	Header & Bag	5056228216292	AQM010090

Child's Chico Lifejacket - 100N

- ◆ Large floatation collar to support child's head
- ◆ Fabric crotch strap
- ◆ Foam distribution allows quick turn and face out of the water
- ◆ Supplied with webbing fastener, ISO certified whistle and retroreflective tapes
- ◆ Raw materials certified to ISO12402-7 ans ISO12402-8 for strength, quality and durability



Description / Type	Size	Weight: kg	Chest Size: cm	Buoyancy: N	Certificates	Format	Barcode	Part No:
Foam floatation	Baby	3-10	50-60	32	ISO12402-4	With Card ID Tag	5056228216490	AQM010211
Foam floatation	Child	10-20	60-75	42	ISO12402-4	With Card ID Tag	5056228216506	AQM010212
Foam floatation	Child	15-30	60-70	45	ISO12402-4	With Card ID Tag	5056228216513	AQM010214
Foam floatation	Child	30-40	70-80	55	ISO12402-4	With Card ID Tag	5056228216520	AQM010215

Child's Chico Lifejacket - 150N

- ◆ Large floatation collar to support child's head
- ◆ Fabric crotch strap
- ◆ Foam distribution allows quick turn and face out of the water
- ◆ Supplied with webbing fastener, ISO certified whistle and retroreflective tapes
- ◆ Lifting loop for easy rescue
- ◆ Raw materials certified to ISO12402-7 ans ISO12402-8 for strength, quality and durability



Description / Type	Size	Weight: kg	Buoyancy: N	Certificates	Format	Barcode	Part No:
Foam floatation	Child	15-30	60	ISO12402-3	With Card ID Tag	5056228216537	AQM010216
Foam floatation	Child	30-40	75	ISO12402-3	With Card ID Tag	5056228216544	AQM010217

Safety Harness & Lines


- ◆ Heavy-duty stainless steel interlocking buckle and a D-ring
- ◆ Fully adjustable black polyester waist webbing
- ◆ Approved per the latest European standards ISO 12401:2009

- ◆ Double action hook design prevents accidental opening
- ◆ Superb single handed operation
- ◆ Hook fully approved per ISO 9227



AQM010052 / AQM01005 AQM010061 AQM010062 AQM010063 AQM010064

Description / Type	Size / chest size: cm	Weight: kg	Length: cm	Certificates	Format	Barcode	Part No.
Harness	Adult 70-150	50→	-	ISO 12401	With Card ID Tag	5056228216186	AQM010052
Harness	Child 60-90	20-50	-	ISO 12401	With Card ID Tag	5056228216193	AQM010055
Safety line - single	-	-	150	ISO 12401/ISO 9227	Header & Bag	5056228216209	AQM010061
Safety line - double	-	-	185	ISO 12401/ISO 9227	Header & Bag	5056228216216	AQM010062
Safety line - triple	-	-	200	ISO 12401/ISO 9227	Header & Bag	5056228216223	AQM010063
Safety line - double elastic	-	-	100-180	ISO 12401/ISO 9227	Header & Bag	5056228216230	AQM010064



Lifebuoy Cabinet

- ◆ Robust, high visibility orange polyethylene
- ◆ Suitable for storing round lifebuoy rings

Description / Type	Colour	Overall dimensions: cm	Weight: kg	Format	Barcode	Part No.
Ring	Orange	850 x 800 x 230	6.5	Boxed	5056228215622	AQM010010

Ring Lifebuoy

- ◆ Meets SOLAS 74 (83) Res
- ◆ IMO A689 (17)
- ◆ With four retro-reflective tapes
- ◆ Manufactured in blow pressed polyethylene
- ◆ Inside filled with expanded polyurethane



Description	Colour	Overall dimensions: cm	Inside diameter: mm	Outside diameter: mm	Weight: kg	Format	Barcode	Part No.
Ring	Orange	50 x 65	400	650	2.5	With Card ID Tag	5056228215721	AQM010006

Ring Lifebuoy


- ◆ Covered by PVC, entirely welded
- ◆ Inside is polystyrene, resistant to oil
- ◆ Complete with line



Description	Colour	Overall dimensions: cm	Inside diameter: mm	Outside diameter: mm	Weight: kg	Format	Barcode	Part No.
Ring	Red & white	35 x 60	350	600	2.5	With Card ID Tag	5056228215738	AQM010002
Ring	Red & white	40 x 65	400	650	0.85	With Card ID Tag	5056228215127	AQM006752

Horseshoe Lifebuoy


- ◆ Essential equipment for all boats, yachts and motorboats
- ◆ Offers personal floatation to seafarers in man overboard emergency
- ◆ Must-have item for safe and carefree sailing
- ◆ Simple to use and features a flexible zipper cover and a plastic clip fastening



Description / Type	Colour	Buoyancy: N	Format	Barcode	Part No.
Horseshoe	Orange	140	With Card ID Tag	5056228216032	AQM010011
Horseshoe	White	140	With Card ID Tag	5056228216049	AQM010012
Horseshoe	Yellow	140	With Card ID Tag	5056228216056	AQM010013

Horseshoe Lifebuoy Set

- ◆ Horseshoe made from polyester with PVC backing
- ◆ Waterproof fabric does not fade and is resistant to UV
- ◆ Set includes: - Storage case, horseshoe lifebuoy, lifebuoy light and 30m Ø8mm floating rope



Description / Type	Colour	Buoyancy: N	Format	Barcode	Part No.
Set - 4 pieces	Orange	min 145	With Card ID Tag	5056228216070	AQM010015

Stainless Steel Horseshoe Accessories

- ◆ Bracket easily installed on any kind of vessel
- ◆ Fixing system allows horseshoe and lifebuoy light to be easily deployed



Description / Type	Format	Barcode	Part No.
Stainless steel Bracket	With Plasticard ID Tag	5056228216063	AQM010014
Rail base for lifebuoy light	Header & Bag	5056228216094	AQM010023



Lifebuoy Holder

Type	Length mm	Width mm	Secures by	Material	Format	Barcode	Part Number
Wire Hook design with shock-cord keeper	165	140	Rail clip supplied	AISI316 Stainless Steel	Header & Bag	5056228204664	AQM054908



Lifebuoy Holder with Light Bracket

Type	Length mm	Width mm	Secures by	Material	Format	Barcode	Part Number
Wire Hook design with nylon spring clips	290	140	Rail clip supplied	AISI316 Stainless Steel	Header & Bag	5056228204671	AQM054909

Floating Lifebuoy Light & Bracket

- ◆ The light is MED approved and meets latest SOLAS 74/96 amendments
- ◆ Self-activated - lights up only by contact with water
- ◆ Can be stored in any position with no risk of accidental activation



Description / Type	Format	Barcode	Part No:
Bracket	Header & Bag	5056228215691	AQM010021
Light Unit	Header & Bag	5056228215707	AQM010020

LED Flashing Floating Lifebuoy Light

- ◆ Approved by UE Marine
- ◆ Strongly constructed by plastic
- ◆ Operated by 2D - 1,5V batteries (not included)



Description / Type	Dimensions: cm	Format	Barcode	Part No:
LED	22 x 12	Header & Bag	5056228215714	AQM010025



Lifebuoy Light - SOLAS approved

- ◆ Offers optimum visibility at sea
- ◆ For use with horseshoe lifebuoy
- ◆ Complies with SOLAS and burns continuously with high luminous intensity.
- ◆ Not less than 2cd in all directions of the upper hemisphere for a period of at least 2h (at white colour).
- ◆ Uses 4 x D cell alkaline batteries (not included)

Description / Type	Format	Barcode	Part No:
Battery powered light	Header & Bag	5056228216087	AQM010022

Universal Bracket and Holding Straps

- ◆ For use with liferafts
- ◆ Can also be used with most fixed tanks Ercole, Sogliola and Diablo tanks see page 74



Format	Barcode	Part No:
ID sticker	5056228216155	AQM010045

Liferaft Support Base

- ◆ Adjustable to suit liferaft



Description / Type	Minimum Dimensions: L x H x W mm	Maximum Dimensions: L x H x W mm	Format	Barcode	Part No:
Stainless Steel	810 x 415 x 225	930 x 415 x 225	With Plasticard ID Tag	5056228216162	AQM010047

Safety Ladder

- ◆ Provides instant aid in man overboard situation
- ◆ Simple grab and pull deployment
- ◆ Fabric ladder unfolds instantly
- ◆ Features 3 fixing loops and 5 webbing steps
- ◆ Lightweight, waterproof and durable against the elements
- ◆ Easy repacking
- ◆ Kits contains: 500D PVC and polyester case, polyester webbing steps



Description / Type	Folded dimensions: cm W x H	Unfolded dimensions: cm W x H	Break load: kg	Format	Barcode	Part No:
5 step rescue ladder	38 x 20	38 x 215	230	With Card ID Tag	5056228216131	AQM010039

Encapsulated Life Buoy Rescue Line

- ◆ Provides instant aid in man overboard situation
- ◆ Use in conjunction with lifebuoys
- ◆ Lifeline in plastic tube
- ◆ Made from UV resistant polyethylene
- ◆ Not supplied with lifebuoy
- ◆ Complies with SOLAS requirements
- ◆ Kits contains: 30m of 8mm floating line, plastic tube



Description / Type	Dimensions: cm L x W x H	Weight: g	Break load: kg	Format	Barcode	Part No:
Rescue system	480 x 130 x 80	950	500	With Card ID Tag	5056228216025	AQM010009

Rescue safety heaving line

- ◆ Braided floating heaving line with plastic hook



Description	Colour	Diameter: mm	Length: m	Format	Barcode	Part No:
Floating rope	Orange	8	30m	Header & Bag	5056228215639	AQM010030
Floating rope in a bag	Orange	8	30m	Header & Bag	5056228215684	AQM010031

Life Link Mini

- ◆ Easy to stow in a locker or attached to pushpit
- ◆ Used for man over board retrieval
- ◆ Quick and easy to deploy
- ◆ Hand loop on both ends for rescuer and casualty
- ◆ Meets ISAF regulations
- ◆ Kits contains: Visible PVC bag, 23m floating line



Description / Type	Dimensions: cm L x W	Format	Barcode	Part No:
Rescue system	54 x 10	With Card ID Tag	5056228216100	AQM010032

Life Link Rescue Sling

- ◆ Designed for permanent mounting on pushpit in own PVC bag
- ◆ Used for man over board retrieval
- ◆ Easy clean
- ◆ Meets ISAF regulations
- ◆ Kits contains: Rail mounted PVC stowage bag, 36m floating line, life link with webbing strap



Description / Type	Line breaking strain: kg	Floatation Belt breaking strain: kg	Format	Barcode	Part No:
Rescue system	→200	→700	With Card ID Tag	5056228216117	AQM010034

Man Overboard Rescue System


- ◆ Complete container with boat hooking device
- ◆ For man overboard rescue
- ◆ Complete with waterproof bag and adjustable belts for pulpit fastening
- ◆ According to EN 89/686 EEC



Description	Diameter: mm	Length: m	Overall	Breaking Load: kg	Buoyancy: kg	Format	Barcode	Part No:
			dimensions: cm L x W x D					
Floating rope	8	30	40 x 22 x 12	400	6	With Card ID Tag	5056228215745	AQM010033

Sea Anchor (Drogue)

- ◆ Strong coated PVC.
- ◆ Continuous webbing inside for strength and durability
- ◆ Easy to deploy and to retrieve, without tangling and spinning
- ◆ Portable, compact design dries quickly and stores easily
- ◆ Weighted bottom and automatic opening
- ◆ Ideal for fishing: designed to reduce boat speed, slow down drift, stabilize hull and reduce swing frequency
- ◆ Suitable for power boats, sail boats, inflatable boats, jet skis, kayaks as sea brake or sea anchor.
- ◆ Packed with harness buoy.



Description / Type	Boat Length		Dimensions: cm				Format	Barcode	Part No:
	m	ft	A	B	C	D			
Sea anchor No1	4.5	15	50	55	8	64	Header & Bag	5056228216483	AQM010156
Sea anchor No2	6	20	65	75	10	70	Header & Bag	5056228216476	AQM010154




Jackstay Life Lines

- ◆ Provide safety without hindering freedom of movement
- ◆ Featuring two loops to attach it to boat

Description / Type	Length: m	Width: mm	Format	Barcode	Part No:
White polyester webbing	6	25	Header & Bag	5056228216315	AQM010106
White polyester webbing	7	25	Header & Bag	5056228216322	AQM010107
White polyester webbing	8	25	Header & Bag	5056228216339	AQM010108
White polyester webbing	9	25	Header & Bag	5056228216346	AQM010109
White polyester webbing	10	25	Header & Bag	5056228216353	AQM010110

Retro-reflective Tape

- ◆ High performance microprismatic tape
- ◆ Single layer construction for durability, abrasion resistance and flexibility
- ◆ No risk of water penetration
- ◆ Complies with SOLAS and the IMO LSA Code
- ◆ Tested in accordance with IMO Resolution A.658(16) for Type I applications
- ◆ Vinyl construction designed for inflatable devices and use in harsh maritime environments



Description / Type	Length: m	Width: mm	Format	Barcode	Part No:
High tack reflective tape	40	50	Header & Bag	5056228216650	AQM010322




Megaphone with Siren

- ◆ Made form ABS
- ◆ Batterieries required: 6 x D cells (not included)

Description / Type	Dimensions: mm Ø x L	Acoustic Range: m	Power: w	Format	Barcode	Part No:
Talk and siren/music functions	200 x 350	400	20	With Card ID Tag	AQM010095	AQM010095

Signal Horn

- ◆ Do not store the pressurised container in direct sunlight
- ◆ Do not expose to temperatures exceeding 40°C
- ◆ Do not pierce or burn, even after use



Description / Type	Volume: ml	Acoustic Range: m	Format	Barcode	Part No:
Signal horn set	380	1500	Header & Bag	5056228216247	AQM010080
Refill canister for horn head & set	380	1500	Header & Bag	5056228216254	AQM010082
Signal horn head	-	-	Header & Bag	5056228216261	AQM010083

Mega Horn

- ◆ Use for emergency or pleasure
- ◆ Sound measures at 105dB
- ◆ Floating and non-corrosive



Description / Type	Format	Barcode	Part No:
Red	Euroslot Carded	5056228216285	AQM010088

Fog Horn

- ◆ Made from highly resistant polyamide



Description / Type	Dimensions: cm Ø x L	Format	Barcode	Part No:
Manual	8 x 30	With Card ID Tag	5056228216278	AQM010086



Fire Blanket in PVC Case

- ◆ Essential in high risk areas
- ◆ Slim fit for easy location

Description / Type	Dimensions: cm W x L	Certificates	Format	Barcode	Part No:
Red rigid case	100 x 100S	EN1869-1997	With Card ID Tag	5056228216667	AQM010382
Red rigid case	120 x 180	EN1869-1997	With Card ID Tag	5056228216674	AQM010385



Thermal Protective Aid

- ◆ SOLAS Approved by "Lloyds" Registry
- ◆ Constructed with aluminium film coated fabric, protecting against hypothermia
- ◆ Ideal for prolonged exposure in liferaft and rescue boats
- ◆ Survivor's protection from wind and cold is warranted
- ◆ Dimensions: 2.20 x 0.98 m
- ◆ Vacuum packed

Description / Type	Dimensions: cm L x W	Height Range: M	Weight: kg	Format	Barcode	Part No:
Hypothermia protection	220 x 98	1.45 - 2	40-150	Header & Bag	5056228216643	AQM010305

Advanced Thermal Blanket

- ◆ Helps keep body temperature
- ◆ Protection from both suns rays and low temperatures
- ◆ Suitable in case of accident
- ◆ Also protection again wind, rain and heat
- ◆ Doublesided - Gold up to protect from hypothermia / Silver side up to protect from heat



Description / Type	Dimensions: cm L x W	Format	Barcode	Part No:
Gold / Silver	210 x 160	Header & Bag	5056228216636	AQM010302

A	Bulbs - Fuel Primer..... 81	Drinks Tray..... 45
Adapters for Round Vents..... 62	Bulbs - Light..... 121, 122, 123, 124	Drinking Water Hose..... 114
Access Hatches..... 48, 49, 50, 51, 52, 54, 56	Buoys..... 22, 126	Drogue..... 140
Ajduster Buckles..... 34	Buoyancy Aids..... 131, 132	E
Aids - Buoyancy..... 131, 132	C	Electric Griddles..... 120
Allslip Sail Slides..... 41	Cabin Vent..... 65	Electric Hobs..... 119, 120
Aluminium Ladder..... 29	Cables..... 71	Electrical Switches..... 99
Aluminium Rowlock..... 89	Cable Boot..... 70	Electronic Level Switch..... 103
Aluminium Transom Pad..... 66	Cable - Shore Power..... 100	Emergency Navigation Lights..... 124
Anchor Ball..... 125	Cable Gland..... 98	End Plugs..... 31
Anchor Cone..... 125	Can Holder..... 45	Endcaps Aquabatten..... 39
Anchor Marking Buoy..... 126	Calibrated Chain..... 17	Endcaps Round..... 39
Anchor Rope with Chain..... 17	Canopy Fittings..... 30	Engine Starter Rope..... 84
Anchor Shackle..... 16	Canopy Hand Clamp..... 33	Eye Bolts..... 7, 13
Anchor Swivel..... 16	Carabiner..... 7, 8	Eye Ends..... 31
Anchors..... 18, 19, 20	Carbine Hooks..... 7	Eyelets..... 42
Angled Fuel Filler..... 44	Cassette Hose..... 108	Eye Plate..... 13, 14
Anodes..... 86, 87	Ceramic Griddles..... 120	Eye Strap Stirrup..... 14
Aquabatten Endcaps..... 39	Ceramic Hobs..... 119	Eye Swivel Snap Shackle..... 6
Aquaflow Tanks..... 76	Chain..... 17	Eyelets - Cover..... 42
Aquascope..... 95	Chain Pipe..... 16	F
Asymetric Snap Carabiner..... 7	Claw Anchor..... 19	Fairleads..... 24
Automatic Bilge Pump..... 102	Clear PVC Hose..... 115	Fan..... 65
Automatic Float Switch..... 103	Cleats..... 24, 25	Fast Rigid Snap Hook..... 6
B	Clips..... 33, 111	Fast Rigid Snap Hook for Webbing..... 6
Bags - Propeller..... 85	Clip-on Sail Defenders..... 26	Fast Swivel Snap Hook..... 7
Bailers..... 73	Closable Outlet..... 61	Fenders..... 21, 22, 23
Ball Fenders..... 22	Cockpit Cushions..... 127	Fender Hooks..... 23
Barbed Pipe Connectors..... 109, 110	Cockpit Storage Unit..... 58	Fids..... 36
Batten Box for Flat Battens..... 38	Compensators..... 23	Fillers - Deck..... 43, 44
Batten Box for Round Battens..... 38	Connectors..... 109, 110	Finger Hold Inspection Hatch..... 51
Batten Endcaps..... 39	Cookers..... 116, 117, 118	Fire Blanket..... 118, 142
Batten Pocket Protectors..... 39	Cover Eyelets..... 42	Fire Extinguisher Storage Case..... 59
Battery Boxes..... 72	Cover Hooks..... 42	Fishing Rod Holder..... 93, 94
Battery Box Accessories..... 72	Cover Support..... 93	Fishing Rod Storage Rack..... 95
Battery Holder..... 72	Cover Tie..... 37	Fixed Snap Shackle..... 6
Battery Switch..... 60	Crew Jacket..... 129	Fixed Tanks..... 74, 75
Battery Switch Case..... 60	Cross Bollard..... 25	Flat Slides..... 40
Battery Terminal Covers..... 72	Cross-tree Spreader Boots..... 27	Flexible Tanks..... 77
Bayonet Fitting Hose Connector..... 108	Cushions..... 127	Floats..... 95
Bilge Pump..... 101, 102	Cylindrical Fenders..... 21	Fog Horn..... 141
Bilge Pump Control Switch..... 99	D	Folding Boarding Step..... 28
Blocks..... 15	D - Type Anchor..... 18	Folding Pad Eye..... 15
Boarding Step..... 28	D Ring - welded..... 12	Food Hose..... 113, 114, 115
Boat Brushes..... 96	D Shackles..... 4, 5	Foot Rail..... 27
Boat Cover Support..... 93	Dead Man Switch..... 84	Fork to Fork..... 10
Boathook..... 92	Deck Cushions..... 127	Fork to Swage..... 10
Bollards..... 25	Deck Fillers..... 43, 44	Fuel Can..... 79
Bosun's Chair..... 130	Deck Hinge Ball & Socket..... 32	Fuel Filler..... 43, 44
Bow Fender..... 22	Deck Hinges..... 32	Fuel Line Adaptor..... 80
Bow Roller..... 43	Deck Mount..... 32	Fuel Line Connectors..... 82, 83
Bow Roller with Pivot Roller..... 43	Deck Showers..... 105, 106, 107	Fuel Primer Bulbs..... 81
Bow Shackles..... 4	Diablo Tanks..... 74, 75	Fuel Valves..... 81
Brackets..... 61, 67, 72	Diaphragm Pump..... 103	Funnels..... 73
Braid on Braid Fids..... 36	Dock Fenders..... 22, 23	G
Braided PVC Food Hose..... 114	Double Sided Tape..... 36	Gaffs..... 94
Brass Piston Jib Hanks..... 38	Drain Hose..... 112	Galvanised Rowlock..... 90
Bridge - Webbing..... 34	Drains - Plugs..... 68	Gas Bottle Storage Hatch..... 53
Brushes..... 96	Drains - Transom..... 68	Gas Cookers..... 116, 117, 118, 119
Buckles..... 34, 35	Drink Holder..... 45	Gasket - Tank..... 75

Gauges	78
General Purpose Strap	97
Gland - Cable	98
Gloves	130
Grab Handle	28
Grapple Anchor	20
Griddles	120
Grip High Tensile Anchor	18
Grommets	69
Gulf 4500	118
H	
H+B Dabond 2000 UVR Thread	35
Hand Bilge Pump	101
Hand Clamp	33
Handed Cast Fairleads	24
Handles	28
Handrail	27
Hand Suction Pump	100
Hanks	38
Harness - Safety	134
Hatches	46, 47, 48, 49, 50, 51 52, 53, 54, 55, 56, 57
Hatches - Storm	46, 47
Heaving Line - Rescue	138
Heavy Duty Herreshoff Cleat	24
Heavy Duty Hose Clamp	110
Heavy Duty Ladderlock Buckle	35
Hinge - Deck	32
Hinge - Tube	33
Hinges	60
Hobs	119, 120
Holder - Battery	72
Holder - Drink	45
Holder - Lifebuoy	135, 136
Holder - Rod	93, 94
Holding Clip	111
Hooks	6, 7, 8, 9, 40, 42, 92
Hooks - Cover	42
Hooks - Shockcord	40
Horn	141
Horn Cleat	25
Horn Push	99
Horseshoe Accessories	135
Horseshoe Lifebuoy	135
Hose - Cassette	108
Hose Clip	110
Hose Delivery	112
Hose - Drain	112
Hose - Food	113, 114
Hose - Fuel	113
Hose - Sanitation	112
Hose - Suction	112
Hose Connector	108, 110
Hose Pump - Manual Suction	101
Hot Knife	36
Hydrofoils	83
I	
Ignition Cut Out Device	84
Induction Hobs	120
J	
Jacket - Crew	129
Jacket - Offshore	128
Jackstay Life Line	140

Jam Cleat	25
Jaw Slide	30, 31
Jerry Can	79
Jib Hanks	38
Jive Buoyancy Aid	131
Jointed Oar	91
K	
Kill Switch Keys	84
Knife - Hot	36
Knives	127
L	
Ladders	29, 138
Ladderlock Buckles	35
L-Connector	109
LED Navigation Lights	121
Level Gauges	78
Lifebuoy - Ring	134, 135
Lifebuoy Cabinet	134
Lifebuoy Holder	136
Lifebuoy Horseshoe	134
Lifebuoy Light	136
Lifebuoy Rescue Line	138
Life Lines - Jackstay	140
Life Link Rescue System	139
Lifejackets	133
Liferaft Support Base	137
Lifting Eye Bolt	13
Lifting Eye Bolt, Nut & Washer	13
Lifting Eye Nut	13
Line	37
Lockable Storage Hatches	54, 55
Long D Shackles 2	4
Long Fingered Gloves	130
Louvred Vent	61
Low Friction Ring	15
Low Profile Cleats	24
Lozenge Eye Plate	14
M	
Man Overboard Rescue System	139
Manual Bilge Pump	101
Marina Buoyancy Aid	131
Marlin Twine	37
Megapone	141
Mini Pulley	15
Mirror - signalling	125
Mooring Compensators	23
Mooring Spike with Ring	20
Motorwell Grommets	69
Mouse Line	37
Mini Spools	37
Multi Layer Food Hose	113
Multi Purpose Hook	40
Multi Tool	127
N	
Nautical Whistle	132
Navigation Lights	121, 122, 123, 124
Needles	35
Neoprene Tape	48
Neptune 4500 Deluxe Oven & Grill	116
Neptune 4500 Oven & Grill	116
Neptune 4500E Oven & Grill	116
Neptune 5000	116
Neptune Hob 4500	116

Non Return Valve	110
Nylon Pipe Clips	111
Nylon Rowlock	88
O	
Oar Collar	90
Oar with Collar	91
Oar without Collar	91
Offshore Jacket	128
Offshore Trousers	129
Oil Measurer	84
Open Base Cleat	24
Open Base Herreshoff Cleat	24
Open Base Low Profile Cleat	24
Outboard Bracket	67
Outboard Engine Covers	85
Outboard Engine Flushers	84
Outboard Propeller Bags	85
Oval Handrail	27
Overcentre Tie Down Straps	97
P	
Pacific 4500	118
Pacific 5000	118
Pad Eye	15
Paddle	92
Paddle with Boat Hook	92
Pads	66, 67, 96
Palms	35
Panels - Switch	99
Patches	36
Pelican Hook	9
Pet Buoyancy Aid	132
Pipe - Chain	16
Pipe Clips	111
Pipe Connectors	109, 110
Piston Jib Hanks	38
Plastic Jib Hanks	38
Plough Anchor	19
Plug - Tanks	76
Plug & Socket	98
Plugs - for Transom Drains	68
Pocket Protectors for Battens	39
Propeller Bags	85
Pulley	15
Pumps	100, 101, 102, 103, 104
PVC Hose	114, 115
PVC Rowlock	88
PVC Socket	88
PWC Tie Down Straps	97
Q	
Quick Link	16
Quick Release Deck Mount	32, 33
R	
Radio / CD Case Cover	58
Radar Reflector	126
Rail Fittings	30
Rail Mounted Outboard Bracket	67
Ratchet Tie Down Strap	97
Rectangular Lock-Handle Access Hatches	49, 50, 52, 54, 56
Red Tip Jointed Oar	91
Red Tip Oar with Collar	91
Reflective Tape	140
Refuse Bag Holder	58

Repair Patches	36
Rescue Line	138
Rescue Sling	139
Ridgid Tanks	74, 75
Rigging Screws	10
Right-Angled Connector	109
Rings	12, 13, 15
Ring, Bolt, Nut & Washer	12
Ring Lifebuoy	134, 135
Rod Holder	93, 94
Rope Ladder	29
Rope with Chain	17
Round Inspection Hatches	48, 49, 50, 51
Round Lock-Handle Access Hatches	48
Round Ring - Welded	12
Round Vent	62
Rowlock - Aluminium	89
Rowlock - Galvanised	90
Rowlock - Nylon	88
Rowlock - PVC	88
Rowlock - Stainless	89
S	
S Hooks	9
Safety - Buoyancy Aids	131, 132
Safety Harness	134
Safety Harness Lines	134
Safety Ladder	29, 138
Safety Life Lines	140
Sail Batten Pocket Protectors	39
Sail Defender - Clip-On	26
Sail Repair Patches	36
Sail Shackles	41
Sail Slides	40, 41
Sail Tie with 2 Balls	37
Sail Tie with Speedclip	37
Sailing Gloves	130
Sailmakers Needles	35
Sailmakers Palms	35
Sanding Pads	96
Sanitation Hose	112
Sea Anchor	140
Searails & Gimbals	118
Selden Sail Slides	40
Sensors	78
Separating Jaw Slide	30
Shackle Key	6
Shackle with Bar	5
Shackle with Sink Pin	5
Shackles	4, 16, 41, 42
Shackles - Sail	41
Shackles - Soft	42
Shaft Vent	63
Shock Cord Hooks	40
Shore Power Cable	100
Shore Power Case	59
Shore Power Trailing Socket	100
Short Fingers Gloves	130
Short Link Chain	17
Shower Case with Lid	105
Shower Kit	106, 107
Shower Sump Pump	104
Side Mounts	31
Signal Horn	141

Signalling Mirror	125
Siphon Pumps	80
Ski Float	95
Slides Sail	40, 41
Sliding Bar Buckle	34
Slug Slides	40, 41
SLX Superflat Cassette Hose	108
Smart Tanks	74, 75
Snap Buckles	35
Snap Carabiner	7, 8
Snap Carabiner with Eye	7, 8
Snap Carabiner with Lock	9
Snap Eyes	7
Snap Shackles	6
Snap Hooks	6, 40
Socket & Plug	98
Socket Jaw Slide	31
Sockets for Rowlocks	88, 89, 90
Soft Shackles	42
Solar Cell & Fan	65
Solar Vent	65
Solid Base Cleat	25
Spike with Ring	20
Splashwell Grommets	69
Spliced Rope & Chain	17
Spreader Boots	27
Spinnaker Hook	40
Spring Stay	61
Square Eye Plate	14
Square Eye Plate with Ring	13
Stainless Rowlock & Socket	89
Stanchion Socket	26
Stanchions	26
Star Key Inspection Hatch	51
Stays	61
Steering Cables	71
Steering Wheels	70
Stenhouse Hook	8
Step	28
Storage Cases	53, 59
Storage Hatches	53, 55, 57, 58
Storage Net	58
Storm Hatches	46, 47
Straps	72, 96, 97, 137
Streamline Grab Handle	28
Studs & Sockets	34
Suction Pump	100
Submersible Bilge Pump	102
Sump Pumps	80, 104
Sunblocker Clips	33
Support Clip	111
Surface Float	95
Swedish Fid	36
Switch - Battery	60
Switch - Bilge Pump	99
Switch Panels	99
Switches	99
Swivel - Anchor	16
Swivel Eye to Eye	12
Swivel Fork to Fork	12
Swivel Snap Eye Bolt	7
Swivel Snap Eye Bolt for Webbing	7

T	
T Connectors	109
Tank Connectors	75, 76, 77
Tank Gasket	75
Tank Plug	76
Tank Sensors	78
Tank Vents	78
Tanks - Freshwater	74, 75, 76, 77
Tape	36, 48, 140
Tarred Marlin Twine	37
Telescopic Boat Hook	92
Telescopic Stay	61
Tell Tales	36
Thermal Blanket	142
Thimbles for Wire Rope	11
Thru Hull Fittings	104, 105
Tie Down Straps	97
Tiller Extension	83
Toggle Eye to Pin	10
Track	42
Trailer / PWC Tie Down Strap	97
Transom Drains & Plugs	68
Transom Grommets	69
Transom Pads	66, 67
Trousers - Offshore	129
Tube Clamp	31
Tube Hinge	33
Turnbuckle Eye to Eye	11
Twisted Shackles	4
Twisted Whipping Twine	37
U	
U Bolt	14
Uncalibrated Chain	17
Universal Deck Hinges	32
Universal Pipe Clips	111
V	
Ventilation Grills	62, 63, 64
Ventilator Connector & Cover	64
Vents	61, 62, 63, 64, 65
Vents - Tank	78
VHF Microphone Bracket	61
W	
Waste Pump with Macerator	103
Water Pump	102
Web Sanding Pads	96
Webbing Adjuster Buckles	34
Webbing Bridges	34
Webbing Strap	97
Weighted End Grapple Anchor	20
Welded Rings	12
Wet Sanding Pads	96
Wheels - Steering	70
Whipping Twine	37
Whistle	132
Winch Handle Pocket	45
Winch Straps	96
Wire reinforced Food Hose	113
Wire Rope Grips	11
Witches Hats	69
Wooden Boathook	92
Y	
Y Connector	109
YKK@ SNAD@ Stud & Sockets	34

Contents

	Carded Hardware - 4
	Anchoring - 17
	Fending - 21
	Deck Hardware - 24
	Ladders - 29
	Canopy & Rail Fittings - 30
	Sail & Cover - 36
	Deck Filler & Cockpit Accessories - 43
	Hatches - 46
	Storage Solutions - 53
	Vents - 61
	Dinghy & Rib - 66
	Battery Boxes - 72
	Tanks - 74

Contents

	Fuel Lines & Accessories - 79
	Outboard Accessories - 83
	Anodes - 86
	Rowlocks & Oars - 88
	Fishing Accessories - 93
	Boat & Trailer Accessories - 96
	Electrical - 99
	Pumps & Fittings - 101
	Showers, Connectors & Hose - 105
	Marine Cookers - 116
	Navigation Lights & Visual Signals - 121
	Clothing - 128
	Safety Equipment - 131
Index by Product - 143	



Bainbridge

Bainbridge International Ltd

8 Flanders Park, Southampton, Hampshire SO30 2FZ UK

T: +44 (0) 1489 776000

E: info@bainbridgeint.co.uk

W: bainbridgemarine.com