

Solacryl

SOLACRYL

Benefits


Solacryl is a high quality range of 100% acrylic fabrics manufactured for Bainbridge International. Designed primarily for use in marine covers,

Solacryl is woven and finished to an exacting specification based on our 30 years experience of supplying fabric to covermakers.

Three styles of Solacryl are available, each specifically designed for different marine applications.



Colour Availability



Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.

Why Use Solacryl Coated Marine Acrylic?

- Outstanding colour fastness level (7/8).
- 5 year limited warranty.
- Does not fade after sun exposure.
- Withstands the harshest weather conditions.
- Rot-proof.
- Can block up to 90% of UV rays.
- Dirt and oil repellent.
- Mildew resistant
- Antibacterial.
- Superior water resistance due to double coating (fluoro carbon both sides, acrylic resin one side).
- Combines being waterproof with stability.

Caring For a Solacryl Cover

Solacryl marine acrylics have been specifically designed for use in marine covers and awnings and will provide many years of service and protection to your boat. Following these simple guidelines will prolong their appearance.


For regular care and maintenance, excessive dirt should be brushed from the fabric using a soft brush.

The fabric should then be sprayed with warm water (not exceeding 100°F / 40°C) and air dried.

Periodically, the fabric should undergo a more thorough cleaning: Again, brush with a soft bristled brush, spray with warm water then apply a gentle non-detergent soap. Leave to stand for 10 to 20 minutes, allowing the fabric to dry. Rinse thoroughly and air dry. Do not use detergents.

Product Specification Table


Product	Minimum Hydrostatic Head: mm/in		UV Fastness (Max 8)	Oil Repellancy (Max 6)
Solacryl 200	-		8	5
Solacryl Uncoated	300	12	8	5
Solacryl Coated	1000	39	8	5



Do not use detergents or chlorine solutions as these can damage the water repellent coatings.

Do not iron, tumble dry or subject material to extreme heat.

Other colours are available against special order. All special order items are subject to minimum order quantities and additional lead times. Prices on application.



Solacryl 200

This ultra-light style is intended for use by sailmakers as sacrificial UV strips on furling genoas. However, it is also used for upholstery, cushion covers, sun awnings, bags and very light covers.

Part No	Description	Weight: gsm / oz/yd ²		Width: mm/in		Roll Length: m/yds		Colour
F81500100	Ultra light acrylic	195	5.8	1400	55	60	65	White
F81500220	Ultra light acrylic	195	5.8	1400	55	60	65	Royal Blue

Solacryl Uncoated

Solacryl Uncoated is ideal for applications such as sail, winch and binnacle covers where leakage from puddling is unlikely but trapped damp could cause mildew and corrosion. It is recommended for use when shade is a priority over water resistance. It is also ideal for wooden boats that are self draining where a damp atmosphere will cause damage yet water in the boat will drain or evaporate quickly and for sun shades.

Part No	Description	Weight: gsm / oz/yd ²		Width: mm/in		Roll Length: m/yds		Colour
F83500100	Uncoated acrylic	305	9	1520	60	60	65	White
F83500206	Uncoated acrylic	305	9	1520	60	60	65	Captain Navy
F83500207	Uncoated acrylic	305	9	1520	60	60	65	Marine Blue
F83500210	Uncoated acrylic	305	9	1520	60	60	65	Navy Blue
F83500220	Uncoated acrylic	305	9	1520	60	60	65	Royal Blue
F83500230	Uncoated acrylic	305	9	1520	60	60	65	Mid Blue
F83500300	Uncoated acrylic	305	9	1520	60	60	65	Silver
F83500400	Uncoated acrylic	305	9	1520	60	60	65	Cadey Grey
F83500402	Uncoated acrylic	305	9	1520	60	60	65	Charcoal Grey
F83500450	Uncoated acrylic	305	9	1520	60	60	65	Black
F83500500	Uncoated acrylic	305	9	1520	60	60	65	Stone
F83500600	Uncoated acrylic	305	9	1520	60	60	65	Beige
F83500700	Uncoated acrylic	305	9	1520	60	60	65	Dark Green
F83500800	Uncoated acrylic	305	9	1520	60	60	65	Red
F83500910	Uncoated acrylic	305	9	1520	60	60	65	Burgundy

Solacryl Coated

Solacryl Coated features a heavier acrylic coating to increase the hydrostatic head to over 1000mm. This coating on the underside does not affect the appearance or feel of the fabric outside, making for a cover that is almost 100% waterproof, yet retains the appearance and quality of a traditional cover. Ideal for when water resistance is a priority.

Solacryl Coated is the most popular style in the range as it is ideal for most marine applications including sprayhoods, cockpit covers.

Part No	Description	Weight: gsm / oz/yd ²		Width: mm/in		Roll Length: m/yds		Colour
F84500100	Coated acrylic	345	10.2	1520	60	60	65	White
F84500206	Coated acrylic	345	10.2	1520	60	60	65	Captain Navy
F84500207	Coated acrylic	345	10.2	1520	60	60	65	Marine Blue
F84500210	Coated acrylic	345	10.2	1520	60	60	65	Navy Blue
F84500220	Coated acrylic	345	10.2	1520	60	60	65	Royal Blue
F84500230	Coated acrylic	345	10.2	1520	60	60	65	Mid Blue
F84500300	Coated acrylic	345	10.2	1520	60	60	65	Silver
F84500401	Coated acrylic	345	10.2	1520	60	60	65	Cadet Grey
F84500206	Coated acrylic	345	10.2	1520	60	60	65	Charcoal Grey
F84500450	Coated acrylic	345	10.2	1520	60	60	65	Black
F84500500	Coated acrylic	345	10.2	1520	60	60	65	Stone
F84500600	Coated acrylic	345	10.2	1520	60	60	65	Beige
F84500700	Coated acrylic	345	10.2	1520	60	60	65	Dark Green
F84500800	Coated acrylic	345	10.2	1520	60	60	65	Red
F84500910	Coated acrylic	345	10.2	1520	60	60	65	Burgundy

Acrylic Cover Materials


Sunbrella® - Made in USA

- 100% solution dyed woven fabrics in 1170mm/46 inch, 1520mm/60inch and 2300/80inch widths.
- Excellent fade and weather resistance, durable, UV resistant.
- Colourfast, water repellent, mildew and stain resistant.
- Fabric is covered by 10 year limited warranty.
- Average roll length: 59m/194ft.
- Weight: 305gsm/9 oz sq yd.




Sunbrella® Supreme

- 100% solution dyed acrylic.
- Soft acrylic flocking layer on reverse.
- Excellent water resistance.
- Width: 1520mm/60inches.
- Weight: Approx 440gsm/13 oz sq yd.



Firesist 3

- Fire-retardant product woven from high UV and fade resistant, solution dyed fibre & backed with a durable urethane/acrylic coating.
- Meets NFPA701-99, test method II fire retardant specifications.
- Meets many other fire codes for exterior and interior fabric use.
- Weight: Approx. 297 gsm/8.75oz sq yd.
- Very colorfast - colour is locked into fibre.
- Excellent mildew resistance.
- Width: 1520mm / 60".



Part No.	Description
FS82000	Firesist 3 Regatta
FS82002	Firesist 3 Forest Green Tweed
FS82003	Firesist 3 Forest Green
FS82005	Firesist 3 Regatta Tweed
FS82006	Firesist 3 Sand
FS82008	Firesist 3 Black
FS82010	Firesist 3 Admiral Navy
FS82012	Firesist 3 Toasty Beige
FS82013	Firesist 3 Sunburst Yellow
FS82015	Firesist 3 Ivory
FS82016	Firesist 3 Burgundy
FS82017	Firesist 3 Crimson Red

All colours are available against special order. Please enquire for full details and prices.




Acrylic & Polyester Cover Fabrics

SeaMark Marine Fabric



- Best of both worlds - a beautiful colour fast fabric with the added durability of vinyl.
- Sunbrella woven acrylic on the top side for UV durability and vibrant colour.
- Marine grade vinyl with textured embossing on the bottom side to colour match the acrylic.
- Waterproof.
- Abrasion resistant on vinyl side.
- Weight: 509gsm/15oz/sq yd.



Part No.	Colour	Width: mm/in	Av Roll Length: m/yd
F0400A09Y	Linen Tweed	1570 62	45.7 50
F0400A10Y	Jockey Red	1570 62	45.7 50
F0400A17Y	Mediterranean Tweed	1570 62	45.7 50
F0400A37Y	Forest Green	1570 62	45.7 50
F0400A42Y	Oyster	1570 62	45.7 50
F0400A82Y	Hemlock Tweed	1570 62	45.7 50
F0400A96Y	Dubonnet Tweed	1570 62	45.7 50
F0400A97Y	Cadet Grey	1570 62	45.7 50
F0400A98Y	Charcoal Tweed	1570 62	45.7 50

Sola-Vinyl 350

- Produced specifically for the marine market.
- Fine finish to enhance appearance.
- Polyester base fabric for low shrink.
- UV stabilised.
- Fungicide treated.
- Weight: 350gsm/10.3 oz yd²



Part No.	Colour	Width: mm/in	Av. Roll Length: m/yd
FH350GY	Grey	1500 59	50 55
FH350RB	Royal Blue	1500 59	50 55
FH350WT	White	1500 59	50 55

Top Gun Polyester Cover Cloth



- Polyester duck base fabric with a specially formulated polymeric coating that will not harden, crack or peel after outdoor exposure or when subjected to temperatures below 0°F.
- Super high strength with great abrasion resistance.
- Stable fabric with maximum stretch or shrinkage less than 1%.
- UV and mildew resistant.
- Water repellent, permeable to water vapour but will not trap excess moisture.
- 5 year manufacturers limited warranty.
- Weight: 373gsm /11oz sq yd.



Part No.	Colour	Width: mm/in	Av Roll Length: m/yd
F0300A18Y	Caribbean Blue	1570 62	45.7 50
F0300A97Y	Seagull Gray	1570 62	45.7 50
F0300A22Y	Navy Blue	1570 62	45.7 50
F0300A46Y	Forest Green	1570 62	45.7 50
F0300A89Y	Aquamarine	1570 62	45.7 50
F0300A60Y	Black	1570 62	45.7 50
F0300A14Y	Indian Birch	1570 62	45.7 50
F0300A00Y	Arctic White	1570 62	45.7 50
F0300A44Y	Teal	1570 62	45.7 50
F0300A75Y	Burgundy	1570 62	45.7 50
F0300A10Y	Sunset Red	1570 62	45.7 50
F0300A67Y	Hemp Beige	1570 62	45.7 50
F0300A74Y	Buckskin Tan	1570 62	45.7 50
F0300A90Y	Harbour Blue	1570 62	45.7 50
F0300A98Y	Charcoal Gray	1570 62	45.7 50
F0300A66Y	Sand	1570 62	45.7 50
F0300A79Y	Royal Blue	1570 62	45.7 50
F0300A85Y	Turquoise	1570 62	45.7 50
F0300A65Y	Taupe	1570 62	45.7 50
F0300A68Y	Chocolate Brown	1570 62	45.7 50

Polyester Cover Fabrics

Holiday Flame Retardant Fabric

HOLIDAY



- A high performance 100% Polyester awning fabric - acrylic coated.
- Super high strength with great abrasion resistance.
- Dimensionally stable fabric with maximum stretch or shrinkage of less than 1%.
- UV and mildew resistant.
- Water repellent, permeable to water vapour but will not trap excess moisture.
- 5 year manufacturers limited warranty.
- Meets USA CA State Fire Marshall 117e, NFPA 701, CPAI-84 and ASTM E84-84 codes.
- Weight: 407gsm/12oz sq yd.



Part No.	Color	Width: mm/in		Av Roll Length: m/yd	
F0350A75Y	Burgundy	1570	62	45.7	50
F0350A60Y	Black	1570	62	45.7	50
F0350A97Y	Silver Grey	1570	62	45.7	50
F0350A47Y	Hunter Green	1570	62	45.7	50
F0350A13Y	Ivory	1570	62	45.7	50
F0350A79Y	Royal Blue	1570	62	45.7	50
F0350A00Y	White	1570	62	45.7	50



Odyssey Polyester Cover Cloth

ODYSSEY

- Impregnation coated, 100% woven polyester suitable for many indoor or outdoor applications.
- Mildew and UV resistant.
- Superior water and stain resistance.
- Very low shrink or stretch.
- Breathable.
- Uses: Cots, boat covers, canopies, bags and miscellaneous covers.
- Weight: 220gsm/6.5 oz yd².
- Cut lengths available: minimum 5m.



Part No.	Colour	Width: mm/in		Av Roll Length: m/yd	
F0800A18Y	Caribbean Blue	1630	64	45.7	50
F0800A88Y	Silver Grey	1630	64	45.7	50
F0800A79Y	Royal Blue	1630	64	45.7	50
F0800A00Y	White	1630	64	45.7	50
F0800A10Y	Red	1630	64	45.7	50
F0800A14Y	Birch	1630	64	45.7	50
F0800A44Y	Teal	1630	64	45.7	50
F0800A46Y	Forest Green	1630	64	45.7	50
F0800A60Y	Black	1630	64	45.7	50
F0800A75Y	Burgundy	1630	64	45.7	50
F0800A65Y	Taupe	1630	64	45.7	50
F0800A90Y	Harbour Blue	1630	64	45.7	50
F0800A20Y	Lakeside Blue	1630	64	45.7	50
F0800A97Y	Charcoal Grey	1630	64	45.7	50


Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.

Polyester Cover Fabrics

Soft Touch by Odyssey



- 100% woven polyester Odyssey with a light weight, non-woven, soft fuzzy polyester backing.
- Abrasion resistant.
- Weatherproof.
- Backing provides excellent gel-coat or varnish protection.
- Uses: Boat & trailer covers.
- 405gsm/12.5oz/sq yd.



Part No.	Colour	Width: mm/in	Av Roll Length: m/yd
F0805A18Y	Caribbean Blue	1520 60	45.7 50
F0805A88Y	Grey	1520 60	45.7 50
F0805A60Y	Black	1520 60	45.7 50
F0805A00Y	White	1520 60	45.7 50

Odyssey with PSA Backing



- Impregnation coated, 100% woven polyester suitable for many indoor and outdoor applications.
- Mildew and UV resistant.
- Superior water and stain resistance.
- Very low shrink or stretch.
- Pressure sensitive adhesive.
- Uses: Boat cover repairs, reinforcement, roller furling cover.



Caribbean Blue

Silver Grey

Harbour Blue



White

Royal Blue

Charcoal Grey

Part No.	Colour	Width: mm/in	Av Roll Length: m/yd
F0808Z79Y	Caribbean Blue	1630 64	68.6 75
F0808Z88Y	Silver Grey	1630 64	68.6 75
F0808Z18Y	Harbour Blue	1630 64	68.6 75
F0808Z00Y	White	1630 64	68.6 75
F0808Z90Y	Royal Blue	1630 64	68.6 75
F0808Z97Y	Charcoal Grey	1630 64	68.6 75

Top Notch - Solution Dyed Polyester


- Solution dyed 840 denier polyester.
- Colourfast and UV resistant.
- Dimensionally stable.
- Exceptional tear strength.
- Durable and abrasion resistant finish.
- Fluorocarbon finish for excellent water repellancy.
- 5 year warranty.
- Weight: 373gsm/11.0oz sq yd.



Forest Green

Charcoal

Burgundy



Black

Sea Gull Grey

Blue



Ocean Blue

Navy

Tan

Part No.	Colour	Width: mm/in	Length: m/yd
F0200A10Y	Red	1520 60	45.7 50
F0200A46Y	Forest Green	1520 60	45.7 50
F0200A60Y	Black	1520 60	45.7 50
F0200A97Y	Sea Gull Grey	1520 60	45.7 50
F0200A18Y	Blue	1520 60	45.7 50
F0200A22Y	Ocean Blue	1520 60	45.7 50
F0200A23Y	Navy	1520 60	45.7 50
F0200A35Y	Yellow	1520 60	45.7 50
F0200A65Y	Taupe	1520 60	45.7 50
F0200A67Y	Tan	1520 60	45.7 50
F0200A75Y	Burgundy	1520 60	45.7 50
F0200A98Y	Charcoal	1520 60	45.7 50

Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.


Polyester Cover Fabrics

Nautiplus Marine Cover Fabric


Designed for all marine exterior covers, spray hoods, bimini tops, cockpit covers and winter covers. The high tenacity polyester base fabric is double coated with high quality P.V.C to resist fading in all marine conditions.

Nautiplus is 100% waterproof and dimensionally stable. Backed with a 5- year warranty against rot, mildew and discolouration in normal atmospheric conditions.

- Light fastness - UV stabilised to prevent colours from fading.
- Antimicrobial - Mould and mildew resistant.
- Special silicone finishing formula for easy cleaning.
- Weight: 360g/m²
- 5 Year limited warranty.



Snow White



Off White



Part No.	Colour	Width: mm/in		Av. Roll Length: m/yd	
F87500100	Snow White	2200	86.6	50	55
F87500101	Off White	2200	86.6	50	55




Nautimar Marine Cover Fabric

Made out of high tenacity polyester, woven, PVC coated and embossed one side. A lightweight product, easy to store, totally waterproof.

Nautiplus is the ideal solution for cockpit covers, protective covers and biminis.

- Light fastness - UV stabilised to prevent colours from fading.
- Antimicrobial - Mould and mildew resistant.
- Special silicone finishing formula for easy cleaning.
- Weight: 300g/m²
- 5 Year limited warranty.



Snow White



Ivory



Navy



Black

Part No.	Colour	Width: mm/in		Av Roll Length: m/yd	
F86500100	Snow White	2200	86.6	50	55
F86500102	Ivory	2200	86.6	50	55
F86500210	Navy	2200	86.6	50	55
F86500450	Black	2200	86.6	50	55



Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.