



*Bainbridge*

**MARINE COVER  
& TECHNICAL  
FABRICS**

**BB3**

# Contents

Category	Individual Product	Page no
<b>Marine Acrylic</b>	Solacryl - uncoated	6 - 7
	Solacryl - coated	8 - 9
	Solacryl PSA	10
	Solacryl Binding	10
<b>Outdoor Awning</b>	Recsystem FR	12
	FR Sailcloth	13
	SolaTX	14 - 15
<b>Flame Retardant Fabric</b>	Recsystem FR	12
	FR Sailcloth	13
	SolaTX	14 - 15
<b>Polyester Cover Fabric</b>	SolaTX	13
	Odyssey	16
	Odyssey PSA	17
	Odyssey Softouch	17
	Top Gun®	18
<b>PVC Coated Polyester</b>	Nautimar®	19
	Nautiplus®	19
	LAC640	19
	Sola Vinyl	19
<b>Window Material</b>	FR Window Material	20
	1000hr UV Window Material	20
	PVC Window Material	20 - 21
	Polycarbonate Window Sheets	22
<b>Monofilm</b>	Polyester	22
	PSA	22
<b>PURE® Sheet</b>	Composite Stiffening	22
<b>Pattern Material</b>		23
<b>Nylon Cloth</b>	Oxford Bag Cloth	23
	1000 Denier Textured	23
<b>Acrylic Upholstery Fabric</b>	Recacril® Decorline Solids	24 - 25
	Recacril® Decorline Lisa Flamé	26
	Recacril® Decorline Waterproof	26

Category	Individual Product	Page no
<b>Vinyl Upholstery Fabric</b>	Morbern MorGreen™ Collection - Mistral FRee	28 - 29
	Morbern Allante	30 - 31
	Morbern Touch	32 - 33
	Morbern Prodigy	34 - 35
	Morbern Natural Linen	36 - 37
	Morbern Sundance with MGX MorGuard Xtreme™ Stain Protection	38 - 39
	Morbern Sundance KoolFab™	40 - 41
	Morbern Sandpiper	42 - 43
	Morbern Splash™ Collection Bayside	44 - 45
	Morbern Splash™ Collection Surf	46 - 47
	Morbern Splash™ Ripples Rio & Mink featuring SeaSilk™	48 - 49
	Morbern Adrenaline Collection	50 - 53
	Morbern Indoor/Outdoor Collection Seabrook	54 - 55
Morbern Indoor/Outdoor Collection Sanibel	56 - 57	
<b>Morbern Vinyl Pattern Welding Service</b>	A vinyl welding service to apply a pattern to any Morbern vinyl	58 - 60
<b>Morbern Head &amp; Wall Lining</b>		61
<b>Underlining</b>		61
<b>Mesh</b>	Textilene®	62 - 63
	Sunsure® Vinyl Mesh	62
	Open Mesh	62
	Sleeveknit Vinyl Mesh	64
	Trampoline Mesh	64, 65
	Fire Retardant Mesh	64, 65
	Polyester Knit Mesh	65
	Mosquito Netting	65
<b>Bainbridge Services</b>		66 - 67
<b>Metric/Imperial Conversions</b>		68
<b>Part no Index</b>		69 - 70
<b>Product Index</b>		71 - 72

Fully vacuumed, flat 11.0m long x 2.7m wide, multi-tool cutting including pizza wheel, tangent knife, plotting tool heads, and PatternSmith software for in-house design, digitising, and nesting capabilities.

**Industries:** Combining our vastly experienced team with a state of the art cutting machine allows us to cut a wide range of materials for customers across a variety of industries, including but not limited to:

- Sailmaking
- Covermaking
- Graphics
- Automotive
- Upholstery
- Packaging
- Medical
- Defence
- Tent and marquee
- Inflatable structure
- Flooring
- Outdoor equipment

## Cutting Service

### Bainbridge Cutting Service (BCS) offers you:

- Increased capacity and output
- The opportunity to meet spikes in demand and large one-off orders
- A streamlined production process
- Maximised material yield
- Significantly reduced waste
- A clean consistent cut

**Materials:** Our Blackman & White automated cutting machine provides a perfect cut across a wide variety of materials, including but not limited to:

- Woven Sailcloth
- Laminates
- Vinyl upholstery fabrics
- Composites
- Vinyl
- Spinnaker nylons
- Cover acrylics and polyesters
- PVC textiles
- Cardboard
- Hypalon




Bainbridge International has always recognised that as a trade supplier our success is dependent on the success of our customers. With this in mind, Bainbridge continues to update and evolve the marketing support it offers. This ranges from a comprehensive leaflet and sample system to websites dedicated to both the trade and helping the end user understand that specifying Bainbridge products is an investment in performance and value.



www: [bainbridgeint.com](http://bainbridgeint.com)

## Marketing Support



Email: [info@bainbridgeint.co.uk](mailto:info@bainbridgeint.co.uk)





## Uncoated Acrylic Canvas

Acrylic Canvas offers many benefits; the high quality appearance of a traditional cover, acrylic yarns that give excellent UV stability, anti-fungal coatings, rot proof, oil and grease resistant and its 100% solution dyed for consistent, rich, non-fade colour!

- ◆ Infinity Process\* gives a softer fabric allowing for complex curves and shapes
- ◆ Weather resistant - rain or shine
- ◆ Easy clean
- ◆ Colour fastness 7-8 rating
- ◆ 5 year warranty subject to correct installation

### Specifications

- ◆ Width: 1520mm
- ◆ Finish: Fluorocarbon Finishing
- ◆ Water Column: ≥300 mm
- ◆ Weight: 300 g/m<sup>2</sup>
- ◆ Tensile Strength: Warp - 135 daN/5 cm  
Weft - 80 daN/5 cm
- ◆ Water Repellence: ≥5
- ◆ Oil Repellence: ≥5

### Features & Benefits

- ◆ High quality appearance of a traditional cover
- ◆ Acrylic yarns give excellent UV stability
- ◆ 100% solution dyed for consistent, rich, non-fade colours
- ◆ Anti fungal coatings
- ◆ Rot proof, oil and grease resistant


\*Infinity Process - Solacryl Acrylic Canvas is treated with a special technological Infinity Process to ensure the lasting quality of the fabric. In this process, nanoparticles completely cover the surface of the fibres in the fabric, forming a permanent coat. After treatment, both the surface and the inside of the fabric are permanently protected against dirt build-up, and adverse effects of a wide variety of atmospheric agents. The low reactivity and high stability of the treatment endows long-term protection to the awning, especially against mildew and provides excellent water and oil repellence whilst allowing for superior cover shapes.

### WARRANTY

Warranty: 5 years subject to proper installation. Does not include labour, frames, systems and installation supplied by dealer

### Recommended Applications:

Dodgers, stack packs, sail covers, awnings and upholstery.



Part No.	Colour	Roll Width: mm	Weight g/m <sup>2</sup>	Roll length: m	UOM: m
F83500100	White	1520	300	60	metre
F83500182	Mid Red	1520	300	60	metre
F83500206	Captain Navy Blue	1520	300	60	metre
F83500207	Marine Blue	1520	300	60	metre
F83500208	Atlantic Blue	1520	300	60	metre
F83500210	Navy Blue	1520	300	60	metre
F83500220	Royal Blue	1520	300	60	metre
F83500230	Mid Blue	1520	300	60	metre
F83500400	Grey	1520	300	60	metre
F83500401	Cadet Grey	1520	300	60	metre
F83500402	Charcoal Grey	1520	300	60	metre
F83500450	Black	1520	300	60	metre
F83500500	Stone	1520	300	60	metre
F83500520	Moonrock	1520	300	60	metre
F83500600	Beige	1520	300	60	metre
F83500700	Dark Green	1520	300	60	metre
F83500770	Charcoal Tweed	1520	300	60	metre
F83500775	Linen Tweed	1520	300	60	metre
F83500800	Red	1520	300	60	metre
F83500910	Burgundy	1520	300	60	metre



F83500182  
Mid Red



### Care & Cleaning

Proper care and cleaning should be taken to ensure the life of Solacryl Acrylic Canvas.

For regular care and maintenance, the excess dirt should be brushed from the fabric using a soft brush; the fabric should then be sprayed with warm water (not exceeding 40°C) and air-dried.

Periodically, the fabric should undergo a more thorough cleaning. Again, brush fabric with a soft bristled brush, spray with warm water, then apply a gentle soap. Let stand for 10 to 20 minutes taking care not to let it dry, then rinse thoroughly and air-dry. Do not use detergents and / or solvents.

See pages 8 & 9 for Solacryl Coated Acrylic

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.





## PU Coated Acrylic Canvas

Acrylic Canvas offers many benefits; the high quality appearance of a traditional cover, acrylic yarns that give excellent UV stability, anti-fungal coatings, rot proof, oil and grease resistant and its 100% solution dyed for consistent, rich, non-fade colour!

- ◆ Infinity Process\* gives a softer fabric allowing for complex curves and shapes
- ◆ Superior waterproofing - giving a water column in excess of 1000mm
- ◆ Coated on one side with hi tech resin impregnation
- ◆ Antimicrobial treatment prevents micro-organisms adhering to fabric
- ◆ Acrylic yarns give excellent UV
- ◆ Weather resistant - rain or shine protection
- ◆ Easy clean
- ◆ Colour fastness 7-8 rating
- ◆ 5 year warranty subject to correct installation

### Specifications

- ◆ Width: 1520mm
- ◆ Acrylic resin coating on one side. Special finish "Infinity" anti-stain, rot proof and water resistant
- ◆ Water Column: ≥1000 mm
- ◆ Weight: 315 g/m<sup>2</sup>
- ◆ Tensile Strength: Warp - 155 daN/5 cm, Weft - 90 daN/5 cm
- ◆ Water Repellence: ≥4
- ◆ Oil Repellence: ≥4

### Features & Benefits

- ◆ High quality appearance of a traditional cover
- ◆ 100% solution dyed for consistent, rich, non-fade colours
- ◆ Anti fungal coatings
- ◆ Rot proof, oil and grease resistant



\*Infinity Process - Solacryl Acrylic Canvas is treated with a special technological Infinity Process to ensure the lasting quality of the fabric. In this process, nanoparticles completely cover the surface of the fibres in the fabric, forming a permanent coat. After treatment, both the surface and the inside of the fabric are permanently protected against dirt build-up, and adverse effects of a wide variety of atmospheric agents. The low reactivity and high stability of the treatment endows long-term protection to the awning, especially against mildew and provides excellent water and oil repellence whilst allowing for superior cover shapes.

Part No.	Colour	Roll Width: mm	Weight g/m <sup>2</sup>	Roll length: m	UOM: m
F84500100	White	1520	300	60	metre
F84500182	Mid Red	1520	300	60	metre
F84500206	Captain Navy Blue	1520	300	60	metre
F84500207	Marine Blue	1520	300	60	metre
F84500208	Atlantic Blue	1520	300	60	metre
F84500210	Navy Blue	1520	300	60	metre
F84500220	Royal Blue	1520	300	60	metre
F84500230	Mid Blue	1520	300	60	metre
F84500300	Silver	1520	300	60	metre
F84500401	Cadet Grey	1520	300	60	metre
F84500402	Charcoal Grey	1520	300	60	metre
F84500404	Dark Grey	1520	300	60	metre
F84500420	Carbon Silver	1520	300	60	metre
F84500450	Black	1520	300	60	metre
F84500500	Stone	1520	300	60	metre
F84500520	Moonrock	1520	300	60	metre
F84500600	Beige	1520	300	60	metre
F84500700	Dark Green	1520	300	60	metre
F84500770	Charcoal Tweed	1520	300	60	metre
F84500800	Red	1520	300	60	metre
F84500910	Burgundy	1520	300	60	metre



F84500230 Mid Blue

**Recommended Applications:** Biminis, tonneau covers, spray hoods, flying bridge covers, mooring covers, dinghy covers



 F84500100 White	 F84500206 Captain Navy Blue	 F84500207 Marine Blue	 F84500208 Atlantic Blue	 F84500210 Navy Blue
 F84500220 Royal Blue	 F84500230 Mid Blue	 F84500300 Silver	 F84500420 Carbon Silver	 F84500401 Cadet Grey
 F84500402 Charcoal Grey	 F84500404 Dark Grey	 F84500770 Charcoal Tweed	 F84500450 Black	 F84500500 Stone
 F84500520 Moonrock	 F84500600 Beige	 F84500700 Dark Green	 F84500800 Red	 F84500182 Mid Red
 F84500910 Burgundy				

### Care & Cleaning

Proper care and cleaning should be taken to ensure the life of Solacryl Acrylic Canvas.

For regular care and maintenance, the excess dirt should be brushed from the fabric using a soft brush; the fabric should then be sprayed with warm water (not exceeding 40°C) and air-dried.

Periodically, the fabric should undergo a more thorough cleaning. Again, brush fabric with a soft bristled brush, spray with warm water, then apply a gentle soap. Let stand for 10 to 20 minutes taking care not to let it dry, then rinse thoroughly and air-dry. Do not use detergents and / or solvents.



Care cards and seam labels available on request



### WARRANTY

Warranty: 5 years subject to proper installation. Does not include labour, frames, systems and installation supplied by dealer

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.

See pages 6 & 7 for Solacryl Uncoated Acrylic






### PSA Acrylic

PSA Acrylic Solacryl is used to prevent UV radiation from attacking the headsail while a boat is moored. It is advisable to place a UV strip on its leech and foot. Once rolled up, the sail is completely protected from the harmful effects of the sun. Our PSA backing greatly increases efficiency during application, therefore reduces time and labour cost when fitting acrylic UV covers.

- ◆ Composition: 100% Solacryl Acrylic
- ◆ Finish: Special marine treatment
- ◆ High quality appearance of a traditional cover
- ◆ Acrylic yarns give excellent UV stability
- ◆ 100% solution dyed for consistent, rich, non-fade colours
- ◆ Fungi, bacteria and insect resistant
- ◆ Rot proof, oil and grease resistant



Part No.	Colour	Roll Width: mm	Weight: g/m <sup>2</sup>	UOM m
F83500100A	White	150	355	metre
F83500206A	Captain Navy	150	355	metre
F83500230A	Mid Blue	150	355	metre
F83500300A	Silver	150	355	metre
F83500450A	Black	150	355	metre



### Acrylic Binding

- ◆ Centrefold acrylic binding available in 22mm / 7/8" widths
- ◆ Woven with acrylic yarns
- ◆ Matching or contrasting binding can be used to trim boat covers, cushions, canopies, dodgers and biminis etc
- ◆ Sold in full reels only



Part No.	Colour	Width: mm	Roll Length: m	UOM m
E099BG	Burgundy	22	100	Reel
E099BI	Beige	22	100	Reel
E099BK	Black	22	100	Reel
E099CCGY	Charcoal Grey	22	100	Reel
E099CNV	Captain Navy	22	100	Reel
E099FGR	Forest Green	22	100	Reel
E099NV	Navy	22	100	Reel
E099WT	White	22	100	Reel



## Use this with our dedicated hardware and sailcloth catalogues



These comprehensive catalogues married with real time stock and ordering at [bainbridgeint.com](http://bainbridgeint.com) allows you the greatest freedom and flexibility to view our product range



Email: [info@bainbridgeint.co.uk](mailto:info@bainbridgeint.co.uk) [www.bainbridgeint.com](http://www.bainbridgeint.com)

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



# RECASENS

BCN  1886

## Recsystem FR

Recsystem FR is the ultimate fire-retardant fabric for awnings and shade. Woven with inherently fire-retardant modified acrylic yarn, it is certified to meet all relevant FR codes. A proprietary back coating makes Recsystem FR waterproof when properly installed

- ◆ For outdoor use
- ◆ Modified solution-dyed acrylic fibre
- ◆ Waterproof acrylic (When properly used and installed)
- ◆ Resin-coated weldable on 1 side
- ◆ Special treatment for awnings that repels water and dirt, creating an anti-stain and anti-mould barrier, while allowing the fabric to breathe (BS 7209)

### Technical Specification

- ◆ Thickness (UNE-EN ISO 5084): 0.45mm
- ◆ Water Column (UNE-EN 20811): ≥1000mm
- ◆ Tensile Strength (warp/weft) (UNE-EN ISO 13934-1): 140/60 daN/5cm
- ◆ Tear strength (warp/weft) (UNE-EN ISO 13937-2): 4/2 daN
- ◆ Oil repellency (UNE-EN ISO 14419): 4
- ◆ Water repellency (UNE-EN ISO 4920): 4
- ◆ Spray Test: 5

### Features & Benefits

- ◆ Flame retardant
- ◆ Waterproof
- ◆ Permeability to steam
- ◆ USP50+ - excellent protection (AS-NZS 4399)
- ◆ Thermal comfort
- ◆ Privacy
- ◆ Partial darkening
- ◆ Glare control
- ◆ Textile look and feel
- ◆ Printable fabric
- ◆ Suitable for marine environment
- ◆ Easy to maintain
- ◆ Cost and energy saving
- ◆ Stands the test of time
- ◆ Excellent green credentials

### Fire Classification

- ◆ NFPA 701 (2015)
- ◆ CSFM Title 19
- ◆ CPAI-84

Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM: m
RECFR102	Forest Green	1524	330	60	metre
RECFR103	Black	1524	330	60	metre
RECFR176	Red	1524	330	60	metre




RECFR102  
Forest Green



RECFR102  
Forest Green




RECFR103  
Black



RECFR176  
Red

### Recommended Applications



## FR Rated Polyester Sailcloth

Bainbridge Sailcloth FR, a fire-retardant and flame-resistant sailcloth that offers a top FR performance while still delivering the same authentic appearance of woven sailcloth. For a high-end look and feel of Sailcloth with the added benefit of fire-resistance. Offer peace of mind for any project thanks to its yarn construction that allows the finished fabric to self-extinguish. The flame resistance offers built in protection, ensuring long-lasting protection.

- ◆ High in tensile and tear strength
- ◆ Double sided coating
- ◆ Water-based PU coating
- ◆ Puncture resistant
- ◆ Mildew resistant
- ◆ High in abrasion resistance
- ◆ Highly water repellent
- ◆ Custom colours and weights available on request

### Features & Benefits

- ◆ Give authentic sail feel to any project
- ◆ True reversible fabric
- ◆ Economical choice when needing FR spec

### Fire Classification

- ◆ BS-5867-2: 2008 type B

**Recommended Applications:** Curtains, drapes, window blinds, shade sails, indoor screens and diffusers

Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM: m
FWP0700FR	Natural	1370	380	50	metre
FWP0900FR	Natural	1370	450	50	metre



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.





## Technical Xtreme Outdoor Fabrics

A versatile, easy to handle, solution dyed fabric that can be used in numerous applications and markets and exceeds the highest expectations for functionality and lifespan

- ◆ Solution-dyed polyester fabric with PU-coating and Fluorocarbon+ finish
- ◆ Lightweight - ideal to stow in tight locations
- ◆ Market leading  $\geq 1000$  mm hydrostatic water column, over 25% better than the nearest competitor in its field
- ◆ Technical ribbed ottoman weave
- ◆ 1.92m full width for maximum cost savings and reduced seam requirements
- ◆ 5 year limited warranty

### Technical Specification

- ◆ Material Base: 350 dtex Polyester, PU-coating and Fluoro+ finish
- ◆ Weight: 280 g/m<sup>2</sup>
- ◆ Width: 1920mm
- ◆ Colour Fastness: 7 Level, DIN EN ISO 105 B02
- ◆ Tensile Strength: Warp  $\geq 1500$ N / 5cm  
Weft  $\geq 1300$ N / 5cm  
DIN EN ISO 13934-1
- ◆ Elongation: Warp 45%  
Weft 30% - DIN EN ISO 13934-1
- ◆ Tear Strength: Warp  $\geq 40$ N  
Weft  $\geq 40$ N - DIN EN ISO 13937-2
- ◆ \*Water Column:  $\geq 1000$ mm - ISO 811
- ◆ UPF: 50+
- ◆ UV-Stability:  $\geq 4 - 5$  - ISO 4892-2 after 2000 h

### Features & Benefits

- ◆ Technical ribbed ottoman weave
- ◆ Low weight
- ◆ High breathability
- ◆ Water tightness
- ◆ PVC free
- ◆ High UV resistance
- ◆ No colour bleed or rub-off
- ◆ Superb colour fastness
- ◆ Xtreme strength and tear resistance
- ◆ Salt water, oil, dirt and water repellent
- ◆ Flame resistant with an antimicrobial finish
- ◆ Easy handling for storage
- ◆ Fluoro+ finish for dirt and water repellancy
- ◆ Mould resistant
- ◆ No stress whitening
- ◆ Dimensionally stable

### Fire Classification

- ◆ Flame Resistance: Self-Extinguishing - FMVSS 302

### WARRANTY

5 year limited and subject to proper installation. Does not include labour, frames, systems and installation supplied by dealer.

Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM: m
F82519400	White	1920	280	50	metre
F82519402	Ivory	1920	280	50	metre
F82519410	True Red	1920	280	50	metre
F82519423	Beige	1920	280	50	metre
F82519432	Sahara	1920	280	50	metre
F82519450	Forest Green	1920	280	50	metre
F82519460	Pacific Blue	1920	280 <td 50	metre	
F82519462	Navy Blue	1920	280	50	metre
F82519490	Silver	1920	280	50	metre
F82519492	Charcoal Grey	1920	280	50	metre
F82519494	Cadet Grey	1920	280	50	metre
F82519499	Black	1920	280	50	metre




F82519462

Navy Blue

**Recommended Applications:** marine covers, boat sprayhoods, biminis, dinghy covers, awnings, tensile sail shades, automotive, tent and caravan, RVs and equipment and outdoor furniture coverings



**WATER COLUMN 25% BETTER**  
than the nearest competitor in its field\*




Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.

### Care & Cleaning

Proper care and cleaning should be taken to ensure the life of SolaTX Acrylic Canvas.

For regular care and maintenance, the excess dirt should be brushed from the fabric using a soft brush; the fabric should then be sprayed with warm water (not exceeding 40°C) and air-dried.

Periodically, the fabric should undergo a more thorough cleaning. Again, brush fabric with a soft bristled brush, spray with warm water, then apply a gentle soap. Let stand for 10 to 20 minutes taking care not to let it dry, then rinse thoroughly and air-dry. Do not use detergents and / or solvents.



Care cards and seam labels available on request





- ◆ Odyssey® is an acrylic coated, high performance 300dpi woven polyester fabric with a clear back coat.
- ◆ Strong, durable, with a high UV and abrasion resistance.
- ◆ Odyssey® can be used in outdoor applications such as marine tops, trailer covers, gazebos, canopies, tarpaulins, playground equipment covers and bags.
- ◆ Weight: 220 g/m<sup>2</sup>
- ◆ Roll Width: 1630mm
- ◆ Roll Length: 68.6m



Part No.	Colour	Width: mm	Weight g/m <sup>2</sup>	Roll Length: m	UOM
F0800A00Y	White	1630	220	68.6	metre
F0800A10Y	Red	1630	220	68.6	metre
F0800A14Y	Birch	1630	220	68.6	metre
F0800A18Y	Caribbean Blue	1630	220	68.6	metre
F0800A20Y	Lakeside Blue	1630	220	68.6	metre
F0800A44Y	Teal	1630	220	68.6	metre
F0800A46Y	Forest Green	1630	220	68.6	metre
F0800A60Y	Black	1630	220	68.6	metre
F0800A62Y	Brown	1630	220	68.6	metre
F0800A65Y	Taupe	1630	220	68.6	metre
F0800A66Y	Sand	1630	220	68.6	metre
F0800A75Y	Burgundy	1630	220	68.6	metre
F0800A79Y	Royal Blue	1630	220	68.6	metre
F0800A85Y	Turquoise	1630	220	68.6	metre
F0800A88Y	Silver Grey	1630	220	68.6	metre
F0800A90Y	Harbour Blue	1630	220	68.6	metre
F0800A97Y	Charcoal Grey	1630	220	68.6	metre



### Odyssey® PSA Polyester

- ◆ Odyssey® PSA is an acrylic coated, 100% woven polyester with pressure sensitive adhesive suitable for many indoor or outdoor applications
- ◆ Mildrew and UV resistant
- ◆ Uses: Boat cover repairs, reinforcement and UV roller furling covers
- ◆ Roll length 45.7m


Part No.	Colour	Roll Width - mm	Weight g/m <sup>2</sup>	Roll Length: m	UOM
F0808Z00Y	White	1500	271	68.6	metre
F0808Z18Y	Caribbean Blue	1500	271	68.6	metre
F0808Z75Y	Burgundy	1500	271	68.6	metre
F0808Z79Y	Royal Blue	1500	271	68.6	metre
F0808Z88Y	Silver Grey	1500	271	68.6	metre
F0808Z90Y	Harbour Blue	1500	271	68.6	metre
F0808Z97Y	Charcoal Grey	1500	271	68.6	metre



### Odyssey® Softouch

- ◆ Odyssey® Softouch is a 100% solution dyed woven polyester with a light weight, non-woven, soft fuzzy polyester backing
- ◆ Strong, durable with a high UV and abrasion resistance.
- ◆ Uses: Boat, trailer covers, carbon spinnaker poles and wheels
- ◆ The softtouch finish helps reduce scratching, excellent on polished or varnished surfaces
- ◆ Weight: 405 g/m<sup>2</sup>
- ◆ Roll Width: 1520mm
- ◆ Roll Length: 45.7m

Part No.	Colour	Width: mm	Weight g/m <sup>2</sup>	Roll Length: m	UOM
F0805A00Y	White	1520	405	45.7	metre
F0805A14Y	Birch	1520	405	45.7	metre
F0805A18Y	Caribbean Blue	1520	405	45.7	metre
F0805A44Y	Teal	1520	405	45.7	metre
F0805A46Y	Forest Green	1520	405	45.7	metre
F0805A60Y	Black	1520	405	45.7	metre
F0805A65Y	Taupe	1520	405	45.7	metre
F0805A75Y	Burgundy	1520	405	45.7	metre
F0805A79Y	Royal Blue	1520	405	45.7	metre
F0805A88Y	Silver Grey	1520	405	45.7	metre
F0805A90Y	Harbour Blue	1520	405	45.7	metre
F0805A97Y	Charcoal Grey	1520	405	45.7	metre



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



- ◆ TOP GUN® is an acrylic-coated 100% 600dpi woven polyester fabric utilising a proprietary process to coat both sides, top and bottom, thus allowing the fabric to be reversible
- ◆ It is characterised by excellent strength, durability, tear and abrasion resistance
- ◆ Dimensional stability. UV and mildew resistance.
- ◆ TOP GUN® can be used in marine tops, trailer covers, gazebos, canopies, tarpaulins, playground equipment covers, BBQ grill covers, patio furniture
- ◆ Weight: 373g/m<sup>2</sup>
- ◆ Roll Width: 1570mm
- ◆ Roll Length: 45.7m



Part No.	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll Length: m	UOM
F0300A00Y	Arctic White	1570	373	45.7	metre
F0300A10Y	Sunset Red	1570	373	45.7	metre
F0300A14Y	Birch	1570	373	45.7	metre
F0300A18Y	Caribbean Blue	1570	373	45.7	metre
F0300A22Y	Navy Blue	1570	373	45.7	metre
F0300A44Y	Teal	1570	373	45.7	metre
F0300A46Y	Forest Green	1570	373	45.7	metre
F0300A60Y	Onyx Black	1570	373	45.7	metre
F0300A65Y	Taupe	1570	373	45.7	metre
F0300A66Y	Sand	1570	373	45.7	metre
F0300A67Y	Hemp Beige	1570	373	45.7	metre
F0300A68Y	Chocolate Brown	1570	373	45.7	metre
F0300A74Y	Buckskin Tan	1570	373	45.7	metre
F0300A75Y	Burgundy	1570	373	45.7	metre
F0300A79Y	Royal Blue	1570	373	45.7	metre
F0300A85Y	Turquoise	1570	373	45.7	metre
F0300A89Y	Aquamarine	1570	373	45.7	metre
F0300A90Y	Harbour Blue	1570	373	45.7	metre
F0300A97Y	Seagull Grey	1570	373	45.7	metre
F0300A98Y	Charcoal Grey	1570	373	45.7	metre




Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.

## Nautimar®

- ◆ NAUTIMAR® Fabric is made out of high tenacity polyester
- ◆ PVC coated and embossed on one side
- ◆ A lightweight product, easy to store and 100% waterproof
- ◆ An ideal solution for cockpit covers, protective covers and biminis


Part No.	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll Length: m	UOM
F86500100	Snow White	2200	300	60	metre
F86500101	Off White	2200	300	60	metre
F86500102	Ivory	2200	300	60	metre
F86500210	Navy	2200	300	60	metre
F86500450	Black	2200	300	60	metre



## Nautiplus®

- ◆ NAUTIPLUS® Fabric is designed for all marine exterior covers, spray hoods, bimini tops, cockpit covers and winter covers
- ◆ High tenacity polyester fabric
- ◆ Base fabric is double coated with high quality PVC to resist fading in all marine conditions
- ◆ Nautiplus® is 100% waterproof

Part No.	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll Length: m	UOM
F87500100	Snow White	2200	300	60	metre
F87500101	Off White	2200	3600	60	metre




Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.

## LAC640 PVC

- ◆ Base cloth: 1100dtex
- ◆ Coating: PVC
- ◆ Finish: Cleanguard
- ◆ Tensile Strength: 220/210 daN
- ◆ Tear Strength: 30/25 daN
- ◆ Temperature Resistance: -30°C +70°C
- ◆ Flame Retardancy: ≤100mm/min

Part No.	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll Length: m	UOM
LAC6407412	Dark Grey	1500	640	30	metre
LAC6407441	Yellow	1500	640	30	metre
LAC6407446	Red	1500	640	30	metre
LAC640810	Black	1500	640	30	metre
LAC640867	White	1500	640	30	metre
LAC640939	Grey	1500	640	30	metre
LAC640941	Pacific Blue	1500	640	30	metre
LAC640995	Green	1500	640	30	metre



## Sola Vinyl

- ◆ PVC fabric for use in smaller yachts and dinghy covers
- ◆ Produced especially for the marine market
- ◆ Ideal for 100% external waterproof covers

Part No.	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH350GY	Grey	1500	350	50m	metre
FH350RB	Royal Blue	1500	350	50m	metre



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### FR Calendared Rolled Window

- ◆ High Grade Clear PVC Window material used in marquees, sprayhoods, biminis and cockpit covers
- ◆ Available only on full rolls
- ◆ UV stabilised vinyl
- ◆ Super clear PVC

#### Fire Classification

- ◆ BS5438



Part No.	Thickness mm/thou	Roll Width: mm	Roll length: m	UOM
WG10FR	0.35/10	1370	50	Roll
WG20FR	0.50/20	1370	50	Roll
WG30FR	0.75/30	1370	30	Roll

### CLEAR-VU High Optical Window

- ◆ Clear-VU window is a top quality extruded vinyl product that offers optical clarity
- ◆ Close to a polished press sheet vinyl, while still retaining the benefits of rolled glass convenience
- ◆ Available only on full rolls
- ◆ UV stabilised vinyl
- ◆ Soft hand similar to rolled window vinyl
- ◆ Clear

#### Fire Classification

- ◆ BS5438



Part No.	Thickness mm/thou	Roll Width: mm	Roll length: m	UOM
K432	0.76 / 30	1370	17.8	Roll

### 1000hr UV Roll-A-Glass

- ◆ Passes the 1000 hour UV weatherometer test
- ◆ Sparkling clarity
- ◆ Extended UV life window material
- ◆ Available only on full rolls
- ◆ Cold Crack: -23°C
- ◆ Clear

#### Fire Classification

- ◆ FR302 Fire resistant



Part No.	Thickness mm/thou	Roll Width: mm	Roll length: m	UOM
K631	0.5 / 20	1370	27	Roll

### 1000hr UV Super Clear FR Window

- ◆ High grade FR302 Fire Resistant window material
- ◆ Uses: Marquees, sprayhoods, biminis and cockpit covers
- ◆ Passes the 1000 hour UV weatherometer test
- ◆ Sparkling clarity
- ◆ Available only on full rolls
- ◆ Operating Temperature: -20 to +50°C

#### Fire Classification

- ◆ B1
- ◆ B2
- ◆ NFPA-701



Part No.	Thickness: mm / thou	Roll Width: mm	Roll length: m	UOM
K750	0.5 / 20	1500	30	Roll
K775	0.75 / 30	1500	20	Roll



### O'Sea Window Sheets

- ◆ O'Sea scratch resistant window sheets from O'Sullivan are the best quality in clear PVC material
- ◆ Excellent UV durability
- ◆ Made in the USA
- ◆ Clear



Part No.	Thickness mm/thou	Sheet size: l x w: mm	UOM
K227	0.75 / 30	2800 x 1370	Sheet
K228	1.02 / 40	2800 x 1370	Sheet



### Regalite Window Sheets

- ◆ Regalite pressed polished window sheets from O'Sullivan manufactured from thermoplastic clear vinyl material
- ◆ Highly polished finish that results in a soft, flexible, press polished sheet
- ◆ This clear vinyl material is perfect for marine windows, awnings cabin enclosures and automotive applications
- ◆ UV stabilised clear vinyl



Part No.	Thickness mm/thou	Sheet size: l x w: mm	UOM
K221	0.5 / 20	1727 x 737	Sheet
K222	0.75 / 30	2800 x 1370	Sheet
K225	1.02 / 40	2800 x 1370	Sheet




### VR Polycarbonate Window Sheet

- ◆ A clear polycarbonate product designed for high optical quality and exceptional durability
- ◆ Proprietary UV technology ensures long lasting outdoor weathering performance
- ◆ Protects occupants from the sun's harmful UV rays
- ◆ State-of-the-art manufacturing processes provide low optical distortion for clear views and unparalleled sight lines
- ◆ TUFFAK® VR can be easily cut and sewn
- ◆ Offers high clarity, wrinkle-free alternative to flexible vinyl
- ◆ Can be rolled where storage is limited
- ◆ Bend Radius: 100mm
- ◆ Maintains impact strength in extreme temperatures to -30°F
- ◆ Five year limited product warranty



Part No.	Thickness mm/thou	Sheet size: l x w: mm	UOM
K540VR	1.02 / 40	2790 x 1320	Sheet

#### Impact Resistance\*




\*Instrumented Impact per ASTM D 3763, sample thickness 0.125" nominal



## PURE® Sheets - 100% Polypropylene Self-reinforced Composite Material

PURE® material provides both high stiffness and ultimate toughness combined with unique low density. Lightweight and stiff which makes the material interesting for a wide variety of applications where weight saving and energy absorption is desired.

- ◆ Ideal for membrane sail manufacture and sail reinforcement and chafe
- ◆ Extremely strong, even at very low temperatures
- ◆ Light weight, low density (Up to 50% lighter, compared to polycarbonate)
- ◆ Water resistant
- ◆ Easily stitchable
- ◆ Very high tear strength
- ◆ Standard sheet dimensions: 1200mm x 1200mm
- ◆ Other thicknesses & sheet sizes available on request



Part No	Description	Colour	Thickness mm	Sheet Size	UOM
FWPP03100	3 layer sheet	White	0.4	1200 x 1200	Each
FWPP03191	3 layer sheet	Grey	0.4	1200 x 1200	Each
FWPP06100	6 layer sheet	White	0.8	1200 x 1200	Each
FWPP06191	6 layer sheet	Grey	0.8	1200 x 1200	Each
FWPP09100	9 layer sheet	White	1.2	1200 x 1200	Each
FWPP09191	9 layer sheet	Grey	1.2	1200 x 1200	Each

\* thickness is only estimated and for use as a guide

### Polyester Monofilm

- ◆ Both clear and opaque white
- ◆ Light weight performance material
- ◆ Clear polyester films for boardsails and telltale windows
- ◆ Opaque white films for repeat pattern layouts



Part No.	Style	Thickness microns	Roll Width: mm	Weight g/m <sup>2</sup>	Roll Length: m	UOM
MYL175	Clear	175	1445	230	50	metre
MYL250	Clear	250	1524	360	40	metre
MYL35003	Opaque	350	1220	465	30	metre

### Monofilm PSA

- ◆ PSA polyester film with self adhesive backing material for boardsails repairs etc



Part No.	Roll Width: mm	Roll Length: m	Pack Qty
J872	50	45.7	Roll
J874	1370	45.7	metre

### Pattern Material




- ◆ Economical, flexible and stable pattern material
- ◆ The ideal material to make on site patterns for awnings and any type of cover
- ◆ Can also be used to make sail bags and accessories



Part No.	Colour	Roll Width: mm	Roll Length: m	UOM
FP072CL	Clear	1830	50	metre
FP072NB	Blue	1830	200	metre
FP072SB	Silver & Black	1830	200	metre

### 1000 Denier Textured Nylon



- ◆ Super tough woven: high tenacity nylon with a 33gsm urethane coating for durability and water repellency
- ◆ Excellent resistance to abrasion, fading, rot and mildew
- ◆ Water repellent and quick drying
- ◆ High tensile strength and tear resistance
- ◆ Uses: Heavy duty bags, horse blankets, backpacks



Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll Length: m	UOM
F5300D08W	Silver	1520	458	46	metre
F5300D22W	Navy Blue	1520	458	46	metre
F5300D46W	Forest Green	1520	458	46	metre
F5300D47W	Foliage Green	1520	458	46	metre
F5300D60W	Black	1520	458	46	metre
F5300D79W	Royal Blue	1520	458	46	metre

### Oxford Nylon Bag Cloth

- ◆ Coated Oxford 6oz nylon fabric for the manufacture of bags and dust covers
- ◆ Can be used for a wide variety of other marine and industrial applications
- ◆ Features - Durable coating, weather resistant, tight weave and urethane coated
- ◆ Uses - Back packs, banners, flags, sail bags and soft sided luggage
- ◆ 420 Denier, PU coated



Part No.	Colour	Roll Width: cm	Roll Length: m	UOM
V006BK	Black	150	100	metre
V006BR	Bright Red	150	100	metre
V006BU	Blue	150	100	metre
V006DG	Dark Grey	150	100	metre
V006GR	Green	150	100	metre
V006GY	Grey	150	100	metre
V006NB	Navy Blue	150	100	metre
V006RD	Red	150	100	metre
V006WT	White	150	100	metre
V006YE	Yellow	150	100	metre

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



# RECASENS

BCN  1886

## Recacril® DECORLINE Solids

Solution-dyed acrylic fabrics suitable for use in interior and exterior upholstery

Recacril® DECORLINE marine fabrics are made of the same solution-dyed acrylic fibres used for making our Recacril® canvas, having the same resistance to sunlight and weather.

This collection has exceptional resistance to fading by sun and salt water, being suitable for making cushions, interior and exterior upholstery used on boats.

- ◆ 100% Solution-dyed acrylic fibres
- ◆ Special Infinity treatment
- ◆ High resistance to sunlight and weather
- ◆ Anti-stain, rot-proof, water repellent and breathable
- ◆ Interior and exterior applications

### Features and Benefits - for all fabric types

- ◆ Special reversible acrylic for upholstery
- ◆ 5 year warranty
- ◆ Protection from UV rays
- ◆ Water and oil repellency
- ◆ Resistance to mould and mildew
- ◆ Durability
- ◆ Easy to maintain
- ◆ Bleach cleanable

### Technical Specification

- ◆ Finish: Anti-stain, rot-proof, water repellent and breathable
- ◆ Colour fastness to artificial light - Xenotest: 4-5 (Good to excellent) grey scale 7-8 (Very good to excellent) blue scale
- ◆ Colour fastness to washing (30°C): Class 5 (No degradation)

Part no	Colour	Water Column	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM: m
RECD099	White	≥200	1400	270	60	Metre
RECD100	Beige	≥200	1400	270	60	Metre
RECD102	Forest Green	≥200	1400	270	60	Metre
RECD103	Black	≥200	1400	270	60	Metre
RECD104	Chestnut	≥200	1400	270	60	Metre
RECD105	Salmon	≥200	1400	270	60	Metre
RECD106	Flamingo	≥200	1400	270	60	Metre
RECD115	Cream	≥200	1400	270	60	Metre
RECD117	Raw	≥200	1400	270	60	Metre
RECD122	Seashell	≥200	1400	270	60	Metre
RECD127	Moonrock	≥200	1400	270	60	Metre
RECD139	Heather Beige	≥200	1400	270	60	Metre
RECD143	Hemp Beige	≥200	1400	270	60	Metre
RECD150	Dark Grey	≥200	1400	270	60	Metre
RECD151	Slate	≥200	1400	270	60	Metre
RECD153	Stone	≥200	1400	270	60	Metre
RECD156	Brown	≥200	1400	270	60	Metre
RECD158	Ochre	≥200	1400	270	60	Metre
RECD160	Pistachio	≥200	1400	270	60	Metre
RECD161	Grey	≥200	1400	270	60	Metre
RECD163	Green	≥200	1400	270	60	Metre
RECD164	Charcoal Grey	≥200	1400	270	60	Metre
RECD165	Mauve	≥200	1400	270	60	Metre
RECD171	Turquoise	≥200	1400	270	60	Metre
RECD172	Blue	≥200	1400	270	60	Metre
RECD173	Dark Blue	≥200	1400	270	60	Metre
RECD174	Navy Blue	≥200	1400	270	60	Metre
RECD176	Red	≥200	1400	270	60	Metre
RECD177	Burgundy	≥200	1400	270	60	Metre
RECD182	Vermillion	≥200	1400	270	60	Metre
RECD187	Jade	≥200	1400	270	60	Metre
RECD193	Light Blue	≥200	1400	270	60	Metre
RECD236	Jeans	≥200	1400	270	60	Metre
RECD244	Dun	≥200	1400	270	60	Metre
RECD327	Natural	≥200	1400	270	60	Metre
RECD554	Yellow	≥200	1400	270	60	Metre
RECD567	Orange	≥200	1400	270	60	Metre
RECD774	Smoke Tweed	≥200	1400	270	60	Metre
RECD777	Cherry Tweed	≥200	1400	270	60	Metre
RECD778	Mandarin Tweed	≥200	1400	270	60	Metre
RECD779	Beige Tweed	≥200	1400	270	60	Metre



RECD172  
Blue

 RECD099 White	 RECD122 Seashell	 RECD117 Raw	 RECD327 Natural	 RECD115 Cream
 RECD779 Beige Tweed	 RECD100 Beige	 RECD139 Heather Beige	 RECD143 Hemp Beige	 RECD104 Chestnut
 RECD244 Dun	 RECD156 Brown	 RECD554 Yellow	 RECD158 Ochre	 RECD106 Flamingo
 RECD778 Mandarin Tweed	 RECD567 Orange	 RECD105 Salmon	 RECD176 Red	 RECD182 Vermillion
 RECD777 Cherry Tweed	 RECD177 Burgundy	 RECD165 Mauve	 RECD160 Pistachio	 RECD187 Jade
 RECD163 Green	 RECD102 Forest Green	 RECD171 Turquoise	 RECD193 Light Blue	 RECD172 Blue
 RECD173 Dark Blue	 RECD236 Jeans	 RECD174 Navy Blue	 RECD153 Stone	 RECD161 Grey
 RECD127 Moonrock	 RECD774 Smoke Tweed	 RECD164 Charcoal Grey	 RECD150 Dark Grey	 RECD151 Slate
 RECD103 Black				

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.

### Care & Cleaning

Do not dry clean, cool iron, do not tumble dry, cool wash - max 30°C, chlorine bleach solution for stain removal.



# RECASENS

BCN  1886

## Recacril® DECORLINE Liso Flamé

Solution-dyed acrylic fabrics suitable for use in interior and exterior upholstery

Recacril® DECORLINE marine fabrics are made of the same solution-dyed acrylic fibres used for making our Recacril® canvas, having the same resistance to sunlight and weather.

This collection has exceptional resistance to fading by sun and salt water, being suitable for making cushions, interior and exterior upholstery used on boats.

- ◆ 100% Solution-dyed acrylic fibres
- ◆ Special Infinity treatment
- ◆ High resistance to sunlight and weather
- ◆ Anti-stain, rot-proof, water repellent and breathable
- ◆ Interior and exterior applications

### Features and Benefits - for all fabric types

- ◆ Special reversible acrylic for upholstery
- ◆ 5 year warranty
- ◆ Protection from UV rays
- ◆ Water and oil repellency
- ◆ Resistance to mould and mildew
- ◆ Durability
- ◆ Easy to maintain
- ◆ Bleach cleanable

### Technical Specification

- ◆ Finish: Anti-stain, rot-proof, water repellent and breathable
- ◆ Colour fastness to artificial light - Xenotest: 4-5 (Good to excellent) grey scale 7-8 (Very good to excellent) blue scale
- ◆ Colour fastness to washing (30°C): Class 5 (No degradation)

### Care & Cleaning

Do not dry clean, cool iron, do not tumble dry, cool wash - max 30°C, chlorine bleach solution for stain removal



Part no	Colour	Water Column	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM: m
RECD801	Urban	≥180	1400	270	60	Metre
RECD802	Dark Urban	≥180	1400	270	60	Metre
RECD803	Sea	≥180	1400	270	60	Metre
RECD804	Dark Sea	≥180	1400	270	60	Metre
RECD805	Life	≥180	1400	270	60	Metre
RECD806	Dark Life	≥180	1400	270	60	Metre
RECD807	Sand	≥180	1400	270	60	Metre
RECD808	Dark Sand	≥180	1400	270	60	Metre



# RECASENS

BCN  1886

## Recacril® DECORLINE Waterproof

Waterproof solution-dyed acrylic fabrics suitable for use in interior and exterior upholstery

Recacril® DECORLINE marine fabrics are made of the same solution-dyed acrylic fibres used for making our Recacril® canvas, having the same resistance to sunlight and weather.

This collection has exceptional resistance to fading by sun and salt water, being suitable for making cushions, interior and exterior upholstery used on boats.

- ◆ 90% Solution-dyed acrylic fibres, 10% waterproof laminated PU
- ◆ High resistance to sunlight and weather
- ◆ Anti-stain, rot-proof, water repellent and breathable
- ◆ Interior and exterior applications

### Features and Benefits - for all fabric types

- ◆ Special reversible acrylic for upholstery
- ◆ 5 year warranty
- ◆ Protection from UV rays
- ◆ Water and oil repellency
- ◆ Resistance to mould and mildew
- ◆ Durability
- ◆ Easy to maintain
- ◆ Bleach cleanable

### Technical Specification


- ◆ Finish: Semi-waterproof laminated and special finish for upholstery applications.
- ◆ Colour fastness to artificial light - Xenotest: 4-5 (Good to excellent) grey scale 7-8 (Very good to excellent) blue scale
- ◆ Colour fastness to washing (30°C): Class 5 (No degradation)

### Care & Cleaning

Do not dry clean, cool iron, do not tumble dry, cool wash - max 30°C, chlorine bleach solution for stain removal



Part no	Colour	Water Column	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM: m
RECDW099	White	≥200	1400	250	60	Metre
RECDW100	Beige	≥200	1400	250	60	Metre
RECDW102	Forest Green	≥200	1400	250	60	Metre
RECDW103	Black	≥200	1400	250	60	Metre
RECDW139	Heather Beige	≥200	1400	250	60	Metre
RECDW161	Grey	≥200	1400	250	60	Metre
RECDW164	Charcoal Grey	≥200	1400	250	60	Metre
RECDW174	Navy Blue	≥200	1400	250	60	Metre
RECDW176	Red	≥200	1400	250	60	Metre
RECDW193	Light Blue	≥200	1400	250	60	Metre
RECDW327	Natural	≥200	1400	250	60	Metre



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.





**MorGreen™ Collection - Mistral FRee**

Ground-breaking 75% sustainable and highly bio-sourced content vegan leather, featuring 100% recycled polyester backing.



- ◆ Content: Bio-based Vinyl
- ◆ Backing: 100% Recycled Polyester

**Specifications**

- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153  
Cycle 1, 1000 hrs Min AATCC 4  
UV coef ≥7 Blue Wool Scale
- ◆ Adhesion of coatings (Newton/25.4mm) W: ≥13.3 F: ≥13.3

**Features & Benefits**

- ◆ Made in Canada
- ◆ Free of flame retardant additives
- ◆ Bleach resistant
- ◆ Mildew resistant
- ◆ REACH compliant
- ◆ Contains bio-based renewable ingredients
- ◆ Phthalate free formulation
- ◆ 100% vegan leather
- ◆ Skin safe (ISO 10993-10)
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs


**Fire Retardancy**

- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)


**Care & Cleaning**

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect


**Recommended Applications**



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBMIS101	Abalone	1370	678	1.1	27.4	metre
MBMIS102	Anemone	1370	678	1.1	27.4	metre
MBMIS103	Azure	1370	678	1.1	27.4	metre
MBMIS104	Blue Bird	1370	678	1.1	27.4	metre
MBMIS105	Brook	1370	678	1.1	27.4	metre
MBMIS106	Burlap	1370	678	1.1	27.4	metre
MBMIS107	Cactus	1370	678	1.1	27.4	metre
MBMIS108	Cherry	1370	678	1.1	27.4	metre
MBMIS109	Dove	1370	678	1.1	27.4	metre
MBMIS110	Grizzly Grey	1370	678	1.1	27.4	metre
MBMIS111	Harvest	1370	678	1.1	27.4	metre
MBMIS112	Ice	1370	678	1.1	27.4	metre
MBMIS113	Ivory	1370	678	1.1	27.4	metre
MBMIS114	Kelp	1370	678	1.1	27.4	metre
MBMIS115	Kingfisher	1370	678	1.1	27.4	metre
MBMIS116	Olive	1370	678	1.1	27.4	metre
MBMIS117	Pelican White	1370	678	1.1	27.4	metre
MBMIS118	Raven	1370	678	1.1	27.4	metre
MBMIS119	Roseate	1370	678	1.1	27.4	metre
MBMIS120	Salamander	1370	678	1.1	27.4	metre
MBMIS121	Snowbound	1370	678	1.1	27.4	metre
MBMIS122	Spice	1370	678	1.1	27.4	metre
MBMIS123	Sun Rays	1370	678	1.1	27.4	metre
MBMIS124	Violet	1370	678	1.1	27.4	metre
MBMIS125	Walden	1370	678	1.1	27.4	metre



MBMIS115  
Kingfisher



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.

**75% sustainable product content**

**Bio-attributed PVC resins**  
originating from agricultural and forestry biomass

**Bio-based plasticisers**  
derived from European & USA-sourced soya bean oil

**100% recycled polyester**  
backing fabric made from used plastic used water bottles

The combination of these ISCC & RSB certified renewable ingredients makes for a 75% sustainable content vegan leather which can be produced in different looks, from plain leather effects to textile-inspired grains, such as Mistral FRee.





### Allante™

A buttery soft hand and textured surface, emulating the luxurious look and feel of leather

- ◆ Content: Vinyl
- ◆ Backing: 100% recycled Polyester

#### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥27 F: ≥27
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153  
Cycle 1, 1000 hrs Min AATCC 4  
UV coef ≥7 Blue Wool Scale
- ◆ ISO 22196: 99% reduction of bacteria on the surface of the coated fabric

#### Features & Benefits

- ◆ Made in Canada
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ Soft hand
- ◆ IMO MED and wheelmark certified
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ Skin safe (ISO 10993-10)
- ◆ EN71-3 safety for toys
- ◆ Contains bio-based plasticiser derived from used cooking oils such as sustainably-grown soya bean oil


#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ NF P 92-503 (M2)
- ◆ DIN 4102 (B2)
- ◆ SN 198'898 & VKF
- ◆ AS1530.03
- ◆ FAR 25-853
- ◆ R118 Annex 6, 7, 8
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

#### Recommended Applications



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBAL802	Black	1370	695	1.0	27.4	metre
MBAL804	Charcoal	1370	695	1.0	27.4	metre
MBAL806	Ash	1370	695	1.0	27.4	metre
MBAL808	Grey	1370	695	1.0	27.4	metre
MBAL809	Nu-Shale	1370	695	1.0	27.4	metre
MBAL810	White	1370	695	1.0	27.4	metre
MBAL816	Cadet Blue	1370	695	1.0	27.4	metre
MBAL818	Galaxy	1370	695	1.0	27.4	metre
MBAL821	Regimental Blue	1370	695	1.0	27.4	metre
MBAL824	Nu-Antelope	1370	695	1.0	27.4	metre
MBAL827	Sea Oyster	1370	695	1.0	27.4	metre
MBAL828	Elephant	1370	695	1.0	27.4	metre
MBAL832	Burgundy	1370	695	1.0	27.4	metre
MBAL836	Wine	1370	695	1.0	27.4	metre
MBAL838	Cinnamon	1370	695	1.0	27.4	metre
MBAL840	Espresso	1370	695	1.0	27.4	metre
MBAL844	Cream	1370	695	1.0	27.4	metre
MBAL846	Bisque	1370	695	1.0	27.4	metre
MBAL854	Light Parchment	1370	695	1.0	27.4	metre
MBAL856	Pearl Grey	1370	695	1.0	27.4	metre
MBAL860	Beechwood	1370	695	1.0	27.4	metre
MBAL862	Light Neutral	1370	695	1.0	27.4	metre
MBAL868	Teak	1370	695	1.0	27.4	metre
MBAL870	Medium Grey	1370	695	1.0	27.4	metre
MBAL872	Medium Neutral	1370	695	1.0	27.4	metre
MBAL874	Light Sandalwood	1370	695	1.0	27.4	metre
MBAL877	Nu-Red	1370	695	1.0	27.4	metre
MBAL890	Tundra	1370	695	1.0	27.4	metre
MBAL891	Harvest	1370	695	1.0	27.4	metre
MBAL893	River Blue	1370	695	1.0	27.4	metre
MBAL896	Sea Cruise	1370	695	1.0	27.4	metre
MBAL898	Parrot	1370	695	1.0	27.4	metre
MBAL899	Khaki	1370	695	1.0	27.4	metre
MBAL901	Cayenne	1370	695	1.0	27.4	metre
MBAL902	Butter scotch	1370	695	1.0	27.4	metre
MBAL903	Twine	1370	695	1.0	27.4	metre
MBAL904	Mango	1370	695	1.0	27.4	metre
MBAL905	Forest	1370	695	1.0	27.4	metre
MBAL906	Emerald	1370	695	1.0	27.4	metre
MBAL907	Chestnut	1370	695	1.0	27.4	metre
MBAL908	Aubergine	1370	695	1.0	27.4	metre
MBAL909	Nude	1370	695	1.0	27.4	metre
MBAL910	Turquoise	1370	695	1.0	27.4	metre
MBAL911	Chocolate	1370	695	1.0	27.4	metre
MBAL912	Honey	1370	695	1.0	27.4	metre
MBAL913	Old Rose	1370	695	1.0	27.4	metre



<b>MBAL909</b> Nude	<b>MBAL911</b> Chocolate	<b>MBAL907</b> Chestnut	<b>MBAL860</b> Beechwood	<b>MBAL868</b> Teak
<b>MBAL903</b> Twine	<b>MBAL908</b> Aubergine	<b>MBAL832</b> Burgundy	<b>MBAL836</b> Wine	<b>MBAL877</b> Nu-Red
<b>MBAL901</b> Cayenne	<b>MBAL802</b> Black	<b>MBAL840</b> Espresso	<b>MBAL828</b> Elephant	<b>MBAL872</b> Medium Neutral
<b>MBAL874</b> Light Sandalwood	<b>MBAL804</b> Charcoal	<b>MBAL806</b> Ash	<b>MBAL870</b> Medium Grey	<b>MBAL856</b> Pearl Grey
<b>MBAL808</b> Grey	<b>MBAL821</b> Regimental Blue	<b>MBAL818</b> Galaxy	<b>MBAL816</b> Cadet Blue	<b>MBAL890</b> Tundra
<b>MBAL893</b> River Blue	<b>MBAL905</b> Forest	<b>MBAL906</b> Emerald	<b>MBAL910</b> Turquoise	<b>MBAL896</b> Sea Cruise
<b>MBAL913</b> Old Rose	<b>MBAL898</b> Parrot	<b>MBAL899</b> Khaki	<b>MBAL824</b> Nu-Antelope	<b>MBAL809</b> Nu-Shale
<b>MBAL854</b> Light Parchment	<b>MBAL838</b> Cinnamon	<b>MBAL904</b> Mango	<b>MBAL902</b> Butterscotch	<b>MBAL912</b> Honey
<b>MBAL891</b> Harvest	<b>MBAL862</b> Light Neutral	<b>MBAL844</b> Cream	<b>MBAL827</b> Sea Oyster	<b>MBAL846</b> Bisque
<b>MBAL810</b> White	Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.			



### Touch

The softest denim-dye transfer resistant vinyl on the market.

- ◆ Content: Vinyl
- ◆ Backing: 100% recycled Polyester

#### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥27 F: ≥27
- ◆ Cold crack: -32°C
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153  
Cycle 1, 1000 hrs Min AATCC 4  
UV coef ≥7 Blue Wool Scale
- ◆ ISO 22196: 99% reduction of bacteria on the surface of the coated fabric

#### Features & Benefits

- ◆ Made in Canada
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ Soft hand
- ◆ IMO MED and wheelmark certified
- ◆ Denim-dye transfer resistant
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ Skin safe (ISO 10993-10)
- ◆ EN71-3 safety for toys
- ◆ Contains bio-based plasticiser derived from used cooking oils such as sustainably-grown soya bean oil

#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ NF P 92-503 (M2)
- ◆ DIN 4102 (B2)
- ◆ SN 198'898 & VKF
- ◆ AS1530.03
- ◆ FAR 25-853
- ◆ R118 Annex 6, 7, 8
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect  
Denim transfer can be easily removed with soapy water and a soft brush

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBAT910	Chamois	1370	695	1.0	27.4	metre
MBAT911	White	1370	695	1.0	27.4	metre
MBAT914	Barley	1370	695	1.0	27.4	metre
MBAT915	Envy	1370	695	1.0	27.4	metre
MBAT917	Wild Rice	1370	695	1.0	27.4	metre
MBAT928	Aluminium	1370	695	1.0	27.4	metre
MBAT930	Ecru	1370	695	1.0	27.4	metre



**MBAT911**  
White



**MBAT910**  
Chamois



**MBAT930**  
Ecru



**MBAT915**  
Envy



**MBAT928**  
Aluminium



**MBAT914**  
Barley



**MBAT917**  
Wild Rice




**MBAT914**  
Barley



**100% RECYCLED POLYESTER BACKING FABRIC**  
2.5 PET bottles in each metre

#### Recommended Applications



#### Denim Dye Transfer & Cleanability Test



Denim-dye transfer resistant

Coated fabric samples subject to 1,000 rubs with high-street denim fabric  
Results showing before +1 and after +2 cleaning with soapy water

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



## Prodigy

A timeless grain with superb tailoring qualities and sumptuous soft hand.

- ◆ Content: Vinyl
- ◆ Backing: 100% recycled Polyester

### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥27 F: ≥27
- ◆ Cold crack: -32°C
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153  
Cycle 1, 1000 hrs Min AATCC 4  
UV coef ≥7 Blue Wool Scale
- ◆ ISO 22196: 99% reduction of bacteria on the surface of the coated fabric

### Features & Benefits

- ◆ Made in Canada
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ Soft hand
- ◆ IMO MED and wheelmark certified
- ◆ Contains bio-based renewable ingredients
- ◆ REACH compliant
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ EN71-3 safety for toys
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs


### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ NF P 92-503 (M2)
- ◆ DIN 4102 (B2)
- ◆ SN 198'898 & VKF
- ◆ AS1530.03
- ◆ FAR 25-853
- ◆ R118 Annex 6, 7, 8
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

### Recommended Applications



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBPR0675	Cosmic	1370	695	1.0	27.4	metre
MBPR0676	Sailor	1370	695	1.0	27.4	metre
MBPR0677	Medium Grey	1370	695	1.0	27.4	metre
MBPR0678	Charcoal	1370	695	1.0	27.4	metre
MBPR0679	Black	1370	695	1.0	27.4	metre
MBPR0680	White	1370	695	1.0	27.4	metre
MBPR0681	Bisque	1370	695	1.0	27.4	metre
MBPR0682	Light Neutral	1370	695	1.0	27.4	metre
MBPR0683	Cream	1370	695	1.0	27.4	metre
MBPR0684	Light Sand	1370	695	1.0	27.4	metre
MBPR0685	Light Sandalwood	1370	695	1.0	27.4	metre
MBPR0686	Maple	1370	695	1.0	27.4	metre
MBPR0687	Empire Tan	1370	695	1.0	27.4	metre
MBPR0688	Paprika	1370	695	1.0	27.4	metre
MBPR0689	Equestrian	1370	695	1.0	27.4	metre
MBPR0690	Ochre	1370	695	1.0	27.4	metre
MBPR0691	Serrano	1370	695	1.0	27.4	metre
MBPR0692	Java	1370	695	1.0	27.4	metre
MBPR0693	Nu-Red	1370	695	1.0	27.4	metre
MBPR0694	Crimson	1370	695	1.0	27.4	metre
MBPR0695	Espresso	1370	695	1.0	27.4	metre
MBPR0696	Artichoke	1370	695	1.0	27.4	metre
MBPR0697	Basil	1370	695	1.0	27.4	metre
MBPR0698	Hemlock	1370	695	1.0	27.4	metre
MBPR0699	Grey	1370	695	1.0	27.4	metre
MBPR0701	Honey	1370	695	1.0	27.4	metre
MBPR0702	Legion blue	1370	695	1.0	27.4	metre
MBPR0703	Lagoon	1370	695	1.0	27.4	metre
MBPR0704	Aubergine	1370	695	1.0	27.4	metre
MBPR0705	Pure	1370	695	1.0	27.4	metre



MBPR0703  
Lagoon



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



## Natural Linen

A mix of refined aesthetics and uncompromising durability.

- ◆ Content: Vinyl
- ◆ Backing: 100% recycled Polyester

### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥27 F: ≥27
- ◆ Cold crack: -32°
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153  
Cycle 1, 1000 hrs Min AATCC 4  
UV coef ≥7 Blue Wool Scale
- ◆ ISO 22196: 99% reduction of bacteria on the surface of the coated fabric

### Features & Benefits

- ◆ Made in Canada
- ◆ IMO MED and wheelmark certified
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ Contains bio-based renewable ingredients
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ Skin safe (ISO 10993-10)
- ◆ EN71-3 safety for toys
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs


### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ NF P 92-503 (M2)
- ◆ DIN 4102 (B2)
- ◆ SN 198'898 & VKF
- ◆ AS1530.03
- ◆ FAR 25-853
- ◆ R118 Annex 6, 7, 8
- ◆ ISO 3795 ≤100mm/min (FMVSS302)


### Care & Cleaning

Easily cleanable with water and soap  
 Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

### Recommended Applications



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBNL001	Pearl	1370	695	1.0	27.4	metre
MBNL002	Tan	1370	695	1.0	27.4	metre
MBNL003	Butter	1370	695	1.0	27.4	metre
MBNL004	Haystack	1370	695	1.0	27.4	metre
MBNL005	Ganache	1370	695	1.0	27.4	metre
MBNL006	Sunset	1370	695	1.0	27.4	metre
MBNL007	Burnt Orange	1370	695	1.0	27.4	metre
MBNL008	Cayenne	1370	695	1.0	27.4	metre
MBNL009	Potters Clay	1370	695	1.0	27.4	metre
MBNL010	Bamboo	1370	695	1.0	27.4	metre
MBNL011	Grey	1370	695	1.0	27.4	metre
MBNL012	Charcoal	1370	695	1.0	27.4	metre
MBNL013	Moss	1370	695	1.0	27.4	metre
MBNL014	Storm	1370	695	1.0	27.4	metre
MBNL015	Navy	1370	695	1.0	27.4	metre
MBNL016	Russet	1370	695	1.0	27.4	metre
MBNL017	Sepia	1370	695	1.0	27.4	metre
MBNL018	Berry	1370	695	1.0	27.4	metre
MBNL020	Maize	1370	695	1.0	27.4	metre
MBNL021	Wheat	1370	695	1.0	27.4	metre
MBNL022	Teal	1370	695	1.0	27.4	metre
MBNL023	Basil	1370	695	1.0	27.4	metre
MBNL024	Olive	1370	695	1.0	27.4	metre
MBNL025	Barley	1370	695	1.0	27.4	metre
MBNL026	Mocha	1370	695	1.0	27.4	metre



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### Sundance with MGX™

Tightly woven textile grain, with MGX MorGuard Xtreme™ Stain Protection.

- ◆ Content: Vinyl
- ◆ Backing: 100% recycled Polyester

#### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥27 F: ≥27
- ◆ Cold crack: -32°C
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153  
Cycle 1, 1000 hrs Min AATCC 4  
UV coef ≥7 Blue Wool Scale
- ◆ ISO 22196: 99% reduction of bacteria on the surface of the coated fabric

#### Features & Benefits

- ◆ Made in Canada
- ◆ Superior cleanability
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ IMO MED and wheelmark certified
- ◆ Contains bio-based renewable ingredients
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ Skin safe (ISO 10993-10)
- ◆ EN71-3 safety for toys
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs


#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ NF P 92-503 (M2)
- ◆ DIN 4102 (B2)
- ◆ SN 198'898 & VKF
- ◆ AS1530.03
- ◆ FAR 25-853
- ◆ R118 Annex 6, 7, 8
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

#### Recommended Applications




Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
SD701	White	1370	695	1.0	27.4	metre
SD702	Silver	1370	695	1.0	27.4	metre
SD703	Natural	1370	695	1.0	27.4	metre
SD704	Khaki	1370	695	1.0	27.4	metre
SD705	Crush	1370	695	1.0	27.4	metre
SD706	October	1370	695	1.0	27.4	metre
SD707	Bamboo	1370	695	1.0	27.4	metre
SD708	Herm	1370	695	1.0	27.4	metre
SD709	Red	1370	695	1.0	27.4	metre
SD710	Cayenne	1370	695	1.0	27.4	metre
SD711	Bisque	1370	695	1.0	27.4	metre
SD712	Chocolate	1370	695	1.0	27.4	metre
SD713	Rain	1370	695	1.0	27.4	metre
SD714	Ocean	1370	695	1.0	27.4	metre
SD715	Sand	1370	695	1.0	27.4	metre
SD716	Storm	1370	695	1.0	27.4	metre
SD717	Green	1370	695	1.0	27.4	metre
SD718	Marine	1370	695	1.0	27.4	metre
SD719	Blue	1370	695	1.0	27.4	metre
SD720	Black	1370	695	1.0	27.4	metre
SD721	Valley	1370	695	1.0	27.4	metre
SD722	Acadia	1370	695	1.0	27.4	metre
SD723	Cornsilk	1370	695	1.0	27.4	metre
SD724	Cumulus	1370	695	1.0	27.4	metre
SD725	Siesta Key	1370	695	1.0	27.4	metre
SD726	Submarine	1370	695	1.0	27.4	metre
SD727	Periwinkle	1370	695	1.0	27.4	metre
SD728	Pineapple	1370	695	1.0	27.4	metre
SD729	Chartreuse	1370	695	1.0	27.4	metre
SD730	Rose	1370	695	1.0	27.4	metre
SD731	Sangria	1370	695	1.0	27.4	metre
SD732	Sahara	1370	695	1.0	27.4	metre
SD733	Rhino	1370	695	1.0	27.4	metre
SD734	Spruce	1370	695	1.0	27.4	metre
SD735	Nightfall	1370	695	1.0	27.4	metre
SD736	Raven	1370	695	1.0	27.4	metre
SD737	Caramel	1370	695	1.0	27.4	metre
SD738	Ash	1370	695	1.0	27.4	metre
SD739	Raspberry	1370	695	1.0	27.4	metre
SD740	Celadon	1370	695	1.0	27.4	metre
SD741	Fossil	1370	695	1.0	27.4	metre
SD742	Umber	1370	695	1.0	27.4	metre
SD743	Asphalt	1370	695	1.0	27.4	metre

#### MGX™ Stain Protection

Proven to protect against:

- Stubborn Stains
- Abrasive Scuffs and Scraps
- Everyday Dirt and Grime
- Premature Aging



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.





## Sundance - KoolFab™

Tightly woven textile grain, with built-in technology meaning the pigments of Sundance KoolFab™ do not absorb all of the sun's rays but instead reflect non-visible infrared waves, thereby reducing seating upholstery heat even on dark colours.

- ◆ Content: Vinyl
- ◆ Backing: 100% recycled Polyester

### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥27 F: ≥27
- ◆ Cold crack: -32°C
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153; Cycle 1 1000 hrs Min AATCC 4 UV coef ≥7 Blue Wool Scale
- ◆ ISO 22196: 99% reduction of bacteria on the surface of the coated fabric


### Features & Benefits

- ◆ Made in Canada
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ IMO MED and wheelmark certified
- ◆ Contains stay-cool technology
- ◆ EN71-3 safety for toys
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ Skin safe (ISO 10993-10)
- ◆ Contains bio-based plasticiser derived sustainably grown soya bean oil


### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ NF P 92-503 (M2)
- ◆ DIN 4102 (B2)
- ◆ SN 198'898 & VKF
- ◆ AS1530.03
- ◆ FAR 25-853
- ◆ R118 Annex 6, 7, 8
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

### Recommended Applications



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBSDK801	Buckskin	1370	695	1.0	27.4	metre
MBSDK802	Warm Grey	1370	695	1.0	27.4	metre
MBSDK803	Slate	1370	695	1.0	27.4	metre
MBSDK804	Scandi Blue	1370	695	1.0	27.4	metre
MBSDK805	Legion Blue	1370	695	1.0	27.4	metre
MBSDK806	Hemlock	1370	695	1.0	27.4	metre
MBSDK807	Cedar	1370	695	1.0	27.4	metre
MBSDK808	Java	1370	695	1.0	27.4	metre
MBSDK809	Aubergine	1370	695	1.0	27.4	metre
MBSDK810	Jet	1370	695	1.0	27.4	metre




MBSDK802

Warm Grey

### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

With a difference in fabric surface temperature of up to 23% in direct sunlight, **Sundance KoolFab™** makes for a more comfortable sitting experience on the water and in any outdoor setting.



Sundance Colour	Java	Cedar	Legion Blue	Aubergine	Jet (Black)	Scandi Blue	Hemlock	Slate	Warm Grey	Buckskin
Standard temp*	48.5	48	47	46	46	46	45	45	43	43
With KoolFab™*	37.5	38	38	37.5	38	38	38	38	36.5	37
% heat reduction**	23%	21%	19%	18.5%	17.5%	17.5%	15.5%	15.5%	15%	14%


\* Temperatures in Celcius (to the nearest 0.5°C) recorded under sunlight exposure conditions in which a white (most reflective colour) reached 35°C  
\*\* controlled lab samples have shown heat reduction % to be sustained over 6 hours



Photo courtesy of De Antonio Yachts



**100%**  
RECYCLED POLYESTER  
BACKING FABRIC  
2.5 PET bottles  
in each metre



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### Sandpiper

Palette of neutral essentials featuring a multi-stretch backing fabric for superior tailorability.



4-Way Stretch

- ◆ Content: Vinyl
- ◆ Backing: 100% Polyester

#### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥13 F: ≥13
- ◆ Cold crack: -32°C
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153  
Cycle 1, 1000 hrs Min AATCC 4  
UV coefficient ≥7 Blue Wool Scale

#### Features & Benefits

- ◆ Made in Canada
- ◆ Multi-directional Stretch
- ◆ Superior tailorability
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ Contains bio-based renewable ingredients
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ IMO MED and wheelmark certified
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs (Persistent Bio accumulative and Toxic Chemicals)
- ◆ Bromine-free, no Halogenated Flame Retardants (HFRs)


#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ AS1530.03
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

#### Recommended Applications



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBSP140	Oyster	1370	745	1.0	36.6	metre
MBSP141	Glacier	1370	745	1.0	36.6	metre
MBSP142	White	1370	745	1.0	36.6	metre
MBSP143	Warm Grey	1370	745	1.0	36.6	metre
MBSP144	Buckskin	1370	745	1.0	36.6	metre
MBSP145	Storm Grey	1370	745	1.0	36.6	metre
MBSP146	Champagne	1370	745	1.0	36.6	metre
MBSP147	Medium Grey	1370	745	1.0	36.6	metre
MBSP148	Black	1370	745	1.0	36.6	metre
MBSP149	Stone	1370	745	1.0	36.6	metre
MBSP150	Driftwood	1370	745	1.0	36.6	metre
MBSP151	Saddle	1370	745	1.0	36.6	metre



MBSP146  
Champagne



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.





### Splash™ Collection - Bayside

4-way stretch, matte-finish vinyl with a 5 year limited warranty.

- ◆ Content: Vinyl
- ◆ Backing: 100% Polyester



4-Way Stretch

#### Specifications

- ◆ Adhesion of coatings: [Newton/25.4mm] W: ≥13 F: ≥13
- ◆ Cold crack: -32°C
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153 Cycle 1, 1000 hrs Min AATCC 4 UV coefficient ≥7 Blue Wool Scale

#### Features & Benefits

- ◆ Made in Canada
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ Multi-directional stretch
- ◆ IMO MED and wheelmark certified
- ◆ Superior tailorability
- ◆ 5 year warranty
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ Skin safe (ISO 10993-10)
- ◆ EN71-3 safety for toys
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs


#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ AS1530.03
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

#### Recommended Applications



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBBYS100	White	1370	745	1.0	36.6	metre
MBBYS101	Putty	1370	745	1.0	36.6	metre
MBBYS102	Warm Grey	1370	745	1.0	36.6	metre
MBBYS103	Spicy	1370	745	1.0	36.6	metre
MBBYS104	Sugar	1370	745	1.0	36.6	metre
MBBYS107	Birch	1370	745	1.0	36.6	metre
MBBYS108	Apple	1370	745	1.0	36.6	metre
MBBYS109	Navy	1370	745	1.0	36.6	metre
MBBYS110	Espresso	1370	745	1.0	36.6	metre
MBBYS111	Fern	1370	745	1.0	36.6	metre
MBBYS112	Empire Tan	1370	745	1.0	36.6	metre
MBBYS113	Periscope	1370	745	1.0	36.6	metre
MBBYS115	Medium Grey	1370	745	1.0	36.6	metre
MBBYS116	Shell	1370	745	1.0	36.6	metre
MBBYS117	Berry	1370	745	1.0	36.6	metre
MBBYS118	Pebble	1370	745	1.0	36.6	metre
MBBYS119	Sky Grey	1370	745	1.0	36.6	metre
MBBYS120	Slate	1370	745	1.0	36.6	metre
MBBYS121	Taupe	1370	745	1.0	36.6	metre
MBBYS122	Light Sand	1370	745	1.0	36.6	metre
MBBYS124	Red Pear	1370	745	1.0	36.6	metre
MBBYS125	Greige	1370	745	1.0	36.6	metre
MBBYS126	Tofu	1370	745	1.0	36.6	metre
MBBYS127	Champagne	1370	745	1.0	36.6	metre



MBBYS126  
Tofu



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### Splash™ Collection - Surf

Modern, ripple-effect 4-way stretch vinyl with a 5 year limited warranty.

- ◆ Content: Vinyl
- ◆ Backing: 100% Polyester



4-Way Stretch

#### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥13 F: ≥13
- ◆ Cold crack: -32°C
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153 Cycle 1, 1000 hrs Min AATCC 4 UV coefficient ≥7 Blue Wool Scale

#### Features & Benefits

- ◆ Made in Canada
- ◆ Mildew resistant
- ◆ Bleach resistant
- ◆ Multi-directional stretch
- ◆ IMO MED and wheelmark certified
- ◆ Superior tailorability
- ◆ 5 year warranty
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ Skin safe (ISO 10993-10)
- ◆ EN71-3 safety for toys
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs


#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ AS1530.03
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect


#### Recommended Applications



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBSF100	Red Pear	1370	745	1.0	36.6	metre
MBSF101	Slate	1370	745	1.0	36.6	metre
MBSF102	Periscope	1370	745	1.0	36.6	metre
MBSF103	Greige	1370	745	1.0	36.6	metre
MBSF104	Light Sand	1370	745	1.0	36.6	metre
MBSF105	Spicy	1370	745	1.0	36.6	metre
MBSF106	Medium Grey	1370	745	1.0	36.6	metre
MBSF107	Sugar	1370	745	1.0	36.6	metre
MBSF108	Fern	1370	745	1.0	36.6	metre
MBSF109	Empire Tan	1370	745	1.0	36.6	metre
MBSF110	Sky Grey	1370	745	1.0	36.6	metre
MBSF111	Tofu	1370	745	1.0	36.6	metre
MBSF112	Taupe	1370	745	1.0	36.6	metre
MBSF114	Apple	1370	745	1.0	36.6	metre
MBSF115	Espresso	1370	745	1.0	36.6	metre
MBSF116	Navy	1370	745	1.0	36.6	metre
MBSF117	Champagne	1370	745	1.0	36.6	metre
MBSF118	Warm Grey	1370	745	1.0	36.6	metre
MBSF119	Berry	1370	745	1.0	36.6	metre
MBSF120	Putty	1370	745	1.0	36.6	metre
MBSF122	Pebble	1370	745	1.0	36.6	metre



MBSF104  
Light Sand



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### Splash™ Ripples - Rio & Mink featuring SeaSilk™



4-Way Stretch

The Splash™ Ripples collection brings a new dimension to the innovative, best-selling Splash™ range. Sharing the same unique 4-way stretch characteristics, it adds a touch of luxury and splendour to smooth, creaseless upholstered surfaces.

Available in 7 sumptuous metallic accents and 12 silky-soft coordinated colours

- ◆ Content: Vinyl
- ◆ Backing: 100% Polyester

#### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥13 F: ≥13
- ◆ Cold crack: -32°C
- ◆ No significant wear after 300,000 cycles
- ◆ UV resistance: ASTM G153 Cycle 1, 1000 hrs Min AATCC 4 UV coefficient ≥7 Blue Wool Scale


#### Features & Benefits

- ◆ Made in Canada
- ◆ 5 year warranty
- ◆ Multi-directional stretch
- ◆ Superior tailorability
- ◆ Bleach resistant
- ◆ Mildew resistant
- ◆ IMO MED and wheelmark certified
- ◆ Phthalate free formulation
- ◆ 100% vegan
- ◆ Contains bio-based renewable ingredients
- ◆ Superior cleanability
- ◆ Denim-dye transfer resistant (Mink only)
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs

#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ AS1530.03
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Recommended Applications



### Splash™ Ripples - Rio


Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBRIO140	Lead	1370	745	1.0	36.6	metre
MBRIO141	Pearl	1370	745	1.0	36.6	metre
MBRIO144	Mocha	1370	745	1.0	36.6	metre
MBRIO146	Navy	1370	745	1.0	36.6	metre
MBRIO147	Ash	1370	745	1.0	36.6	metre
MBRIO150	Gold	1370	745	1.0	36.6	metre
MBRIO151	Silver	1370	745	1.0	36.6	metre



MBRIO150  
Gold

### Splash™ Ripples - Mink featuring SeaSilk™

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBMK150	White	1370	745	1.0	36.6	metre
MBMK151	Champagne	1370	745	1.0	36.6	metre
MBMK152	Warm Grey	1370	745	1.0	36.6	metre
MBMK153	Buckskin	1370	745	1.0	36.6	metre
MBMK154	Stone	1370	745	1.0	36.6	metre
MBMK155	Oyster	1370	745	1.0	36.6	metre
MBMK156	Glacier	1370	745	1.0	36.6	metre
MBMK157	Black	1370	745	1.0	36.6	metre
MBMK158	Driftwood	1370	745	1.0	36.6	metre
MBMK159	Medium Grey	1370	745	1.0	36.6	metre
MBMK160	Saddle	1370	745	1.0	36.6	metre
MBMK161	Storm Grey	1370	745	1.0	36.6	metre





MBMK158  
Driftwood










#### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

### Splash™ Ripples - Rio



### Splash™ Ripple - Mink featuring SeaSilk™



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



## Adrenaline Collection - Edge & Kixx

Created with high-octane upholstery applications in mind, the Adrenaline Collection range of vibrant colours, geometric grains and subtle sheen never fails to make an impression.

- ◆ Content: Vinyl
- ◆ Backing: 100% Polyester

### Specifications

- ◆ Kixx - Adhesion of coatings: (Newton/25.4mm)  
W: ≥16 F: ≥16
- ◆ Edge/Kixx - Adhesion of coatings: (Newton/25.4mm)  
W: ≥13 F: ≥13
- ◆ UV resistance: No significant colour change or stiffening  
Min AATCC 4  
UV coefficient ≥7 Blue Wool Scale
- ◆ Martindale: No significant wear after 100,000 cycles

### Features & Benefits

- ◆ Made in Canada
- ◆ Mildew resistant
- ◆ IMO MED and wheelmark certified
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs
- ◆ Contains bio-based renewable ingredients
- ◆ Phthalate free formulation
- ◆ 100% vegan


### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

### Recommended Applications



## Adrenaline Collection - Edge

THE original diamond-design for a shimmering finish.

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBEG301	Chalk	1370	695	1.0	36.6	metre
MBEG306	Gunmetal	1370	695	1.0	36.6	metre
MBEG308	Navy	1370	695	1.0	36.6	metre
MBEG309	Red	1370	695	1.0	36.6	metre
MBEG311	Titanium	1370	695	1.0	36.6	metre
MBEG312	Bronze	1370	695	1.0	36.6	metre
MBEG313	Charcoal	1370	695	1.0	36.6	metre
MBEG314	Black	1370	695	1.0	36.6	metre




MBEG309

Red

## Adrenaline Collection - Kixx


A striking, structured grain for modern, eye-catching surfaces.

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBKX601	Charcoal	1370	725	1.0	36.6	metre
MBKX609	Chocolate	1370	725	1.0	36.6	metre
MBKX610	Cream	1370	725	1.0	36.6	metre
MBKX611	Dark Navy	1370	725	1.0	36.6	metre
MBKX612	Dark Red	1370	725	1.0	36.6	metre
MBKX614	Medium Grey	1370	725	1.0	36.6	metre



MBKX609

Chocolate



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### Adrenaline Collection - Rush, Shock & Wave

Created with high-octane upholstery applications in mind, the Adrenaline Collection range of vibrant colours, geometric grains and subtle sheen never fails to make an impression.

- ◆ Content: Vinyl
- ◆ Backing: 100% Polyester

#### Specifications

- ◆ Rush/Shock/Wave - Adhesion of coatings: (Newton/25.4mm) W: ≥13 F: ≥13
- ◆ UV resistance: No significant colour change or stiffening Min AATCC 4  
UV coefficient ≥7 Blue Wool Scale
- ◆ Martindale: No significant wear after 100,000 cycles

#### Features & Benefits

- ◆ Made in Canada
- ◆ Mildew resistant
- ◆ IMO MED and wheelmark certified
- ◆ REACH compliant
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs
- ◆ Bromine-free, no HFRs
- ◆ Contains bio-based renewable ingredients
- ◆ Phthalate free formulation
- ◆ 100% vegan


#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Care & Cleaning

Easily cleanable with water and soap  
Use Bleach (9:1 ratio), Isopropyl Alcohol (70%) or Hydrogen Peroxide (3%) to disinfect

#### Recommended Applications



### Adrenaline Collection - Rush

Smooth and shimmery fabric for dazzling decors.

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBRU203	Topaz Mist	1370	695	1.0	36.6	metre
MBRU204	Acid Sun	1370	695	1.0	36.6	metre
MBRU205	Freestyle	1370	695	1.0	36.6	metre
MBRU206	Liquid Silver	1370	695	1.0	36.6	metre
MBRU207	Bronze Mist	1370	695	1.0	36.6	metre
MBRU211	Rocket	1370	695	1.0	36.6	metre



### Adrenaline Collection - Shock

Carbon-look vinyl for dynamic upholstery designs.

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBSH100	Supersonic	1370	695	1.0	36.6	metre
MBSH102	Hot Rod	1370	695	1.0	36.6	metre
MBSH103	Horse Power	1370	695	1.0	36.6	metre
MBSH104	Thunder	1370	695	1.0	36.6	metre
MBSH105	Storm	1370	695	1.0	36.6	metre
MBSH106	Carbon	1370	695	1.0	36.6	metre
MBSH107	Jet	1370	695	1.0	36.6	metre



### Adrenaline Collection - Wave

Bold & uncompromising texture for strong design statements.

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBWV203	Topaz Mist	1370	695	1.0	36.6	metre
MBWV204	Acid Sun	1370	695	1.0	36.6	metre
MBWV205	Freestyle	1370	695	1.0	36.6	metre
MBWV206	Liquid Silver	1370	695	1.0	36.6	metre
MBWV207	Bronze Mist	1370	695	1.0	36.6	metre
MBWV209	White Cap	1370	695	1.0	36.6	metre
MBWV211	Rocket	1370	695	1.0	36.6	metre



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### Indoor/Outdoor Collection - Seabrook

All-purpose leather grain vinyl – a true Morbern classic.

- ◆ Content: Vinyl
- ◆ Backing: 100% Polyester

#### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥13 F: ≥13
- ◆ Cold crack: -32°C
- ◆ Martindale: No significant wear after 100,000 cycles
- ◆ UV resistance: ASTM G153; Cycle 1  
1000 hrs Min AATCC 4  
UV coefficient ≥7 Blue Wool Scale

#### Features & Benefits

- ◆ 100% vegan
- ◆ Mildew resistant
- ◆ RoHS compliant
- ◆ REACH compliant; non toxic; no heavy metals; no mercury
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs (Persistent bio accumulative and toxic chemicals)
- ◆ Bromine-free, no halogenated flame retardants (HFRs)

#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ ISO 3795 ≤100mm/min (FMVSS302)

#### Care & Cleaning

Easily cleanable with water and soap

#### Recommended Applications



### Seabrook - Standard

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBSB101	Ruby	1370	710	1.0	27.4	metre
MBSB102	Ebony	1370	710	1.0	27.4	metre
MBSB103	American Beauty	1370	710	1.0	27.4	metre
MBSB108	Midnight	1370	710	1.0	27.4	metre
MBSB109	Porcelain	1370	710	1.0	27.4	metre
MBSB110	Marble	1370	710	1.0	27.4	metre
MBSB111	Moonlite	1370	710	1.0	27.4	metre
MBSB112	Sea White	1370	710	1.0	27.4	metre
MBSB113	Forest	1370	710	1.0	27.4	metre
MBSB116	Light Glacier	1370	710	1.0	27.4	metre
MBSB118	Deep Sea	1370	710	1.0	27.4	metre
MBSB119	Marigold	1370	710	1.0	27.4	metre
MBSB120	Chalk	1370	710	1.0	27.4	metre
MBSB121	Stinger Cream	1370	710	1.0	27.4	metre
MBSB122	Stinger Bisque	1370	710	1.0	27.4	metre
MBSB139	Blue	1370	710	1.0	27.4	metre
MBSB145	Hot Orange	1370	710	1.0	27.4	metre
MBSB147	Lime	1370	710	1.0	27.4	metre




MBSB113  
Forest

### Seabrook - Dull

Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
MBSBD135	Sea White	1370	710	1.0	27.4	metre
MBSBD136	White	1370	710	1.0	27.4	metre
MBSBD138	Sea Shell	1370	710	1.0	27.4	metre
MBSBD137	Gel White	1370	710	1.0	27.4	metre
MBSBD106	Nu Teal	1370	710	1.0	27.4	metre
MBSBD141	Purple	1370	710	1.0	27.4	metre
MBSBD146	Action Yellow	1370	710	1.0	27.4	metre



MBSBD146  
Action Yellow



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### Indoor/Outdoor Collection - Sanibel

Marine and outdoor upholstery fabric.

- ◆ Content: Vinyl
- ◆ Backing: 100% Polyester

#### Specifications

- ◆ Adhesion of coatings: (Newton/25.4mm) W: ≥13 F: ≥13
- ◆ Cold crack: -32°C
- ◆ Martindale: No significant wear after 100,000 cycles
- ◆ UV resistance: ASTM G153; Cycle 1  
1000 hrs Min AATCC 4  
UV coefficient ≥7 Blue Wool Scale

#### Features & Benefits

- ◆ 100% vegan
- ◆ Mildew resistant
- ◆ RoHS compliant
- ◆ REACH compliant; non toxic; no heavy metals; no mercury
- ◆ No ozone depleting chemicals
- ◆ No Bisphenol A (BPA)
- ◆ No PBTs (Persistent bio accumulative and toxic chemicals)
- ◆ Bromine-free, no halogenated flame retardants (HFRs)

#### Fire Retardancy

- ◆ IMO MSC 88/26/ADD.2 PART 8 (3.1 & 3.2)
- ◆ EN1021 (Part 1 & 2)
- ◆ BS 5852 Source 0, 1 (Cigarette & Match)
- ◆ ISO 3795 ≤100mm/min (FMVSS302)


#### Care & Cleaning

Easily cleanable with water and soap

#### Recommended Applications



Part No:	Colour	Width: mm	Weight: g/m <sup>2</sup>	Thick-ness: mm	Roll Length: m	UOM
SAN102	Storm	1370	710	1.0	27.4	metre
SAN103	Sunset	1370	710	1.0	27.4	metre
SAN108	Atlantic	1370	710	1.0	27.4	metre
SAN110	Sharkskin	1370	710	1.0	27.4	metre
SAN111	Moon	1370	710	1.0	27.4	metre
SAN112	Seafoam White	1370	710	1.0	27.4	metre
SAN115	Blue	1370	710	1.0	27.4	metre
SAN116	Glacier	1370	710	1.0	27.4	metre
SAN118	Teal	1370	710	1.0	27.4	metre
SAN120	Sea Chalk	1370	710	1.0	27.4	metre
SAN121	Cream	1370	710	1.0	27.4	metre
SAN122	Bisque	1370	710	1.0	27.4	metre
SAN123	Coffee	1370	710	1.0	27.4	metre
SAN130	Charcoal	1370	710	1.0	27.4	metre
SAN136	White	1370	710	1.0	27.4	metre
SAN138	Off White	1370	710	1.0	27.4	metre
SAN140	Ocean Blue	1370	710	1.0	27.4	metre
SAN146	Sunrise	1370	710	1.0	27.4	metre



SAN102  
Storm



Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



### MorPH™ Collection

A wide range of innovative, added-value solutions combining MorberN Europe coated fabrics and carefully selected, quality materials for highly decorative applications.

#### MorPH™ High frequency welded designs

- ◆ Stylish patterns & 3D seam effects to maximise seating comfort
- ◆ Supplied with wadding and waterproof backing
- ◆ Indoor & outdoor applications
- ◆ The MorPH™ collection is available in a wide range of MorberN Europe coated fabrics



### Parallel



MorPH™ PARA 6 in Surf, Putty, 6cm faux stitching.

Design Code	Design Name	Description	Finished width after welding: mm
PARA2.5	Parallel 2.5	Line 2.5cm flat	1330 – 1355
PARA3	Parallel 3	Line 3cm flat	1330 – 1355
PARA4	Parallel 4	Line 4cm flat	1330 – 1355
PARA5	Parallel 5	Line 5cm flat	1330 – 1355
PARA6	Parallel 6	Line 6cm flat	1330 – 1355
PARA9	Parallel 9	Line 9cm flat	1330 – 1355
PARA10	Parallel 10	Line 10cm flat	1330 – 1355
PARA12	Parallel 12	Line 12cm flat	1330 – 1355
PARA15	Parallel 15	Line 15cm flat	1330 – 1355
PARA20	Parallel 20	Line 20cm flat	1330 – 1355

### Thread



MorPH™ THREAD 10 in Mink, Champagne, 10cm faux stitching

g/m <sup>2</sup>	Design Name	Description	Finished width after welding: mm
THD3	Thread 3	Line 3cm faux stitching	1330 – 1355
THD4	Thread 4	Line 4cm faux stitching	1330 – 1355
THD5	Thread 5	Line 5cm faux stitching	1330 – 1355
THD6	Thread 6	Line 6cm faux stitching	1330 – 1355
THD10	Thread 10	Line 10cm faux stitching	1330 – 1355

### Vichy/Plaid/Tartan



MorPH™ VICHY in Allante, Beechwood, Square 10 x 10cm flat



MorPH™ PLAID in Sandpiper, Buckskin, Square 12 x 12cm faux stitching



MorPH™ TARTAN in Prodigy Sailor, 5 x 5cm faux stitching

Design Code	Design Name	Description	Finished width after welding: mm
VICHY	Vichy	Square 10cm x 10cm flat	1330 – 1355
PLAID	Plaid	Square 12cm x 12cm faux stitching	1330 – 1355
TARTAN	Tartan	Square 5cm x 5cm faux stitching	1330 – 1355



The MorPH™ collection is a fabric welding service. This allows you to choose any MorberN vinyl and apply a pattern. Choose from the designs seen on these pages. Contact us for further information and to order this service.

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.




**Gem**



MorPH™ GEM2 in Rush, Bronze Mist, Rhombus 2 x 2cm faux stitching | MorPH™ GEM2 in Rio, Navy, Rhombus 4 x 4cm faux stitching | MorPH™ GEM8x5 in Sundance, Khaki, Rhombus 8 x 5cm faux stitching | MorPH™ HERMES in Seabrook, Sea White Dull, Rhombus 5 x 5cm faux stitching with button

Design Code	Design Name	Description	Finished width after welding: mm
GEM2	Gem 2	Rhombus 2 x 2cm, faux stitching	1330 - 1355
GEM4	Gem 4	Rhombus 4 x 4cm, faux stitching	1330 - 1355
GEM8X5	Gem 8x5	Rhombus 8 x 5cm, faux stitching	1330 - 1355
HERMES	Hermes	Rhombus 5 x 5cm, faux stitching	1330 - 1355

**Exclusive**



MorPH™ WEAVE in Edge, Gunmetal, Intertwining effect, faux stitching | MorPH™ ARGYLE in Natural Linen, Sepia, Lozenge effect, flat | MorPH™ HONEY in Vibe Glacier, Honeycomb effect, flat | MorPH™ HEXA in Wave, Pewter Mist, Hexagon, flat


Design Code	Design Name	Description	Finished width after welding: mm
WEAVE	Weave	Intertwining effect, faux stitching	1330 - 1355
ARGYLE	Argyle	Lozenge effect, faux stitching	1330 - 1355
HONEY	Honey	Honeycombe effect flat	1330 - 1355
HEXA	Hexa	Hexagon flat	1330 - 1355

**MorPH™ Collection**

A wide range of innovative, added-value solutions combining Morbern Europe coated fabrics and carefully selected, quality materials for highly decorative applications.

**MorPH™ Head & Wall liners**

- ◆ Plush finish to line, insulate and conceal imperfections
- ◆ Available with foam, non-woven or high-recycled content multi-knit backings
- ◆ Indoor applications only



FOAM28, FOAM28NS, FOAM42, FOAM42NS | FELT120, FELT250, NPNW150, PETMK

Design Code	Description	Total thickness: mm*	Finished width after welding: mm
FOAM28	28kg / m <sup>3</sup> polyester foam + circular knit scrim	3	132
FOAM28NS	28kg / m <sup>3</sup> polyester foam (no scrim)	3	132
FOAM42	42kg / m <sup>3</sup> polyester foam + circular knit scrim	3.5	132
FOAM42NS	42kg / m <sup>3</sup> polyester foam (no scrim)	3.5	132
FELT120	120gsm polyester felt	3	132
FELT250	250gsm polyester felt	3.5	132
NPNW150	Recycled** 150gsm needle punched non-woven	3	132
PETMK	Recycled*** PET multiknit	3.5	132

\*all thicknesses +/- 0.5mm

\*\* up to 80% recycled PES (PET bottle flakes) content

\*\*\* 85% recycled fibres made from PET bottle flakes + 15% PES-bicomponent fibre (virgin fibre)

NOTE: Average waste rate: 3-5% per part number

All available with the Morbern Marine face fabric of choice, low MOQ and short lead time, please enquire for full details.


**Underlining**

Bainbridge Underlining is a lightweight vinyl-coated polyester fabric designed for use on the bottom side of cushions, seats and upholstery

- ◆ Light vinyl coating keeps cushions from slipping
- ◆ Allows for water drainage and air circulation
- ◆ Cushion underlining breathes, resists rot and mildew growth



Part No:	Colour	Roll Length: m	Width: mm	Weight: gsm	UOM
FH456BEG	Beige	68.58	1370	305	metre
FH456BK	Black	68.58	1370	305	metre
FH456GY	Grey	68.58	1370	305	metre
FH456WT	White	68.58	1370	305	metre




FH456BEG - Beige



FH456BK - Black



FH456GY - Grey



FH456WT - White

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.




## Sunsure® Vinyl Mesh

- ◆ PVC vinyl encapsulated polyester FR mesh material
- ◆ 42 x 12 woven with 95% shade factor
- ◆ Very strong with excellent tear and abrasion resistance
- ◆ Uses: Wind and sun screens, sun awnings, banners and signs

### Fire Retardancy

- ◆ CA 117, Section E

Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH359BK	Black	1370	508	59	metre
FH359DTM	Dense Titanium	1370	508	59	metre
FH359GR	Forest Green	1370	508	59	metre
FH359GY	Dove Grey	1370	508	59	metre
FH359LN	Linen	1370	508	59	metre
FH359NV	Navy Blue	1370	508	59	metre
FH359PN	Porcelain	1370	508	59	metre
FH359RB	Royal Blue	1370	508	59	metre
FH359SD	Sierra Sands	1370	508	59	metre




FH359DTM  
Dense Titanium



FH359GY  
Dove Grey



FH359GR  
Forest Green



FH359BK  
Black



FH359NV  
Navy Blue




FH359RB  
Royal Blue



FH359SD  
Sierra Sands



FH359LN  
Linen



FH359PN  
Porcelain

## Open Mesh

- ◆ Open encapsulated polyester FR mesh material
- ◆ 45% to 65% shade factor
- ◆ Very strong with excellent tear and abrasion resistance
- ◆ Uses: screens, sun awnings, cushion bottoms and banners

### Fire Retardancy

- ◆ CA 117, Section E

Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH354AL	Almond	1370	350	59	metre
FH354BK	Black	1370	350	59	metre
FH354GR	Forest Green	1370	350	59	metre
FH354GY	Dove Grey	1370	350	59	metre
FH354NV	Dark Blue	1370	350	59	metre
FH354RB	Royal Blue	1370	350	59	metre
FH354WT	White	1370	350	59	metre
FH354YE	Yellow	1370	350	59	metre



FH345WT  
White



FH345GY  
Dove Grey



FH345GR  
Forest Green



FH345BK  
Black



FH345NV  
Dark Blue



FH345RB  
Royal Blue



FH345AL  
Almond



FH345YE  
Yellow


## 80 Vinyl Mesh

- ◆ PVC vinyl coated 1000d polyester mesh
- ◆ Up to 80% shade factor, colour dependent
- ◆ Uses: Wind and sun screens, breathable cushion bases, signs and banners

### Fire Retardancy

- ◆ CS191-53
- ◆ CA 117, Section E

Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH358BEG72	Sandstone	1830	441	59	metre
FH358BK72	Black	1830	441	59	metre
FH358BRN72	Brown	1830	441	59	metre
FH358DSD72	Desert Sand	1830	441	59	metre
FH358GY72	Dusk Grey	1830	441	59	metre
FH358WT72	White	1830	441	59	metre




FH358BEG72  
Sandstone



FH358DSD72  
Desert Sand



FH358BRN72  
Brown



FH358GY72  
Dusk Grey



FH358BK72  
Black



FH358WT72  
White


## 90 Vinyl Mesh

- ◆ PVC vinyl coated 1000d polyester mesh
- ◆ Up to 90% shade factor, colour dependent
- ◆ Very strong, excellent tear and abrasion resistant
- ◆ Uses: Wind and sun screens, breathable cushion bases, signs and banners

### Fire Retardancy

- ◆ CS191-53
- ◆ CA 117 section E
- ◆ CA Title 19 & NFPA 701


Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH355BEG72	Sandstone	1830	536	59	metre
FH355BK72	Black	1830	536	59	metre
FH355BRN72	Brown	1830	536	59	metre
FH355DSD72	Desert Sand	1830	536	59	metre
FH355GY72	Dusk Grey	1830	536	59	metre
FH355WT72	White	1830	536	59	metre




FH355BEG72  
Sandstone



FH355DSD72  
Desert Sand



FH355BRN72  
Brown



FH355GY72  
Dusk Grey



FH355BK72  
Black




FH355WT72  
White

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.




### Sleeveknit Vinyl Mesh

- ◆ 9 x 9 knitted polyester mesh with vinyl coating
- ◆ Uses: Wind and sun screens, banners, outdoor furniture shades



FH160BK - Black



FH160RD - Red



FH160BU - Blue



FH160WT - White

Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH160BK	Black	1524	220	91.4	metre
FH160BU	Blue	1524	220	91.4	metre
FH160RD	Red	1524	220	91.4	metre
FH160WT	White	1524	220	91.4	metre

### Trampoline Mesh

- ◆ UV inhibited monofilament polypropylene basketweave
- ◆ Diamond mesh made netting
- ◆ Ideal safety equipment with children on board
- ◆ Uses include: Beach cats and spinnaker launch tubes




Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH374BK	Black	1880	271	45.7	metre

### Multi-purpose FR Vinyl Mesh

- ◆ 9 x 12 knitted polyester mesh with vinyl coating
- ◆ Uses: Wind and sun screens, banners, outdoor furniture shades

#### Fire Retardancy

- ◆ California Fire Marshall 117, Section E specs



Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH162WTFR	White	1575	271	91.4	metre

### Heavy Duty FR Trampoline Mesh

- ◆ PVC-coated high tenacity polyester mesh, durable with ideal dimensional stability and mechanical resistance
- ◆ Available in 3 colours
- ◆ White product is treated for easy cleaning
- ◆ Uses include bridgedeck catamarans

#### Fire Retardancy

- ◆ M2/NFP 92-507
- ◆ Method 2/NFPA 701
- ◆ CSFM T19
- ◆ B1/DIN 4102-1
- ◆ G1/GOST 30244-94
- ◆ M2/UNE 23.727-90
- ◆ Schwerbrennbar Q1-Tr1/ONORM A3800
- ◆ B-S3,d0/EN 13501-1



FH590BK - Black



FH590GY - Grey



FH590WT - White

Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH590BK	Black	1800	820	50	metre
FH590GY	Grey	1800	820	50	metre
FH590WT	White	1800	820	50	metre

### Extra Heavy Duty FR Supertramp Mesh

- ◆ PVC-coated high tenacity polyester mesh with excellent resistance to marine environments
- ◆ Features high weight, excellent mechanical strength and openness as well as flame retardancy
- ◆ Designed for industrial applications and uses include bridgedeck catamarans

#### Fire Retardancy


- ◆ M2/NFP 92-507
- ◆ B1/DIN 4102-1
- ◆ G1/GOST 30244-94
- ◆ B-s3, d0/ EN13501-1



Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FH592WT	White	1800	1050	50	metre

### Knitted Polyester Mesh


- ◆ A lightweight knitted 100% polyester engineered specifically for exterior use
- ◆ Lustrous sheen
- ◆ Ideal for high quality spinnaker snuffers, socks, flags



Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	Roll length: m	UOM
FHKP56WT	White	1170	130	50	metre

### Knit Mesh

- ◆ Uses: Wind and sun screens, banners, outdoor furniture shades



FH062BK - Black




FH062WT - White

Part no	Colour	Width: mm	Weight: gsm	UOM
FH062BK	Black	1575	108	metre
FH062WT	White	1575	108	metre

### Heavy Weight Knit Mesh

- ◆ Uses: Wind and sun screens, banners, outdoor furniture shades



Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	UOM
FH063WT	White	1600	339	metre

### Mosquito Netting



Part no	Colour	Width: mm	Weight: g/m <sup>2</sup>	UOM
FH172GY	Slate Grey	1828	31	metre

Please note: Colour representations shown are the closest approximate match permissible by print process. Customers should be aware that the colour of products will alter in appearance to the eye by the light and environment, e.g. bright blue environments will change yellow to greener shades.



## Cutting & Nesting

Bainbridge can plot or cut from your drawings or designs as a ntv or a dxf file and take those and prepare them as cutting files - these are the fully nested instruction sets suitable for plotting and cutting. Our nesting software ensures that material wastage is reduced to the mathematical minimum – the iterative algorithms used are the best available and fully automatic.

The choice of how much of the package you wish to use is entirely yours. Our intention is to be an extension of your team allowing increased capacity and providing a dependable service.

See the inside front cover for full details of what materials we can cut.




## Design

Using our in-house expertise in design alongside industry leading software covering many aspects of CAD/CAM, Bainbridge can work alongside you to deliver the very best results. Our aim is to allow you to meet your customers' expectations. We can take concepts, measurements, or drawings on to provide all the advantages of automated design and manufacture.

**We can provide design services for:**


- ◆ Sail design – from boat measurements and/or sail measurements
- ◆ Digitising of templates
- ◆ Metal fittings, and output suitable for 3D printing
- ◆ Plastic fittings, and output suitable for 3D printing



We will work closely with you to provide bespoke solutions that best fit your manufacturing needs - Bainbridge delivers a design service that is fast and efficient.

## In-house Tensile Testing

All our sailcloth products undergo rigorous testing using our Lloyd Instruments single pillar machine with an annually certified and fully electronic load cell. Further it can apply compressive force to be able to measure a material's ability to take load in any direction - an example is testing the hardness of plastics or metals. Therefore, the same machine can test materials of many sorts in most products, so if you have a need to test something before using it in manufacture, you only have to ask.



## Slitting & Converting Services

Bainbridge specialises in precision slitting and rewinding of a wide range of materials. This includes both roll-to-roll and cut lengths.

We take pride in our ability to work alongside our customers R&D departments in the strictest confidence trialling new and revised materials giving valuable advice on all aspects of the slitting and rewinding process. Our skilled staff have the experience and depth of knowledge to add value to our customers products.

Bainbridge has worked with many types of materials over the years and include but are not limited to:

- ◆ Wovens – polyester and hybrid sailcloth, nylons, and acrylic cover fabrics
- ◆ Non-wovens – protective sheeting, and including those for medical purposes and PPE
- ◆ Films and PVC
- ◆ Laminates
- ◆ Advanced flexible materials

Bainbridge has custom-built machinery which includes



a computerised tension control system which ensures that the same parameters are accurately reproduced in subsequent production runs giving the customer absolute confidence in the consistent quality of repeat orders.

Over the years, we have handled on behalf of our customers many different materials and fabrics to input rolls of various widths and weights to output various widths in one single pass operation.

## Heat Slitting

As well as using conventional cold slitting techniques Bainbridge can heat slit synthetic materials (usually woven) where it is important to seal the cut edges to stop fraying or fibre contamination.

## Batch Traceability

Bainbridge also offers full batch traceability together with customised labelling to exact customer specifications using the your own specialised packaging materials as required.

## Commercial & Intellectual Property Rights

We fully appreciate that Intellectual Property Rights (IPR) are very important to your business, and that the type of information that would be supplied to us to offer these services will often be of a sensitive commercial nature and we will be more than happy to sign Non-Disclosure Agreements (NDA) with you as required. We do this as a matter of course in our normal business so are familiar to being bound by these types of constraints.

## Storage, Distribution & Logistics

From our modern premises on the south coast of England, Bainbridge can offer clean dry storage facilities to our customers for raw materials together with finished goods.

Distribution of our customers products can also be organised to their scheduled instructions for deliveries within the UK, Europe and beyond.

We have a fleet of vans that deliver daily on a local basis and further afield as required.





**LENGTH**

To Convert	Into	Multiply By
<b>Inches</b>	<b>Millimetres</b>	<b>25.4</b>
<b>Feet</b>	<b>metres</b>	<b>0.3048</b>
<b>Yards</b>	<b>metres</b>	<b>0.9144</b>
<b>Miles</b>	<b>Kilometres</b>	<b>1.609</b>
<b>Mil (1/1000 of inch)</b>	<b>Millimetres</b>	<b>0.0254</b>
<b>Mil (1/1000 of inch)</b>	<b>Microns</b>	<b>25.4</b>

**AREA**

To Convert	Into	Multiply By
<b>Square Yards</b>	<b>Square metres</b>	<b>0.836</b>

**WEIGHT**

To Convert	Into	Multiply By
<b>Ounces</b>	<b>Grammes</b>	<b>28.35</b>
<b>Pounds</b>	<b>Kilogrammes</b>	<b>0.4536</b>

**FABRIC**

To Convert	Into	Multiply By
<b>Sailmakers Ounces</b>	<b>Ounces /Square Yard</b>	<b>1.263</b>
<b>Sailmakers Ounces</b>	<b>Grammes/Square metre</b>	<b>42.83</b>
<b>Ounces/Square Yard</b>	<b>Sailmakers Ounces</b>	<b>0.792</b>
<b>Ounces/Square Yard</b>	<b>Grammes/Square metre</b>	<b>33.91</b>

**NOTES**

ARGYLE .....60	F5300D47W .....23	FELT120.....61	GEM2 .....60	MBAL910 .....30, 31
E099BG .....10	F5300D60W .....23	FELT250.....61	GEM4 .....60	MBAL911 .....30, 31
E099BI .....10	F5300D79W .....23	FH062BK .....65	GEM8X5 .....60	MBAL912 .....30, 31
E099BK .....10	F82519402 .....14, 15	FH062WT .....65	HERMES .....60	MBAL913 .....30, 31
E099CCGY .....10	F82519410 .....14, 15	FH063WT .....65	HEXA .....60	MBAT910 .....32, 33
E099CNV .....10	F82519423 .....14, 15	FH160BK .....64	HONEY .....60	MBAT911 .....32, 33
E099FGR .....10	F82519432 .....14, 15	FH160BU .....64	J872 .....22	MBAT914 .....32, 33
E099NV .....10	F82519450 .....14, 15	FH160RD .....64	J874 .....22	MBAT915 .....32, 33
E099WT .....10	F82519460 .....14, 15	FH160WT .....64	K221 .....21	MBAT917 .....32, 33
F0300A00Y .....18	F82519462 .....14, 15	FH162WTFR .....64	K222 .....21	MBAT928 .....32, 33
F0300A10Y .....18	F82519490 .....14, 15	FH172GY .....65	K225 .....21	MBAT930 .....32, 33
F0300A14Y .....18	F82519492 .....14, 15	FH350GY .....19	K227 .....21	MBBYS100 .....44, 45
F0300A18Y .....18	F82519494 .....14, 15	FH350RB .....19	K228 .....21	MBBYS101 .....44, 45
F0300A22Y .....18	F82519499 .....14, 15	FH354AL .....62	K432 .....21	MBBYS102 .....44, 45
F0300A44Y .....18	F83500100 .....6, 7	FH354BK .....62	K540ZR .....22	MBBYS103 .....44, 45
F0300A46Y .....18	F83500100A .....10	FH354GR .....62	K631 .....20	MBBYS104 .....44, 45
F0300A60Y .....18	F83500182 .....6, 7	FH354GV .....62	K750 .....20	MBBYS107 .....44, 45
F0300A65Y .....18	F83500206 .....6, 7	FH354NV .....62	K775 .....20	MBBYS108 .....44, 45
F0300A66Y .....18	F83500206A .....10	FH354RB .....62	LAC6407412 .....19	MBBYS109 .....44, 45
F0300A67Y .....18	F83500207 .....6, 7	FH354WT .....62	LAC6407441 .....19	MBBYS110 .....44, 45
F0300A68Y .....18	F83500208 .....6, 7	FH354YE .....62	LAC6407446 .....19	MBBYS111 .....44, 45
F0300A74Y .....18	F83500210 .....6, 7	FH355BEG72 .....63	LAC640810 .....19	MBBYS112 .....44, 45
F0300A75Y .....18	F83500220 .....6, 7	FH355BK72 .....63	LAC640867 .....19	MBBYS113 .....44, 45
F0300A79Y .....18	F83500230 .....6, 7	FH355BRN72 .....63	LAC640939 .....19	MBBYS115 .....44, 45
F0300A85Y .....18	F83500230A .....10	FH355DSD72 .....63	LAC640941 .....19	MBBYS116 .....44, 45
F0300A89Y .....18	F83500300A .....10	FH355GY72 .....63	LAC640995 .....19	MBBYS117 .....44, 45
F0300A90Y .....18	F83500400 .....6, 7	FH355WT72 .....63	MBAL802 .....30, 31	MBBYS118 .....44, 45
F0300A97Y .....18	F83500401 .....6, 7	FH358BEG72 .....63	MBAL804 .....30, 31	MBBYS119 .....44, 45
F0300A98Y .....18	F83500402 .....6, 7	FH358BK72 .....63	MBAL806 .....30, 31	MBBYS120 .....44, 45
F0800A00Y .....16	F83500450 .....6, 7	FH358BRN72 .....63	MBAL808 .....30, 31	MBBYS121 .....44, 45
F0800A10Y .....16	F83500450A .....10	FH358DSD72 .....63	MBAL809 .....30, 31	MBBYS122 .....44, 45
F0800A14Y .....16	F83500500 .....6, 7	FH358GY72 .....63	MBAL810 .....30, 31	MBBYS124 .....44, 45
F0800A18Y .....16	F83500520 .....6, 7	FH358WT72 .....63	MBAL816 .....30, 31	MBBYS125 .....44, 45
F0800A20Y .....16	F83500600 .....6, 7	FH359BK .....62	MBAL818 .....30, 31	MBBYS126 .....44, 45
F0800A44Y .....16	F83500700 .....6, 7	FH359DTM .....62	MBAL821 .....30, 31	MBBYS127 .....44, 45
F0800A46Y .....16	F83500770 .....6, 7	FH359GR .....62	MBAL824 .....30, 31	MBEG301 .....50, 51
F0800A60Y .....16	F83500775 .....6, 7	FH359GY .....62	MBAL827 .....30, 31	MBEG306 .....50, 51
F0800A62Y .....16	F83500800 .....6, 7	FH359LN .....62	MBAL828 .....30, 31	MBEG308 .....50, 51
F0800A65Y .....16	F83500910 .....6, 7	FH359NV .....62	MBAL832 .....30, 31	MBEG309 .....50, 51
F0800A66Y .....16	F84500100 .....8, 9	FH359PN .....62	MBAL836 .....30, 31	MBEG311 .....50, 51
F0800A75Y .....16	F84500182 .....8, 9	FH359RB .....62	MBAL838 .....30, 31	MBEG312 .....50, 51
F0800A79Y .....16	F84500206 .....8, 9	FH359SD .....62	MBAL840 .....30, 31	MBEG313 .....50, 51
F0800A85Y .....16	F84500207 .....8, 9	FH359WT .....62	MBAL844 .....30, 31	MBEG314 .....50, 51
F0800A88Y .....16	F84500208 .....8, 9	FH374BK .....64	MBAL846 .....30, 31	MBKX601 .....50, 51
F0800A90Y .....16	F84500210 .....8, 9	FH456BEG .....61	MBAL854 .....30, 31	MBKX609 .....50, 51
F0800A97Y .....16	F84500220 .....8, 9	FH456BK .....61	MBAL856 .....30, 31	MBKX610 .....50, 51
F0805A00Y .....17	F84500230 .....8, 9	FH456GY .....61	MBAL860 .....30, 31	MBKX611 .....50, 51
F0805A14Y .....17	F84500300 .....8, 9	FH456WT .....61	MBAL862 .....30, 31	MBKX612 .....50, 51
F0805A18Y .....17	F84500401 .....8, 9	FH590BK .....64	MBAL868 .....30, 31	MBKX614 .....50, 51
F0805A44Y .....17	F84500402 .....8, 9	FH590GY .....64	MBAL870 .....30, 31	MBMIS101 .....28, 29
F0805A46Y .....17	F84500404 .....8, 9	FH590WT .....64	MBAL872 .....30, 31	MBMIS102 .....28, 29
F0805A60Y .....17	F84500420 .....8, 9	FH592WT .....65	MBAL874 .....30, 31	MBMIS103 .....28, 29
F0805A65Y .....17	F84500450 .....8, 9	FHKP56WT .....65	MBAL877 .....30, 31	MBMIS104 .....28, 29
F0805A75Y .....17	F84500500 .....8, 9	FOAM28 .....61	MBAL890 .....30, 31	MBMIS105 .....28, 29
F0805A79Y .....17	F84500520 .....8, 9	FOAM28NS .....61	MBAL891 .....30, 31	MBMIS106 .....28, 29
F0805A88Y .....17	F84500600 .....8, 9	FOAM42 .....61	MBAL893 .....30, 31	MBMIS107 .....28, 29
F0805A90Y .....17	F84500700 .....8, 9	FOAM42NS .....61	MBAL896 .....30, 31	MBMIS108 .....28, 29
F0805A97Y .....17	F84500770 .....8, 9	FP072CL .....22	MBAL898 .....30, 31	MBMIS109 .....28, 29
F0808Z00Y .....17	F84500775 .....8, 9	FP072NB .....22	MBAL899 .....30, 31	MBMIS110 .....28, 29
F0808Z18Y .....17	F84500800 .....8, 9	FP072SB .....22	MBAL901 .....30, 31	MBMIS111 .....28, 29
F0808Z75Y .....17	F84500910 .....8, 9	FWP0700FR .....13	MBAL902 .....30, 31	MBMIS112 .....28, 29
F0808Z79Y .....17	F86500100 .....19	FWP0900FR .....13	MBAL903 .....30, 31	MBMIS113 .....28, 29
F0808Z88Y .....17	F86500101 .....19	FWPP03100 .....22	MBAL904 .....30, 31	MBMIS114 .....28, 29
F0808Z90Y .....17	F86500102 .....19	FWPP03191 .....22	MBAL905 .....30, 31	MBMIS115 .....28, 29
F0808Z97Y .....17	F86500210 .....19	FWPP06100 .....22	MBAL906 .....30, 31	MBMIS116 .....28, 29
F5300D08W .....23	F86500450 .....19	FWPP06191 .....22	MBAL907 .....30, 31	MBMIS117 .....28, 29
F5300D22W .....23	F87500100 .....19	FWPP09100 .....22	MBAL908 .....30, 31	MBMIS118 .....28, 29
F5300D46W .....23	F87500101 .....19	FWPP09191 .....22	MBAL909 .....30, 31	MBMIS119 .....28, 29



Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
MBMIS120	28, 29	MBPR0701	34, 35	MBSF116	46, 47	RECD161	24, 25	SD707	38, 39
MBMIS121	28, 29	MBPR0702	34, 35	MBSF117	46, 47	RECD163	24, 25	SD708	38, 39
MBMIS122	28, 29	MBPR0703	34, 35	MBSF118	46, 47	RECD164	24, 25	SD709	38, 39
MBMIS123	28, 29	MBPR0704	34, 35	MBSF119	46, 47	RECD165	24, 25	SD710	38, 39
MBMIS124	28, 29	MBPR0705	34, 35	MBSF120	46, 47	RECD171	24, 25	SD711	38, 39
MBMIS125	28, 29	MBRIO140	48, 49	MBSF122	46, 47	RECD172	24, 25	SD712	38, 39
MBMK150	48, 49	MBRIO141	48, 49	MBSH100	52, 53	RECD173	24, 25	SD713	38, 39
MBMK151	48, 49	MBRIO144	48, 49	MBSH102	52, 53	RECD174	24, 25	SD714	38, 39
MBMK152	48, 49	MBRIO146	48, 49	MBSH103	52, 53	RECD176	24, 25	SD715	38, 39
MBMK153	48, 49	MBRIO147	48, 49	MBSH104	52, 53	RECD177	24, 25	SD716	38, 39
MBMK154	48, 49	MBRIO150	48, 49	MBSH105	52, 53	RECD182	24, 25	SD717	38, 39
MBMK155	48, 49	MBRIO151	48, 49	MBSH106	52, 53	RECD187	24, 25	SD718	38, 39
MBMK156	48, 49	MBRU203	52, 53	MBSH107	52, 53	RECD193	24, 25	SD719	38, 39
MBMK157	48, 49	MBRU204	52, 53	MBSH107	52, 53	RECD236	24, 25	SD720	38, 39
MBMK158	48, 49	MBRU205	52, 53	MBSH107	52, 53	RECD244	24, 25	SD721	38, 39
MBMK159	48, 49	MBRU206	52, 53	MBSH107	52, 53	RECD327	24, 25	SD722	38, 39
MBMK160	48, 49	MBRU207	52, 53	MBSH107	52, 53	RECD554	24, 25	SD723	38, 39
MBMK161	48, 49	MBRU211	52, 53	MBSH107	52, 53	RECD567	24, 25	SD724	38, 39
MBNL001	36, 37	MBSB101	54, 55	MBSH107	52, 53	RECD774	24, 25	SD725	38, 39
MBNL002	36, 37	MBSB102	54, 55	MBSH107	52, 53	RECD777	24, 25	SD726	38, 39
MBNL003	36, 37	MBSB103	54, 55	MBSH107	52, 53	RECD778	24, 25	SD727	38, 39
MBNL004	36, 37	MBSB108	54, 55	MBSH107	52, 53	RECD779	24, 25	SD728	38, 39
MBNL005	36, 37	MBSB109	54, 55	MBSH107	52, 53	RECD801	26	SD729	38, 39
MBNL006	36, 37	MBSB110	54, 55	MBSH107	52, 53	RECD802	26	SD730	38, 39
MBNL007	36, 37	MBSB111	54, 55	MBSH107	52, 53	RECD803	26	SD731	38, 39
MBNL008	36, 37	MBSB112	54, 55	MBSH107	52, 53	RECD804	26	SD732	38, 39
MBNL009	36, 37	MBSB113	54, 55	MBSH107	52, 53	RECD805	26	SD733	38, 39
MBNL010	36, 37	MBSB116	54, 55	MBSH107	52, 53	RECD806	26	SD734	38, 39
MBNL011	36, 37	MBSB118	54, 55	MBSH107	52, 53	RECD807	26	SD735	38, 39
MBNL012	36, 37	MBSB119	54, 55	MBSH107	52, 53	RECD808	26	SD736	38, 39
MBNL013	36, 37	MBSB120	54, 55	MBSH107	52, 53	RECDW099	27	SD737	38, 39
MBNL014	36, 37	MBSB121	54, 55	MBSH107	52, 53	RECDW100	27	SD738	38, 39
MBNL015	36, 37	MBSB122	54, 55	MBSH107	52, 53	RECDW102	27	SD739	38, 39
MBNL016	36, 37	MBSB139	54, 55	MBSH107	52, 53	RECDW103	27	SD740	38, 39
MBNL017	36, 37	MBSB145	54, 55	MBSH107	52, 53	RECDW139	27	SD741	38, 39
MBNL018	36, 37	MBSB147	54, 55	MBSH107	52, 53	RECDW161	27	SD742	38, 39
MBNL020	36, 37	MBSBD106	54, 55	MBSH107	52, 53	RECDW164	27	SD743	38, 39
MBNL021	36, 37	MBSBD135	54, 55	MBSH107	52, 53	RECDW174	27	TARTAN	59
MBNL022	36, 37	MBSBD136	54, 55	MBSH107	52, 53	RECDW176	27	THD10	58
MBNL023	36, 37	MBSBD137	54, 55	MBSH107	52, 53	RECDW193	27	THD3	58
MBNL024	36, 37	MBSBD138	54, 55	MBSH107	52, 53	RECDW327	27	THD4	58
MBNL025	36, 37	MBSBD141	54, 55	MBSH107	52, 53	RECFR102	12	THD5	58
MBNL026	36, 37	MBSBD146	54, 55	MBSH107	52, 53	RECFR103	12	THD6	58
MBPR0675	34, 35	MBSDK801	40, 41	MBSH107	52, 53	RECFR176	12	V006BK	23
MBPR0676	34, 35	MBSDK802	40, 41	MBSH107	52, 53	SAN102	56, 57	V006BR	23
MBPR0677	34, 35	MBSDK803	40, 41	MBSH107	52, 53	SAN103	56, 57	V006BU	23
MBPR0678	34, 35	MBSDK804	40, 41	MBSH107	52, 53	SAN108	56, 57	V006DG	23
MBPR0679	34, 35	MBSDK805	40, 41	MBSH107	52, 53	SAN110	56, 57	V006GR	23
MBPR0680	34, 35	MBSDK806	40, 41	MBSH107	52, 53	SAN111	56, 57	V006GY	23
MBPR0681	34, 35	MBSDK807	40, 41	MBSH107	52, 53	SAN112	56, 57	V006NB	23
MBPR0682	34, 35	MBSDK808	40, 41	MBSH107	52, 53	SAN115	56, 57	V006RD	23
MBPR0683	34, 35	MBSDK809	40, 41	MBSH107	52, 53	SAN116	56, 57	V006WT	23
MBPR0684	34, 35	MBSDK810	40, 41	MBSH107	52, 53	SAN118	56, 57	V006YE	23
MBPR0685	34, 35	MBSF100	46, 47	MBSH107	52, 53	SAN120	56, 57	VICHY	59
MBPR0686	34, 35	MBSF101	46, 47	MBSH107	52, 53	SAN121	56, 57	WEAVE	60
MBPR0687	34, 35	MBSF102	46, 47	MBSH107	52, 53	SAN122	56, 57	WG10FR	20
MBPR0688	34, 35	MBSF103	46, 47	MBSH107	52, 53	SAN123	56, 57	WG20FR	20
MBPR0689	34, 35	MBSF104	46, 47	MBSH107	52, 53	SAN130	56, 57	WG30FR	20
MBPR0690	34, 35	MBSF105	46, 47	MBSH107	52, 53	SAN136	56, 57		
MBPR0691	34, 35	MBSF106	46, 47	MBSH107	52, 53	SAN138	56, 57		
MBPR0692	34, 35	MBSF107	46, 47	MBSH107	52, 53	SAN140	56, 57		
MBPR0693	34, 35	MBSF108	46, 47	MBSH107	52, 53	SAN146	56, 57		
MBPR0694	34, 35	MBSF109	46, 47	MBSH107	52, 53	SD701	38, 39		
MBPR0695	34, 35	MBSF110	46, 47	MBSH107	52, 53	SD702	38, 39		
MBPR0696	34, 35	MBSF111	46, 47	MBSH107	52, 53	SD703	38, 39		
MBPR0697	34, 35	MBSF112	46, 47	MBSH107	52, 53	SD704	38, 39		
MBPR0698	34, 35	MBSF114	46, 47	MBSH107	52, 53	SD705	38, 39		
MBPR0699	34, 35	MBSF115	46, 47	MBSH107	52, 53	SD706	38, 39		

Product	Page	Product	Page
1000 denier textured nylon	23	Morbern Seabrook vinyl	54, 55
1000hr UV Roll-A-Glass	20	Morbern Shock vinyl	52, 53
1000hr UV Super Clear FR window material	20	Morbern Splash Ripples™ Collection	48, 49
6oz nylon fabric	23	Morbern Splash™ Collection	44, 45, 46, 47
Acrylic	6, 7, 8, 9, 10, 12	Morbern Splash™ Collection - Bayside	44, 45
Acrylic binding	10	Morbern Splash™ Collection - Surf	46, 47
Acrylic upholstery fabric	24, 25, 26, 27	Morbern Sundance KoolFab™ vinyl	40, 41
Allante vinyl	30, 31	Morbern Sundance vinyl	38, 39
Awning fabrics	6, 7, 8, 9, 12, 13, 14, 15, 16, 18, 19	Morbern Surf vinyl	46, 47
Bag cloth	23	Morbern Touch vinyl	32, 33
Bayside vinyl	44, 45	Morbern Wave vinyl	52, 53
Bio-based vinyl	28, 29	MorGreen™ Mistral FRee	28, 29
Calendared rolled window material	20	Mosquito netting	65
Canvas	6, 7, 8, 9, 12	Multi-purpose mesh	64
CLEAR-VU High Optical window material	21	Natural Linen vinyl	36, 38
Coated acrylic canvas	8, 9, 18	Nautimar® polyester	19
Cover fabrics	6, 7, 8, 9, 12, 13, 14, 15, 16, 17, 18, 19	Nautiplus® polyester	19
Denim-dye transfer resistant vinyl	32, 33	Nylon bag cloth	23
Fire retardant mesh	62, 64, 65	Odyssey® Acrylic	16
Fire retardant sailcloth	13	Odyssey® PSA polyester	17
Flame retardant acrylic	12	Odyssey® Softouch	17
FR rated window material	20	Open mesh	62, 63, 64
FR Sailcloth	13	O'Sea window sheets	21
Head lingings	61	Outdoor vinyl upholstery fabric	56, 57
Heavy duty mesh	64	Oxford nylon bag cloth	23
Heavy duty trampoline mesh	64, 65	Pattern material	22
Indoor vinyl upholstery fabric	56, 57	Polycarbonate window sheet	22
Knit mesh	65	Polyester cover fabric	14, 15, 17, 19
Knitted polyester mesh	65	Polyester FR sailcloth	13
KoolFab™ vinyl	40, 41	Polyester mesh	62, 63, 64, 65
LAC640 PVC	19	Polyester monofilm	22
Leather look vinyl	30, 31	Polypropylene stiffening material	22
Light weight cover fabric	14, 15	Pressure sensitive adhesive backed fabric	10, 17, 22
Monofilm	22	Prodigy vinyl	34, 35
Morbern Adrenaline Collection	50, 51, 52, 53	Product	Page number
Morbern Allante vinyl	30, 31	PSA Acrylic	10
Morbern Bayside vinyl	44, 45	PSA fabrics	10, 17, 22
Morbern Bayside vinyl	44, 45	PSA monofilm	22
Morbern Edge vinyl	50, 51	Pure® Sheet - self-reinforced composite stiffening	22
Morbern Indoor / Outdoor Collection	56, 57	PVC fabric	19
Morbern Kixx vinyl	50, 51	PVC mesh	62, 63, 64
Morbern MorGreen™ Mistral Free vinyl	28, 29	PVC window material	20, 21
Morbern MorPH™ Collection head & wall liners	61	Recacril® Decorline Liso Flamé	26
Morbern MorPH™ Collection vinyl welding	58, 59, 60	Recacril® Decorline solids	24, 25
Morbern Natural Linen vinyl	36, 37	Recacril® Decorline Waterproof	27
Morbern Prodigy vinyl	34, 35	Recsystem FR	12
Morbern Rush vinyl	52, 53	Regalite window sheets	21
Morbern Sandpiper vinyl	42, 43	Sandpiper vinyl	42, 43
Morbern Sanibel vinyl	56, 57	Sanibel vinyl	56, 57





Product	Page	Product	Page
Seabrook vinyl.....	54, 55	Textilene® mesh.....	62, 63
Seabrook vinyl dull.....	54, 55	Textilene® Sunsure® mesh.....	62
Seabrook vinyl standard.....	54, 55	TOPGUN® acrylic.....	18
Sleeveknit vinyl mesh.....	64	Touch vinyl.....	32, 33
Sola Vinyl.....	19	Trampoline mesh.....	64, 65
Solacryl.....	6, 7, 8, 9	TUFFAK VR Polycarbonate sheet.....	22
Solacryl coated acrylic canvas.....	8, 9	Uncoated acrylic canvas.....	6, 7
Solacryl uncoated acrylic canvas.....	6, 7	Underlining.....	61
SolaTX technical xtreme outdoor fabric.....	14, 15	Upholstery canvas.....	24, 25, 26, 27
Solution dyed polyester.....	14, 15, 17	Upholstery fabrics.....	24, 25, 26, 27, 28, 29,
Splash Ripples™ Collection.....	48, 49	Vinyl.....	19
Splash Ripples™ Mink with Seasilk.....	48, 49	Vinyl leather.....	30, 31, 54, 55
Splash Ripples™ Rio.....	48, 49	Vinyl mesh.....	62, 63, 64, 65
Splash™ Collection.....	44, 45, 46, 47	Vinyl upholstery fabric.....	28, 29, 30, 31, 32, 33, 34, 35, 36,
Sticky back fabric.....	10, 17	37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51	
Stiffening material.....	22	Vinyl welding service.....	58, 59, 60
Sundance vinyl.....	38, 39	Vinyl window material.....	20, 21
Sunsure® mesh.....	62	Wall linings.....	61
Surf vinyl.....	46, 47	Waterproof acrylic fabric.....	27
Textilene® 80 vinyl mesh.....	63	Window material.....	20, 21
Textilene® 90 vinyl mesh.....	63	Window sheets.....	21



# Bainbridge


## GLOBAL HEADQUARTERS

### Bainbridge International Ltd

8 Flanders Park, Southampton, Hampshire SO30 2FZ UK

T: +44 (0) 1489 776000

E: [info@bainbridgeint.co.uk](mailto:info@bainbridgeint.co.uk) W: [bainbridgeint.com](http://bainbridgeint.com)



### AUSTRALIA

#### Bainbridge International Pty. Ltd

273 Harbour Road, Brookvale, NSW 2100

T: +61 (0) 2 9938 1788

E: [info@bainbridgeint.com.au](mailto:info@bainbridgeint.com.au)

W: [www.bainbridgeaus.com.au](http://www.bainbridgeaus.com.au)

### DENMARK

#### Columbus Marine

Svejsegangen 3, DK-2690, Karlslunde

T: +45 4619 1166

E: [info@columbus-marine.dk](mailto:info@columbus-marine.dk)

W: [www.columbus-marine.dk](http://www.columbus-marine.dk)

### FRANCE, SPAIN & NORTH AFRICA

#### VMG Soromap

Z.A. de Béligon, 17300 Rochefort / Mer, France

T: +33 (0) 5 46 87 84 80

E: [contact@vmgsoromap.com](mailto:contact@vmgsoromap.com)

W: [www.vmgisoromap.com](http://www.vmgisoromap.com)

### GERMANY

#### Herman Gotthardt GmbH

Leunastrasse 50, D-22761 Hamburg

T: +49 40 85150550

E: [info@gotthardt-yacht.de](mailto:info@gotthardt-yacht.de)

W: [www.gotthardt-yacht.de](http://www.gotthardt-yacht.de)

### GREECE

#### Takis Kokkotas Co. Ltd.

80 Mezonos Str, 104 38, Athens

T: +30 210 52 28 540

E: [info@kokkotas.gr](mailto:info@kokkotas.gr)

W: [www.kokkotas.gr](http://www.kokkotas.gr)

### HONG KONG & CHINA

#### Sky International

Room 703, 7/F, Henan Building, 90 Jaffe Road, Wanchai

T: +852 2827 5876

E: [web@sky-international.com](mailto:web@sky-international.com)

W: [www.sky-international.com](http://www.sky-international.com)

### ITALY

#### Sacloma S.a.s

Via Cisa Sud 125, 19037, S. Stefano di Magra (SP)

T: +39 0187 630603

E: [sacloma@sacloma.com](mailto:sacloma@sacloma.com)

W: [www.sacloma.com](http://www.sacloma.com)

### ITALY

#### Boat Rigging s.r.l

Via San Gallo 23, 50028, Tavarnelle Val di Pesa Loc., Sambuca(FI)

T: +39 055 8071964

E: [luca@boatrigging.it](mailto:luca@boatrigging.it)

W: [www.boatrigging.it](http://www.boatrigging.it)

### NETHERLANDS

#### On Deck BV

Leimuiderdijk 478A, 2156 MX Weteringburg, Netherlands

T: +31 71 331 33 66

E: [allhands@on-deck.nl](mailto:allhands@on-deck.nl)

W: [www.on-deck.nl](http://www.on-deck.nl)

### NEW ZEALAND

#### Q C D Limited

8 Taylors Road, Sandringham, 1025, Auckland

T: +64 (0) 9 815 7500

E: [sales@qcd.co.nz](mailto:sales@qcd.co.nz)

W: [www.qcd.co.nz](http://www.qcd.co.nz)

### SWEDEN & NORWAY

#### Aspero Handels AB

PO Box 5009, Traneredsvagen 112, SE-426 05 V. Frolunda

T: +46 31 299 190

E: [info@aspero.se](mailto:info@aspero.se)

W: [www.aspero.se](http://www.aspero.se)

### TURKEY

#### SORG Yelken Promosyon ve

Acibadem Mh. Umut Sk. Akpak Apt. 10/A Kadikoy – Istanbul

T: +90 (216) 3177575

E: [info@sailmaker.org](mailto:info@sailmaker.org)

W: [www.sailmaker.org](http://www.sailmaker.org)

### USA, CANADA, SOUTH AMERICA & CARIBBEAN

#### Bainbridge International Inc.

255 Revere Street, Canton 02021, Massachusetts

T: +1 781 821 2600

E: [info@bainbridgeintusa.com](mailto:info@bainbridgeintusa.com)

W: [www.bainbridgeintusa.com](http://www.bainbridgeintusa.com)





**Bainbridge International Ltd**

8 Flanders Park, Southampton, Hampshire SO30 2FZ UK

**T:** +44 (0)1489 776000

**E:** [info@bainbridgeint.co.uk](mailto:info@bainbridgeint.co.uk)

**W:** [bainbridgeint.com](http://bainbridgeint.com)