

SENS

ENDLESS FABRICS



SENS crafts high-end fabrics embodying a thoughtful approach. We manufacture enduring fabrics which seek to be part of exquisite furniture and spaces, tell stories, and build meaningful and timeless environments.

Our fabrics and processes are driven by purpose and a mindful connection to sensory experiences. With a fusion of sense and sensitivity, SENS stands as a trailblazer in quality, delivering top-tier outdoor & indoor textiles tailored for residential, commercial, contract and marine upholstery.



Properties



Maximum color fastness



Breathability



Infinity Process



Water repellency



Stain resistance



Mold and mildew resistance



Bacteria resistance



Pilling resistance



Abrasion resistance

Advantages and benefits



UV protection



Durability



Soft touch



Pet-friendly



Health-friendly



Easy cleaning and maintenance



Bleach-friendly



Suitable for marine environments

Applications



Upholstery



Cushions and pillows



Umbrellas





Safety, Health and Sustainability

For us, only makes sense to manufacture fabrics from a sustainable approach. We seek to produce products that reflect our values and our dedication to health and sustainability. We are joining a movement towards a cleaner, safer, and more sustainable future.

Endless fabrics

SENS are endless fabrics, because we believe that long-lasting products are the key to reduce overall resource consumption, waste generation, and environmental impact.

PFAS free

We care deeply about health, and that's why our products are free from per- and polyfluoroalkyl substances (PFAS). Scientific studies have raised concerns about the potential health risks associated with PFAS exposure. PFAS are known for their persistence in the environment, and by going PFAS-free, we are actively reducing our ecological footprint.

It is also about meeting current regulations and staying ahead of the curve. We want our clients and partners to be confident in the choices they make, and our commitment aligns with the evolving regulatory landscape.

Waste treatment

The waste generated both in the process of producing the fabric, and in the team's activity itself, is separated and recycled where possible.


Purification of waste water

We clean all the water used in the factory with 3 types of treatment: physico-chemical, biological and activated carbon.

Solids & Textured



700099140
D-099 Solid White




700122140
D-122 Solid Seashell



700117140
D-117 Solid Raw



700327140
D-327 Solid Natural



700115140
D-115 Solid Cream



700779140
D-779 Tweed Beige




700100140
D-100 Solid Beige




700783140
D-783 Tweed Sand




700220140
D-220 Solid Argent




700139140
D-139 Solid
Heather Beige




700203140
D-203 Solid Saddle




700143140
D-143 Solid Hemp Beige



700204140
D-204 Solid Russet




700201140
D-201 Solid Hickory




700244140
D-244 Solid Dun




700554140
D-554 Solid Yellow



700158140
D-158 Solid Ochre




700104140
D-104 Solid Chestnut



700106140
D-106 Solid Flamingo




700778140
D-778 Tweed Mandarin




700567140
D-567 Solid Orange



700105140
D-105 Solid Salmon



700176140
D-176 Solid Red




700182140
D-182 Solid Vermillion



700777140
D-777 Tweed Cherry




700177140
D-177 Solid Burgundy




700165140
D-165 Solid Mauve



700160140
D-160 Solid Pistachio



700230140
D-230 Solid Sage



700187140
D-187 Solid Jade



700163140
D-163 Solid Green



700102140
D-102 Solid
Forest Green



700171140
D-171 Solid Turquoise




700193140
D-193 Solid Light
Blue



700788140
D-788 Tweed Lagoon




700172140
D-172 Solid Blue



700173140
D-173 Solid Dark Blue



700228140
D-228 Solid Pewter



700236140
D-236 Solid Jeans



700784140
D-784 Tweed Navy Blue




700219140
D-219 Solid Thunder



700202140
D-202 Solid Ocean



700174140
D-174 Solid
Navy Blue



700197140
D-197 Tweed Lead



700205140
D-205 Solid Aluminium



700196140
D-196 Solid Titanium




700153140
D-153 Solid Stone




700161140
D-161 Solid Grey



700127140
D-127 Solid Moonrock



700787140
D-787 Tweed Ebony



700774140
D-774 Tweed Smoke



700151140
D-151 Solid Slate



700164140
D-164 Solid
Charcoal Grey



700150140
D-150 Solid Dark Grey



700103140
D-103 Solid Black



Belize




706812140 | D-812 Belize Inca

Repeat: 1 cm



706904140 | D-904 Belize Sand

Repeat: 13,8 cm



706901140 | D-901 Belize Urban

Repeat: 13,8 cm



706903140 | D-903 Belize Life

Repeat: 13,8 cm



706902140 | D-902 Belize Sea

Repeat: 13,8 cm

Solids




Waterproof



W The special Waterproof finish is available in 11 colours of the Solids collection. It is possible to apply this finish to any other SENS design, with a minimum order quantity.

Eternal



Eternal



719111140 | D-111 Eternal Ice




719025140 | D-025 Eternal Seashell



719028140 | D-028 Eternal Wheat




719116140 | D-116 Eternal Oat



719117140 | D-117 Eternal Heather Beige




719158140 | D-158 Eternal Ochre



719038140 | D-038 Eternal Phoenix



719104140 | D-104 Eternal Terracotta




719057140 | D-057 Eternal Vulcano



719243140 | D-243 Eternal Tapenade




719110140 | D-110 Eternal Wood




719039140 | D-039 Eternal Meadow


Eternal



719128140 | D-128 Eternal Jungle



719068140 | D-068 Eternal River



719122140 | D-122 Eternal Sea



719202140 | D-202 Eternal Ocean



719021140 | D-021 Eternal Marlin




719023140 | D-023 Eternal Storm




719026140 | D-026 Eternal Marine



719137140 | D-137 Eternal Graphite



719196140 | D-196 Eternal Titanium



719024140 | D-024 Eternal Ash




719164140 | D-164 Eternal Charcoal Grey

Finesse



717025140 | D-025 Finesse Seashell



717027140 | D-027 Finesse Pumpkin



717160140 | D-160 Finesse Iguana



717193140 | D-193 Finesse Sky



717020140 | D-020 Finesse Pearl



717164140 | D-164 Finesse Charcoal Grey



Nobless



720111140 | D-111 Nobless Ice



720220140 | D-220 Nobless Argent




720196140 | D-196 Nobless Titanium



720023140 | D-023 Nobless Storm



720150140 | D-150 Nobless Smoke



Enea



725025140 | D-025 Enea Seashell



725029140 | D-029 Enea Sunflower



725104140 | D-104 Enea Terracotta



725187140 | D-187 Enea Jade



725784140 | D-784 Enea Navy Blue




725202140 | D-202 Enea Ocean



725220140 | D-220 Enea Argent




725020140 | D-020 Enea Pearl



725164140 | D-164 Enea Charcoal Grey



Riva



714187140 | D-187 Riva Jade




714236140 | D-236 Riva Jeans



714202140 | D-202 Riva Ocean



714164140 | D-164 Riva Coal




Lavish



716025140 | D-025 Lavish Seashell



716143140 | D-143 Lavish Hemp Beige



716160140 | D-160 Lavish Iguana



716024140 | D-024 Lavish Ash



Coquette



713025140 | D-025 Coquette Seashell



713028140 | D-028 Coquette Wheat



713027140 | D-027 Coquette Pumpkin




713026140 | D-026 Coquette Marine



713023140 | D-023 Coquette Storm



713021140 | D-021 Coquette Marlin



713020140 | D-020 Coquette Pearl



713022140 | D-022 Coquette Titanium



713024140 | D-024 Coquette Ash



Nest



722099140 | D-099 Nest Snow



722220140 | D-220 Nest Argent



722126140 | D-126 Nest Antique



722143140 | D-143 Nest Hemp Beige



722196140 | D-196 Nest Titanium




Lukla


Repeat warp: 37 cm / Repeat weft: 40,3 cm



732143140 | D-143 Lukla Sand



732138140 | D-138 Lukla Cadet



732123140 | D-123 Lukla Titanium



Amalfi

Repeat warp: 17 cm / Repeat weft: 21 cm



723126140 | D-126 Amalfi Linen



723196140 | D-196 Amalfi Titanium



723170140 | D-170 Amalfi Midnight



SENS
ENDLESS FABRICS





SENS
ENDLESS FABRICS

SENS

ENDLESS FABRICS





SENS
ENDLESS FABRICS

Fabric characteristics	Standard	Solids & Textured
Composition		100% Solution-dyed acrylic fiber
Type of fabric		Special acrylic for upholstery
Finish		Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free
Use		Indoor & Outdoor
Technical characteristics		
Weight	UNE-EN ISO 12127	270 g/m ² / 7.9 oz/yd ²
Width		140 cm ± 1% / 55"
Standard roll length		60 m / 65.6 yards
Slippage resistance at a seam (warp)	BS EN ISO 13936-2:2004	3,3 mm
Slippage resistance at a seam (weft)	BS EN ISO 13936-2:2004	3,6 mm
Seam tensile properties of fabrics (warp)	EN ISO 13935-2:2014	81,61 daN
Seam tensile properties of fabrics (weft)	EN ISO 13935-2:2014	85,61 daN
Water column	UNE-EN ISO 811:2019	250 mm
Spray test	UNE-EN ISO 4920:2013	5
Tensile strength (warp)	UNE-EN ISO 13934-1:2013	160 daN/5cm
Tensile strength (weft)	UNE-EN ISO 13934-1:2013	65 daN/5cm
Tear strength (warp)	UNE-EN ISO 13937-3:2001	8 daN/5cm
Tear strength (weft)	UNE-EN ISO 13937-3:2001	5 daN/5cm
Dimensional change in washing and drying and domestic drying (%)	UNE EN ISO 5077:2008	-0,2/-1,3 %
Colour fastness to washing (30°C)	ISO 105 C06	Class 5 (Null degradation)
Colour fastness to artificial light Xenotest (Indoor)	UNE-EN ISO 105 B02:2014	4-5
Colour fastness to artificial light (Outdoor)	UNE-EN ISO 105 B04:1998	7-8
UV Standard 801	UV Standard 801	Pass
Determination of resistance to liquids	UNE-EN ISO 2812-1:2018	No change
Antimicrobial activity	AATCC Test Method 100-2012	99,9
Cleaning instructions	    	
Optional treatment*		Flame retardant: - IMO MSC.307 (88) Annex 1 Part 8 - BS 5852 Cigarette & Match - California TB 117-2013 - UNE EN 1021 1y2
*The special flame retardant finish is available by MOQ *Special waterproof lamination finish is available by MOQ.		

Safety, health and environment



PFAS free



Phthalates Free



Recyclable



Made in Europe



5 Years warranty



Waterproof	Belize	Eternal	Finesse
90% Solution-dyed acrylic fiber - 10% laminated from PU	100% Solution-dyed acrylic fiber	100% Solution-dyed acrylic fiber	100% Solution-dyed acrylic fiber
Special acrylic for upholstery	Special acrylic for upholstery	Special acrylic for upholstery	Special acrylic for upholstery
Semi-waterproof laminated and special finish for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free
Indoor & Outdoor	Indoor & Outdoor	Indoor & Outdoor	Indoor & Outdoor
300 g/m ² / 8.8 oz/yd ²	277 g/m ² / 8.2 oz/yd ²	270 g/m ² / 7.9 oz/yd ²	320 g/m ² / 9.4 oz/yd ²
140 cm ± 1% / 55"	140 cm ± 1% / 55"	140 cm ± 1% / 55"	140 cm ± 1% / 55"
60 m / 65.6 yards	60 m / 65.6 yards	30 m / 32 yards	30 m / 32 yards
3,5 mm	2,1 mm	4,4 mm	3,9 mm
3,7 mm	3,8 mm	4,4 mm	3,5 mm
80,6 daN	56,3 daN	86,84 daN	>100 daN
82,3 daN	58,93 daN	65,02 daN	90,39 daN
2000 mm	250 mm	110 mm	150 mm
5	5	5	5
160 daN/5cm	156 daN/5cm	175 daN/5cm	175 daN/5cm
95 daN/5cm	76 daN/5cm	80 daN/5cm	126 daN/5cm
6 daN/5cm	6 daN/5cm	22 daN/5cm	22 daN/5cm
5 daN/5cm	4,5 daN/5cm	20 daN/5cm	21 daN/5cm
0/0 %	-0,2/-1,5 %	-0,7/-2,3 %	-1,0/-2,3 %
Class 5 (Null degradation)	Class 5 (Null degradation)	Class 5 (Null degradation)	Class 5 (Null degradation)
4-5	4-5	4-5	4-5
7-8	7-8	7-8	7-8
Pass	Pass	Pass	Pass
No change	No change	No change	No change
99,9	99,9	99,9	99,9

Nobless	Enea	Riva	Lavish
100% Solution-dyed acrylic fiber	100% Solution-dyed acrylic fiber	100% Solution-dyed acrylic fiber	100% Solution-dyed acrylic fiber
Special acrylic for upholstery	Special acrylic for upholstery	Special acrylic for upholstery	Special acrylic for upholstery
Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free
Indoor & Outdoor	Indoor & Outdoor	Indoor & Outdoor	Indoor & Outdoor
320 g/m ² / 9.4 oz/yd ²	415 g/m ² / 12.2 oz/yd ²	290 g/m ² / 8.5 oz/yd ²	370 g/m ² / 10.9 oz/yd ²
140 cm ± 1% / 55"	140 cm ± 1% / 55"	140 cm ± 1% / 55"	140 cm ± 1% / 55"
30 m / 32 yards	30 m / 32 yards	30 m / 32 yards	30 m / 32 yards
2,7 mm	3,1 mm	3,1 mm	3,4 mm
3,3 mm	3,5 mm	4,9 mm	4,6 mm
>100 daN	>100 daN	89,37 daN	79,94 daN
>100 daN	75,25 daN	63,89 daN	56,23 daN
110 mm	140 mm	170 mm	140 mm
5	5	5	5
166 daN/5cm	230 daN/5cm	190 daN/5cm	210 daN/5cm
115 daN/5cm	152 daN/5cm	62 daN/5cm	90 daN/5cm
20 daN/5cm	25 daN/5cm	18 daN/5cm	13 daN/5cm
15 daN/5cm	22 daN/5cm	20 daN/5cm	12 daN/5cm
-2,0/-2,0 %	-1,5/-1,3 %	0,0/-2,3%	-0,5/-2,7%
Class 5 (Null degradation)	Class 5 (Null degradation)	Class 5 (Null degradation)	Class 5 (Null degradation)
4-5	4-5	4-5	4-5
7-8	7-8	7-8	7-8
Pass	Pass	Pass	Pass
No change	No change	No change	No change
99,9	99,9	99,9	99,9

Coquette	Nest	Lukla	Amalfi
100% Solution-dyed acrylic fiber	100% Solution-dyed acrylic fiber	100% Solution-dyed acrylic fiber	100% Solution-dyed acrylic fiber
Special acrylic for upholstery	Special acrylic for upholstery	Special acrylic for upholstery	Special acrylic for upholstery
Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free	Special Infinity treatment for upholstery. Water repellent, stain resistant, rot-proof and breathable. PFAS Free
Indoor & Outdoor	Indoor & Outdoor	Indoor & Outdoor	Indoor & Outdoor
270 g/m ² / 7.9 oz/yd ²	450 g/m ² / 13.3 oz/yd ²	315 g/m ² / 9.3 oz/yd ²	270 g/m ² / 7.9 oz/yd ²
140 cm ± 1% / 55"	140 cm ± 1% / 55"	140 cm ± 1% / 55"	140 cm ± 1% / 55"
30 m / 32 yards	30 m / 32 yards	30 m / 32 yards	30 m / 32 yards
2 mm	3,6 mm	2,7 mm	3,5 mm
5,4 mm	4,8 mm	3,9 mm	3 mm
99,65 daN	78,52 daN	93,48 daN	85,85 daN
52,24 daN	53,74 daN	91,54 daN	64,78 daN
120 mm	100 mm	130 mm	160 mm
4,5	3	5	4,5
178 daN/5cm	170 daN/5cm	162 daN/5cm	168 daN/5cm
75 daN/5cm	72 daN/5cm	140 daN/5cm	85 daN/5cm
20 daN/5cm	21 daN/5cm	21 daN/5cm	14 daN/5cm
16 daN/5cm	21 daN/5cm	19 daN/5cm	14 daN/5cm
-0,7/-2,0%	-2,7/-3,2%	-1,5/-1,3%	-1,0/-1,8%
Class 5 (Null degradation)	Class 5 (Null degradation)	Class 5 (Null degradation)	Class 5 (Null degradation)
4-5	4-5	4-5	4-5
7-8	7-8	7-8	7-8
Pass	Pass	Pass	Pass
No change	No change	No change	No change
99,9	99,9	99,9	99,9



SENS
ENDLESS FABRICS

by

RECASENS
BCN 1886

HEADQUARTERS

Travessera de Gràcia, 18-20
08021 Barcelona (Spain)
sensfabrics.com

Tel. +34 93 200 27 00
Fax +34 93 202 19 32
info@sensfabrics.com